# Control Rules for Environment-related Substances Used in Product

Ver. 18 April 1, 2024

**OLYMPUS** 

# Contents

1. Purpose	1
2. Scope	1
2.1 Items	1
2.2 Laws and regulations	1
3. Terms and Definitions	2
4. Rules	3
4.1 The environment-related substances and control classification	3
4.2 Prohibited substances	3
4.3 Controlled substances	4
4.4 Control value	4
Table 1 Environment-related Substances	5
Table 2 Criteria for managing prohibited substances	7
Table 3 Criteria for managing controlled substances	54
5. Major Revisions	56

#### 1. Purpose

These rules pertain to environment-related substances used in the products of Olympus Group (this is hereinafter referred to as "Olympus"). They are to ensure that Olympus products comply with laws and regulations by defining criteria for prohibiting or controlling the substances, as well as to reduce environmental load.

#### 2. Scope

#### 2.1 Items

- (1) Products (shipped out by Olympus)
  - Products designed, manufactured and sold by Olympus
  - Products designed and manufactured by third parties, and sold by Olympus with its trademark attached
  - Products designed and manufactured by Olympus and supplied to a third party as OEM products.
    - (Note1) In this case, third parties are responsible for requiring Olympus to comply with these regulations.
    - (Note2) These rules do not apply to the components or materials specified by the third party.
- (2) Parts and materials (delivered to Olympus, and used in "(1) Products" above)
  - Subassemblies (e.g., assembly parts such as function units, modules and board assemblies)
  - Components and materials (e.g., electrical components, components of machinery, components of electric machinery, semiconductors, printed wiring boards.)
  - Parts for repair and maintenance services
  - Accessories (e.g., accessories, such as AC adaptors, necessary for device operation)
  - Subsidiary materials (e.g., solder materials, adhesives, lubricants, reinforcing materials, tapes, paints, inks.)
  - Printed materials (e.g., instruction manuals, brochures.)
  - Materials for sales promotion (e.g., labels.)
- (3) Packaging materials
  - Packaging materials and components used to ship out products
  - Packaging subsidiary materials (e.g., adhesives, lubricants, reinforcing materials, tapes, paints, inks.)
  - (Except for packaging materials disposed of during Olympus manufacturing processes.)

(Note) Olympus may require our suppliers to comply with the rules herein in the following cases;

- Products distributed by Olympus for sales promotion purposes (e.g., novelty items bearing Olympus's name)

#### 2.2 Laws and regulations

Based on major global treaties, laws, ordinances and industry standards (hereinafter called "regulations"), these rules state the requirements of regulations regarding Olympus Group products. However, they may not cover all of these regulations. If there are additional requirements in regions where products are sold, Olympus global, regional, and local business centers and their suppliers shall obey those requirements.

Ver. 18 1/66

#### 3. Terms and Definitions

The following definitions are applied to the terms used in these rules.

#### (1) Environment-related substances

These substances have significant influence on human health and the environment. They are specified by Olympus as "prohibited" or "controlled" substances, in accordance with laws and regulations.

#### (2) Joint Article Management Promotion-Consortium (JAMP)

JAMP is a Japanese consortium that manages information on chemical substances contained in an article appropriately and operates a system to disclose and efficiently transmit this information through companies in the supply chain.

#### (3) Substance group

This is a collective term for a chemical substance and its chemical compounds, or a collective term for several substances that possess similar chemical structures, toxicities, and/or harmful effects on the environment.

#### (4) Inclusion

This is defined as the addition or adhesion of substances to, or mixture of substances with, raw materials, parts, or products, whether intentionally or otherwise. The addition, adhesion or mixture of impurities is also regarded as inclusion.

#### (5) Intentional use

This is the situation where a substance is contained in products because of deliberate addition, filling, blending, or adhesion, in order to provide a specific characteristic, appearance or quality.

#### (6) Impurities

Natural impurities contained in natural raw materials and technically impossible to be completely removed in the refining process for industrial materials, or substances that are created in the synthetic reaction process but technically impossible to be completely removed.

(Note) If any substances that are referred to as "impurities" (in order to distinguish them from main raw materials) are added to materials to change their characteristics, such substances are deemed to be "intentionally included".

#### (7) Substance (REACH Article 3: Definitions)

It means a chemical element and its compounds in the natural state or obtained by any manufacturing process, including any additive necessary to preserve its stability and any impurity deriving from the process used, but excluding any solvent which may be separated without affecting the stability of the substance or changing its composition.

#### (8) Article (REACH Article 3: Definitions)

An object which during production is given a special shape, surface or design which determines its function to a greater degree than does its chemical composition.

Ver. 18 2/66

#### (9) Mixture (REACH Article 3: Definitions)

A mixture or solution composed of two or more substances.

#### (10) Homogeneous materials

Homogeneous materials are materials that cannot be mechanically separated anymore and have a homogeneous composition. Examples are plastic, ceramics, glass, metals, alloys, paper, boards, resins and coatings. Mechanical separation means separation by mechanical processes, such as removing screws, cutting, crushing, grinding and polishing.

#### (11) Metal conversion factor

This is the factor used to calculate the weight of a metallic element in a metallic compound from the weight of the metallic compound. The weight of a metallic element in a metallic compound can be obtained by multiplying the weight of the metallic compound by the metal conversion factor.

#### (12) CAS No.

This is the registration number for chemical substances allocated by the Chemical Abstracts Service (CAS), which is a division of the American Chemical Society. CAS numbers are used globally to identify chemical substances since there are several different ways of writing the names of chemical substances.

#### (13) JAMP Substance Numbers (JAMP-SN)

The number introduced by JAMP for some substances and groups that do not have a CAS No. (SN stands for "Substance Number").

#### (14) Control value

The concentrations defined by Olympus to ensure that the amounts of substances contained in items do not exceed the concentrations regulated.

#### (15) Dates of ban on delivery

Dates when Olympus imposes ban on delivery from their suppliers to Olympus. Olympus determines them to ensure observance of the effective dates of regulations. (They are six months before the effective dates.)

In case that Olympus's business centers set their own dates of ban on delivery, these dates set by business centers take precedence over the ones herein.

#### 4. Rules

#### 4.1 The environment-related substances and control classification

The environment-related substances designated by Olympus are listed in Table 1. They are classified into two categories: "prohibited substances" and "controlled substances".

#### 4.2 Prohibited substances

Prohibited substances are classified into the two following levels based on their date of ban on delivery.

Ver. 18 3/66

#### (1) Prohibited substances Level 1:

These substances are immediately prohibited. Exceptions apply in the following cases:

- They have 'a control value' and can be used below that value.
- They have 'an exemption' and can be used for that application provided that their concentrations and their location of use shall be reported.

#### (2) Prohibited substances Level 2:

These substances will be prohibited after their date of ban on delivery.

- They are acceptable to use until their date of ban on delivery.
- Date of ban on delivery may be revised if the effective date of a regulation is changed.

Criteria for managing prohibited substances are shown in Table 2.

- Prohibition level, date of ban on delivery, applications, control values, exemptions, notes
- Examples of substances (They do not cover all the substances in this substance group.) or regulated substances.
- Principal uses for substances

#### 4.3 Controlled substances

If the content of a controlled substance exceeds its control value, the substance, the concentrations, and the location of use shall all be reported.

Criteria for managing controlled substances are shown in Table 3.

- Applications, control values and notes

#### 4.4 Control value

Unless otherwise designated, the control values are the concentrations of substances in homogeneous materials.

- In complex components (assemblies), it is the concentration in each article of that component (not what is in the whole component).
- In surface treatment coatings, it is the concentration in the coating.
- In metal compounds that have metal conversion factors, the control values are the respective concentrations of the metal elements included in those compounds. In metal compounds that have no metal conversion factors, the control values are the concentrations of the whole metal compound.

Ver. 18 4/66

Table 1 Environment-related Substances

Class	Major division	No.	Substance group	Detail
(I)	Metal and	I-1	Cadmium and its compounds	Table 2-I-1
Prohibited	metal	I-2	Hexavalent chromium compounds	Table 2-I-2
substances	compounds	I-3	Lead and its compounds	Table 2-I-3
	(including their	I-4	Mercury and its compounds	Table 2-I-4
	alloys)	I-5	Trisubstituted organotin compounds	Table 2-I-5
			(including tributyltin compounds (TBTs)	
		T.0	and triphenyltin compounds (TPTs))	m 11 o T o
		I-6	Dibutyltin compounds (DBT)	Table 2-I-6
		I-7	Dioctyltin compounds (DOT)	Table 2-I-7
	TT 1 1	I-8	Nickel and its compounds	Table 2-I-8
	Halogenated	I-9	Polybrominated biphenyl (PBBs)	Table 2-I-9
	organic	I-10	Polybrominated diphenyl ether (PBDEs)	Table 2-I-10
	compounds	I-11	Polychlorinated biphenyl (PCBs)	Table 2-I-11
		I-12	Polychlorinated terphenyls (PCTs)	Table 2-I-12
		I-13	Polychlorinated naphthalene (with more than 3 chlorine atoms)	Table 2-I-13
		I-14	Short-chained chlorinated paraffin	Table 2-I-14
		111	(having the chain length of 10 - 13)	14010 2 1 14
		I-15	Polyvinyl chloride (PVC)	Table 2-I-15
		I-16	Hexabromocyclododecane (HBCDD)	Table 2-I-16
		I-17	Pentachlorothiophenol (PCTP)	Table 2-I-17
		I-18	Hexachlorobutadiene (HCBD)	Table 2-I-18
		I-19	Hexachlorobenzene (HCB)	Table 2-I-19
	Others	I-20	Asbestos	Table 2-I-20
		I-21	Azo dyes and pigments (specific amines	Table 2-I-21
			formed by degrading azo dies and	
			pigments)	
		I-22	Ozone depleting substances (listed in	Table 2-I-22
		T 00	Montreal Protocol)	T 11 0 1 00
		I-23	Perfluorooctanesulfonic acid (PFOS) and PFOS analogs	Table 2-I-23
		I-24	Specific benzotriazole: 2-(2H-1,2,3-	Table 2-I-24
			Benzotriazol-2-yl)-4,6-di-tert-butylphenol	
		I-25	Formaldehyde	Table 2-I-25
		I-26	Dimethylfumarate (DMF)	Table 2-I-26
		I-27	Fluorinated Greenhouse Gases (PFC,	Table 2-I-27
			SF6, HFC)	
		I-28	Phthalate esters (BBP, DBP, DEHP, DIBP)	Table 2-I-28
		I-29	Perfluorooctanoic acid (PFOA) and its	Table 2-I-29
			salts and esters and certain Long-Chain	
		<b>-</b>	Perfluoroalkyl Carboxylates (LCPFAC)	
		I-30	Polycyclic aromatic hydrocarbon (PAH)	Table 2-I-30
		I-31	Pentachlorophenol and its salts and esters	Table 2-I-31
		I-32	Certain CMR substances	Table 2-I-32
		I-33	Phenol, isopropylated phosphate (3:1)	Table 2-I-33
		I-34	2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP)	Table 2-I-34
[	<u>l</u>	101	-, 1,0 0110 (0010 000) / priorior (2,1,0 11D1)	10010 2 1 01

Ver. 18 5/66

		I-35	Perfluorocarboxylic acids containing 9 to	Table 2-I-35
			14 carbon atoms in the chain (C9-C14	
			PFCAs), their salts and C9-C14 PFCA-	
			related substances	
		I-36	Perfluorohexanoic acid (PFHxS) and its	Table 2-I-36
			salts and PFHxS related substances	
(II)	Othors	II-1	Candidate List of Substances of Very	Table 3-II-1
Controlled	Others		High Concern in REACH(SVHC)	
substances		II-2	Substances subject to the European	Table 3-II-2
			Union's Medical Device Regulation (EU-	
			MDR) or In Vitro Diagnostic Medical	
			Device Regulation (EU-IVDR)	
		II-3	Perfluoroalkyl and polyfluoroalkyl	Table 3-II-3
			substances (PFAS)	

#### (Note)

- Applications of I-32 "Certain CMR substances" are limited to products that come into contact with human skin to an extent similar to clothing. Please see Table 2-I-32 for details.
- I-10, I-17, I-18, I-33, I-34 are substances that are persistent, bio-accumulative, and toxic chemicals (PBTs) identified pursuant to section 6(h) of the Toxic Substances Control Act (TSCA). Please see Table 2-I-10, Table 2-I-17, Table 2-I-18, Table 2-I-33, and Table 2-I-34 for details.
- Applications of II-2 "Substances subject to the European Union's Medical Device Regulation (EU-MDR) or In Vitro Diagnostic Medical Device Regulation (EU-IVDR)" are limited to components and subsidiary materials that are used in products subject to EU-MDR or EU-IVDR, and that come into direct or indirect contact with the patient. Please see Table 3-II-2 for details.

Ver. 18 6/66

# Table 2 Criteria for managing prohibited substances.

Table 2-I-1 Cadmium and its compounds

(1) Details

No. I-1	Substance Gro	Substance Group: Cadmium and its compounds					
Prohibition	Date of ban	Applications	Control Value	Note			
Level	on delivery						
Level 1	Immediate	<ul> <li>Surface processing (e.g. plating) and coating (except for electrical contacts requiring a high level of safety and reliability, and for which no substitute exists)</li> <li>Fluorescence lamps and photographic film</li> <li>Stabilizer, pigment and dye used for plastics (including rubbers)</li> <li>Paints and inks</li> </ul>	-Less than 75 ppm in homogeneous material	*1			
		·Packaging materials	-Less than 100 ppm in homogeneous material	*2			
	Immediate	• Electric and electronic equipment subject to RoHS Directive (2011/65/EU)	-100 ppm or less in homogeneous material	*3			
	Exclusions						
	from RoHS						
	Directive: 6						
	months						
	prior to						
	expiration						
Exemption		o the EU RoHS ANNEX III and ANNEX IV					
Note	*1 Because the Danish cadmium control act has been amended to reflect RoHS Directive (2011/65/EU), the control value is set at 100 ppm for products subject to RoHS Directive (2011/65/EU) and 75 ppm for products not covered by RoHS Directive (2011/65/EU). Annex XVII to REACH (restriction), ChemVerbotsV (Germany)						
		concentration of four heavy metals (cadmium,					
		in packaging materials must be considered. Ir					
		ging, the total concentration of these four heav					
		ts of the inks must be considered. EU Directiv	e on packaging materials	and			
		ns on Heavy Metals in Packaging (U.S.A.). rective (2011/65/EU)					
		COLVE (AOTHOGEO)					

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
カドミウム	Cadmium	Cd	7440-43-9	1.000
酸化カドミウム(II)	Cadmium oxide	CdO	1306-19-0	0.875
硫化カドミウム	Cadmium sulfide	CdS	1306-23-6	0.778
塩化カドミウム	Cadmium chloride	$CdCl_2$	10108-64-2	0.613
硫酸カドミウム(II)	Cadmium sulfate	CdSO <sub>4</sub>	10124-36-4 31119-53-6	0.539
		CdH <sub>6</sub> O <sub>16</sub> S <sub>4</sub>	119222-01-4	0.224
硝酸カドミウム	Cadmium Nitrate	Cd(NO <sub>3</sub> ) <sub>2</sub>	10325-94-7	0.475
炭酸カドミウム	Cadmium carbonate	$CdCO_3$	513-78-0	0.652
硫セレン化カドミウム	Cadmium selenide sulfide	$Cd_2SSe$	12214-12-9	0.669
セレン化カドミウム	Cadmium Selenide	CdSe	1306-24-7	0.587
テルル化カドミウム	Cadmium Telluride	CdTe	1306-25-8	0.468

水酸化カドミウム	Cadmium Hydroxide	Cd(OH) <sub>2</sub>	21041-95-2	0.768
ステアリン酸カドミウム	Cadmium Stearate	Cd(C <sub>17</sub> H <sub>35</sub> COO	2223-93-0	0.166
		$)_2$		
フッ化カドミウム	Cadmium fluoride	$\mathrm{CdF}_2$	7790-79-6	0.747
シロキサンおよびシリコーン, 3-			1623456-05-2	-
[(2-アミノエチル)アミノ]プロピ				
ルメチル, ジメチル, セレン化	di-Me, reaction products with			
硫化亜鉛カドミウム,ラウリン	cadmium zinc selenide sulfide,			
酸、オレイルアミンとの反応生	lauric acid and oleylamine			
成物				
その他のカドミウム化合物	Other cadmium compounds	-	JAMP-SN0016	-

Part	Purpose
Corrosion-resistant plating, decorative coatings,	Anticorrosion surface treatment, pigments,
printing inks, NiCd batteries, vinyl chloride sheaths	battery and electrical materials, plastic
for wires and cords, fuses, fluorescent materials,	stabilizers, optical materials
optical glasses (filters)	

# Table 2-I-2 Hexavalent chromium compounds

## (1) Details

No. I-2	Substance G	roup: Hexavalent chromium compounds		
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note
Level 1	Immediate	·Packaging materials	-Less than 100 ppm in homogeneous material	*1
		·Leather articles and articles containing leather parts, which come into contact with the skin	-Less than 3 mg/kg (0.0003%) of the total dry weight of the leather	*2
		·Substances and mixtures that contain chemicals with the following CAS numbers: Lead (II) chromate: 7758-97-6 Lead chromate molybdate sulphate red: 12656-85-8 Chromium (VI) trioxide: 1333-82-0 Oligomers of chromic acid and dichromic acid: 13530-68-2 Chromic acid: 7738-94-5 Sodium dichromate: 10588-01-9 Sodium dichromate dihydrate: 7789-12-0 Potassium dichromate: 7778-50-9 Ammonium dichromate: 7789-09-5 Potassium chromate: 7789-00-6 Sodium chromate: 7775-11-3 Pentazinc chromate octahydroxide: 49663-84-5 Strontium chromate: 7789-06-2 Dichromium tris(chromate): 24613-89-6 Potassium hydroxyoctaoxodizincatedichromate: 11103-86-9	Intentional inclusion prohibited	*3

Ver. 18 8/66

	Immediate	·Electric and electronic equipment subject to	-1000 ppm or less in	*4			
		RoHS Directive (2011/65/EU)	homogeneous				
	Exclusions		material				
	from RoHS						
	Directive: 6						
	months						
	prior to						
	expiration						
Exemption	Please refer t	to the EU RoHS ANNEX III and ANNEX IV.					
Note	*1 The total concentration of four heavy metals (cadmium, hexavalent chromium, lead and						
	mercury) in packaging materials must be considered. In the case of printing inks used						
	on pack	aging, the total concentration of these four heavy 1	netals included in the s	olid			
	ingredie	ents of the inks must be considered. EU Directive of	n packaging materials	and			
	Regulations on Heavy Metals in Packaging (U.S.A.).						
	*2 Annex X	*2 Annex XVII to REACH (restriction)					
	*3 Annex X	IV to REACH (authorizations)					
	*4 RoHS Di	rective (2011/65/EU)					

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

				0 · 1· ·
Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
重クロム酸ナトリウム	Sodium dichromate	Na <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub>	10588-01-9	0.349
重クロム酸ナトリウム・2水和 物	Sodium dichromate, dihydrate	$egin{array}{ll} Na_2Cr_2O_7 & \ \ 2H_2O \end{array}$	7789-12-0	0.349
酸化クロム(VI)	Chromium (VI) trioxide	$CrO_3$	1333-82-0	0.520
クロム酸カルシウム	Calcium chromate	CaCrO <sub>4</sub>	13765-19-0	0.333
クロム酸鉛(II)	Lead (II) chromate	$PbCrO_4$	7758-97-6	0.161
重クロム酸カリウム	Potassium dichromate	$K_2Cr_2O_7$	7778-50-9	0.354
クロム酸カリウム	Potassium chromate	$K_2CrO_4$	7789-00-6	0.268
クロム酸バリウム	Barium chromate	BaCrO <sub>4</sub>	10294-40-3	0.205
クロム酸ナトリウム	Sodium chromate	Na <sub>2</sub> CrO <sub>4</sub>	7775-11-3	0.321
クロム酸ストロンチウム(II)	Strontium chromate	SrCrO <sub>4</sub>	7789-06-2	0.255
クロム酸亜鉛(II)	Zink chromate	ZnCrO <sub>4</sub>	13530-65-9	0.287
クロム酸鉛(C.Iピグメントイエ ロー34)	Lead sulfochromate yellow (C.I.Pigment Yellow 34)	Unspecified	1344-37-2	-
塩基性クロム酸鉛	C.I. Pigment Orange 21	Unspecified	1344-38-3	-
クロム酸	Chromic acid	$CrH_2O_4$	7738-94-5	0.441
クロム酸及び重クロム酸オリゴ マー	Oligomers of chromic acid and dichromic acid	-	JAMP-SN0071	
重クロム酸、二クロム酸	Dichromic acid; Chromic acid	$H_2Cr_2O_7$	13530-68-2	0.477
二クロム酸アンモニウム	Ammonium dichromate	$(NH_4)_2Cr_2O_7$	7789-09-5	0.413
硫酸モリブデン酸クロム酸鉛 (C.Iピグメントレッド104)	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	Unspecified	12656-85-8	-
トリス(クロム酸)二クロム(III)	Dichromium tris(chromate)	$\mathrm{Cr}_5\mathrm{O}_{12}$	24613-89-6	0.575
クロム酸八水酸化五亜鉛	Pentazinc chromate octahydroxide	${\rm CrH_8O_{12}Zn_5}$	49663-84-5	0.090
ヒドロキシオクタオキソ二亜鉛 酸二クロム酸カリウム	Potassium hydroxyoctaoxodizincatedichro mate	$\mathrm{Cr}_2\mathrm{K}_2\mathrm{O}_8\mathrm{Zn}$	11103-86-9	0.277
その他の六価クロム化合物	Other hexavalent chromium compounds	-	JAMP-SN0019	-

<sup>(3)</sup> Principal uses for substances

Part	Purpose
Metal corrosion-proof chromate treatment	Anticorrosion surface treatment, pigments,
(galvanizing, electrode plating, alloys, die-casting),	anticorrosion pigments, paint desiccants
alumite dyes, anticorrosion paints, black chrome	
plating	

# Table 2-I-3 Lead and its compounds.

## (1) Details

No. I-3		oup: Lead and its compounds		
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	·Packaging materials	-Less than 100 ppm in homogeneous material	*1
		· Cable stabilizer used for insulating sheaths whose main ingredient is PVC (especially used in the parts of the sheaths touched routinely with hands)	-Less than 300 ppm in PVC cable insulating sheath	*2
		· Substances and mixtures that contain chemicals with the following CAS numbers: Lead (II) chromate: 7758-97-6 Lead sulfochromate yellow (C.I. Pigment Yellow 34): 1344-37-2 Lead chromate molybdate sulphate red (C.I. Pigment Red 104): 12656-85-8	-Intentional inclusion prohibited	*3
	Exclusions from RoHS Directive: 6 months prior to expiration	· Electric and electronic equipment subject to RoHS Directive (2011/65/EU)	-1000 ppm or less in homogeneous material	*4
Level 2	May 28,2024	· Article manufactured from "vinyl chloride polymer or copolymer (PVC)"	·Less than 1000ppm	*5
Exemption	*5 Products	fer to the EU RoHS ANNEX III and ANNEX I subject to 2011/65/EU (RoHS Directive), 94/62 aste Directive)		and

Ver. 18 10/66

Note	*1	The total concentration of four heavy metals (cadmium, hexavalent chromium, lead and
		mercury) in packaging materials must be considered. In the case of printing inks used
		on packaging, the total concentration of these four heavy metals included in the solid
		ingredients of the inks must be considered. EU Directive on packaging materials and
		Regulations on Heavy Metals in Packaging (U.S.A.).
	*2	Labeling is required if the inclusion level exceeds the 300 ppm level stipulated in the
		out-of-court settlement of a lawsuit alleging non-compliance with the warning labeling
		requirements provided by Proposition 65 in the State of California. The control value,
		therefore, is set at less than 300 ppm.
	*3	Annex XIV to REACH (authorizations)
	*4	RoHS Directive (2011/65/EU), ChemVerbotsV (Germany)
	*5	Annex XVII to REACH (restriction)

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
鉛	Lead	Pb	7439-92-1	1.000
炭酸鉛	Lead carbonate	$PbCO_3$	598-63-0	0.775
二酸化鉛	Lead (IV) oxide	$PbO_2$	1309-60-0	0.866
四三酸化鉛	Orange lead (Lead tetroxide)	Pb <sub>3</sub> O <sub>4</sub>	1314-41-6	0.907
硫化鉛	Lead (II) sulfide	PbS	1314-87-0	0.866
一酸化鉛	Lead monoxide (Lead oxide) ; Lead (II) oxide	PbO	1317-36-8	0.928
水酸化炭酸鉛(II)	Trilead bis(carbonate)dihydroxide	C <sub>2</sub> H <sub>2</sub> O <sub>8</sub> Pb <sub>3</sub>	1319-46-6	0.801
水酸化炭酸鉛(2)	Lead (II) hydroxidcarbonate	$C_2H_2O_6Pb$	1344-36-1	0.629
硫酸鉛	Lead sulfate	$PbSO_4$	7446-14-2	0.683
燐酸鉛	Trilead bis(orthophosphate)	$Pb_3(PO_4)_2$	7446-27-7	0.766
クロム酸鉛(II)	Lead chromate	PbCrO <sub>4</sub>	7758-97-6	0.641
チタン酸鉛	Lead titanate	PbTiO <sub>3</sub>	12060-00-3	0.684
硫酸鉛	Lead sulfate	PbxSO <sub>4</sub>	15739-80-7	-
三塩基性硫酸鉛	Tetralead trioxide sulphate	Pb <sub>4</sub> O <sub>3</sub> (SO <sub>4</sub> )	12202-17-4	0.852
ステアリン酸鉛	Lead stearate	Pb(C <sub>17</sub> H <sub>35</sub> CO O) <sub>2</sub>	1072-35-1	0.268
ステアリン酸二鉛	Dibasic lead stearate	2PbO • Pb(C <sub>17</sub> H <sub>35</sub> CO O) <sub>2</sub>	56189-09-4	0.409
酢酸鉛(II)	Lead di(acetate)	Pb(CH <sub>3</sub> COO) <sub>2</sub>	301-04-2	0.637
酢酸鉛(II)・三水和物	Lead (II) acetate trihydrate	Pb(CH <sub>3</sub> COO) <sub>2</sub> •3H <sub>2</sub> O	6080-56-4	0.546
セレン化鉛	Lead selenide	PbSe	12069-00-0	0.724
ジルコン酸鉛	Lead zirconate	$PbZrO_3$	12060-01-4	0.598
水酸化鉛	Hydroxylead	$Pb(OH)_2$	1311-11-1	0.859
硝酸鉛	Lead dinitrate	Pb(NO <sub>3</sub> ) <sub>2</sub>	10099-74-8	0.626
ヒ酸鉛(II)	Trilead diarsenate	$Pb_3(AsO_4)_2$	3687-31-8	0.691
酸性ヒ酸鉛	Lead hydrogen arsenate	AsH <sub>3</sub> O <sub>4</sub> .Pb	7784-40-9	0.593
トリニトロレゾルシン鉛	Lead styphnate	C <sub>6</sub> HN <sub>3</sub> O <sub>8</sub> Pb	15245-44-0	0.460
アジ化鉛	Lead diazide	N <sub>6</sub> Pb	13424-46-9	0.711
ピクリン酸鉛(II)	Lead dipicrate	$C_{12}H_4N_6O_{14}Pb$	6477-64-1	0.312
メタンスルホン酸鉛(II)	Lead (II) bis(methanesulfonate)	$C_2H_6O_6PbS_2$	17570-76-2	0.521

Ver. 18 11/66

硫酸モリブデン酸クロム酸鉛 (C.Iピグメントレッド104)	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	Unspecified	12656-85-8	-
クロム酸鉛(C.Iピグメントイエ ロー34)	Lead sulfochromate yellow (C.I.Pigment Yellow 34)	Unspecified	1344-37-2	-
ジオキソ(フタラト)三鉛	[Phthalato(2-)]dioxotrilead	$C_8H_4O_6Pb_3$	69011-06-9	0.760
ケイ酸とバリウムの塩(1:1)(鉛 ドープ)	Silicic acid (H2Si2O5), barium salt (1:1), lead-doped	Unspecified	68784-75-8	
ケイ酸と鉛の塩	Silicic acid, lead salt	Unspecified	11120-22-2	
シアナミド鉛	Lead cyanamidate	$\mathrm{CH_{2}N_{2}Pb}$	20837-86-9	0.831
ジオキソビス(ステアリン酸)三 鉛	Dioxobis(stearato)trilead	C <sub>36</sub> H <sub>70</sub> O <sub>6</sub> Pb <sub>3</sub>	12578-12-0	0.509
ジルコン酸チタン酸鉛	Lead titanium zirconium oxide	Unspecified	12626-81-2	
四エチル鉛	Tetraethyllead	$C_8H_{20}Pb$	78-00-2	0.641
ピグメントエロー41	Pyrochlore, antimony lead yellow	Unspecified	8012-00-8	
四フッ化ホウ酸鉛(II)	Lead bis(tetrafluoroborate)	$\mathrm{B_{2}F_{8}Pb}$	13814-96-5	0.544
塩基性クロム酸鉛	C.I. Pigment Orange 21	Unspecified	1344-38-3	
塩基性亜硫酸鉛	Sulfurous acid, lead salt, dibasic	Unspecified	62229-08-7	
塩基性酢酸鉛	Acetic acid, lead salt, basic	Unspecified	51404-69-4	
塩基性硫酸鉛	Lead oxide sulfate (Pb2O(SO4))	Pb <sub>2</sub> O(SO <sub>4</sub> )	12036-76-9	0.787
塩基性硫酸鉛	Pentalead tetraoxide sulphate; Lead oxide sulfate (Pb5O4(SO4))	Pb <sub>5</sub> O <sub>4</sub> (SO <sub>4</sub> )	12065-90-6	0.866
脂肪酸鉛塩(炭素数16~18)	Fatty acids, C16-18, lead salts	-	91031-62-8	
二塩基性リン酸鉛	Trilead dioxide phosphonate; ; Lead oxide phosphonate (Pb3O2(HPO3))	Pb <sub>3</sub> O <sub>2</sub> (HPO <sub>3</sub> )	12141-20-7	0.847
銅、鉄、鉛マット(かわ)の残 渣の非水溶性亜硫酸化合物	Residues, copper-iron-lead- nickel matte, sulfuric acid- insol.	-	102110-49-6	-
その他の鉛化合物	Other lead compounds	-	JAMP-SN0023	-

Part	Purpose
Electrodes for lead accumulators, optical glasses	Battery materials, free-machining alloy materials,
(lens, filters), structural parts (steel, aluminum,	optical materials, plastic stabilizers, pigments,
copper), vinyl chloride sheaths for wires and cords,	radiation shielding materials, electric solder
paints, inks, X-ray shield plastic plates, CRTs for	materials, mechanical solder materials, rubber
monitors, electro soldering, die bonding, mechanical	vulcanizing agents
soldering, vulcanized rubber molded items,	
manganese cells, alkaline button cells	

## Table 2-I-4 Mercury and its compounds

# (1) Details

No. I-4	Substance Group: Mercury and its compounds					
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note		
Level 1	Immediate	·Packaging materials	-Less than 100 ppm in homogeneous material	*1		
		·Use in appliances used fully or partially in water	-Intentional inclusion prohibited -Not detected	*2		

Ver. 18 12/66

	Immediate	·Electric and electronic equipment subject	-1000 ppm or less in	*3	
		to RoHS Directive (2011/65/EU)	homogeneous material		
	Exclusions				
	from RoHS				
	Directive: 6				
	months				
	prior to				
	expiration				
Exemption	Please refer to the EU RoHS ANNEX III and ANNEX IV.				
Note	*1 The total concentration of four heavy metals (cadmium, hexavalent chromium, lead and				
	mercury) in packaging materials must be considered. In the case of printing inks used				
	on packaging, the total concentration of these four heavy metals included in the solid				
	ingredients of the inks must be considered. EU Directive on packaging materials and				
	Regulations on Heavy Metals in Packaging (U.S.A.).				
	*2 Annex XVII to REACH (restriction), ChemVerbotsV (Germany)				
	*3 RoHS Dia	rective (2011/65/EU)			

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
水銀	Mercury	Hg	7439-97-6	1.000
塩化第二水銀	Mercury dichloride	$\mathrm{HgCl}_2$	7487-94-7	0.739
酸化水銀(II)	Mercury (II) oxide	HgO	21908-53-2	0.926
硫酸第二水銀	Mercury sulphate	$HgSO_4$	7783-35-9	0.676
硝酸水銀(II)	Mercury (II) nitrate	Hg(NO <sub>3</sub> ) <sub>2</sub>	10045-94-0	0.618
硫化第二水銀	Mercury (II) sulfide	HgS	1344-48-5	0.862
酸化水銀(I)(黒色)	Mercury(I) oxide (black)	Hg <sub>2</sub> O	15829-53-5	0.962
ジメチル水銀	Dimethyl mercury	(CH <sub>3</sub> ) <sub>2</sub> Hg	593-74-8	0.870
塩化第一水銀	Mercury chloride	$Hg_2Cl_2$	10112-91-1	0.850
その他の水銀化合物	Other mercury compounds	-	JAMP-SN0024	-

## (3) Principal uses for substances

Part	Purpose
Lamps (mercury lamps, fluorescent tubes, back	Fluorescent materials, electrical contact materials,
lights for liquid crystal displays), electrodes,	mercury batteries, color pigments
batteries, electric contacts, plastics, paints, printing	
inks	

# Table 2-I-5 Trisubstituted organotin compounds (including bis (tributyltin) oxide (TBTO), tributyltin compounds (TBTs, excluding TBTO) and triphenyltin compounds (TPTs))

## (1) Details

No. I-5	Substance Group: Trisubstituted organotin compounds (including bis (tributyltin) oxide					
	(TBTO), tribut	(TBTO), tributyltin compounds (TBTs, excluding TBTO) and triphenyltin compounds (TPTs))				
Prohibition	Date of ban	Applications	Control Value	Note		
Level	on delivery					
Level 1	Immediate	[TBTO (CAS No.: 56-35-9) only]	-Intentional inclusion	<b>*</b> 1		
		·All applications	prohibited			
		[Trisubstituted organotin compounds	- Less than 1000 ppm	*2		
		except TBTO (CAS No.: 56-35-9)]	(tin conversion) in			
		·All applications article or part thereof				
Note	*1 Class I Specified Chemical Substances (TBTO: Cas No.56-35-9) designated by Japanese					
	Chemical Substances Control Act.					
	*2 Annex XV	*2 Annex XVII to REACH (restriction), ChemVerbotsV (Germany)				

<sup>(2)</sup> Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ビス(トリブチルスズ)=オキシド	Bis(tri-n-butyltin) oxide	$O(Sn(C_4H_9)_3)_2$	56-35-9	0.398
(TBTO)				
トリフェニルスズ=N,N-ジメチ ルジチオカルバマート	Triphenyltin dimethyldithiocarbamate	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> Sn(CH <sub>3</sub> ) <sub>2</sub> NCS <sub>2</sub>	1803-12-9	0.252
トリフェニルスズ=フルオリド	Triphenyltin fluoride	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> SnF	379-52-2	0.322
酢酸トリフェニルスズ	Triphenyltin acetate	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> SnOC OCH <sub>3</sub>	900-95-8	0.290
トリフェニルスズ=クロリド	Triphenyltin chloride	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> SnCl	639-58-7	0.308
トリフェニルスズ=ヒドロキシ ド	Triphenyltin hydroxide	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> SnOH	76-87-9	0.323
トリフェニル [(2, 2, 4, 4ーテトラメチルー1ーオキソ ペンチル)オキシ]スタンナン	Stannane, triphenyl[(2,2,4,4-tetramethyl-oxopentyl)oxy]-	C <sub>27</sub> H <sub>32</sub> O <sub>2</sub> Sn	18380-71-7	0.234
[[2, 3-ジメチル-2- (1-メチルエチル) -1-オ キソブチル]トリフェニルスタ	Stannane, [[2,3-dimethyl-2-(1-methylethyl)-oxobutyl]oxy]triphenyl-	C <sub>27</sub> H <sub>32</sub> O <sub>2</sub> Sn	18380-72-8	0.234
ンナン [(1 – オキソデシル)オキ シ] トリフェニルスタンナン	Stannane, [(1- oxodecyl)oxy]triphenyl-	$C_{28}H_{34}O_2Sn$	47672-31-1	0.228
[(1-オキソウンデシル)オ キシ]トリフェニルスタンナン	Stannane, [(1- oxoundecyl)oxy]triphenyl-	$C_{29}H_{36}O_2Sn$	94850-90-5	0.222
トリフェ ニルスズ=クロロアセ タート	Triphenyltin chloroacetate	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> SnOC OCH <sub>2</sub> Cl	7094-94-2	0.268
トリブチルスズ=メタクリラー ト	Tributyltin methacrylate	(C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> SnC <sub>4</sub> H <sub>5</sub> O <sub>2</sub>	2155-70-6	0.317
ビス(トリブチルスズ)=フマラー ト	Bis(tributyltin) fumarate	C <sub>2</sub> H <sub>2</sub> (COO) <sub>2</sub> (( C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> Sn) <sub>2</sub>	6454-35-9	0.342
トリブチルスズ=フルオリド	Tributyltin fluoride	$(C_4H_9)_3SnF$	1983-10-4	0.384
トリブチルスズ=2,3・ジブロモス クシナート	Bis(tributyltin) meso-2,3- dibromosuccinate	((C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> Sn) <sub>2</sub> C <sub>2</sub> H <sub>2</sub> (Br) <sub>2</sub> (COO ) <sub>2</sub>	31732-71-5	0.278
トリブチルスズ=アセタート	Tributyltin acetate	(C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> SnOC OCH <sub>3</sub>	56-36-0	0.340
トリブチルスズ=ラウラート	Tributyltin laurate	$(C_4H_9)_3SnC_{12}  H_{23}O_2$	3090-36-6	0.243
ビス(トリブチルスズ)=フタラー ト	Bis(tributyltin) phthalate	(C <sub>6</sub> H <sub>4</sub> )(COO) <sub>2</sub> (( C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> Sn) <sub>2</sub>	4782-29-0	0.319
アルキル=アクリラート・メチル=メタクリラート・トリブチルスズ=メタクリラート、共重合物(アルキル=アクリラートのアルキル基の炭素数が8のものに限る)	Copolymer of alkyl acrylate, methyl-methacrylate and tributyltin-methacrylate(alkyl; C=8)	-	67772-01-4	
トリブチルスズ=スルファマー ト	Tributyltin sulfamate	(C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> SnSO <sub>3</sub> NH <sub>2</sub>	6517-25-5	0.307
ビス(トリブチルスズ)=マレアー ト	Bis(tributyltin) maleate	C <sub>2</sub> H <sub>2</sub> (COO) <sub>2</sub> (( C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> Sn) <sub>2</sub>	14275-57-1	0.342
トリブチルスズ=クロリド	Tributyltin chloride	(C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> SnCl	1461-22-9 7342-38-3	0.365

トリブチルスズ=シクロペンタ	Mixture of tributyltin	(C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> SnCO <sub>3</sub>	85409-17-2	-
ンカルボキシラート及びこの類	-cyclopentanecarboxylate and	$C_5H_9$		
縁化合物の混合物	its –analogs			
	(Tributyltin naphthenate)			
トFリブタン-1-イルスタンニル	Tributan-1-ylstannyl	$C_{32}H_{56}O_2Sn$	26239-64-5	0.201
=(1R,4aR,4bR,10aR)-7-イソプ	(1R,4aR,4bR,10aR)-7-isopropyl-			
ロピル-1,4a-ジメチル-	1,4a-dimethyl-			
1,2,3,4,4a,4b,5,6,10,10a-デカヒ	1,2,3,4,4a,4b,5,6,10,10a-			
ドロフェナントレン-1-カルボキ	decahydrophenanthrene-1-			
シラート	carboxylate			
その他の三置換有機スズ化合物	Other Trisubstituted organotin	-	JAMP-	-
	compounds		SN0068	

Part	Purpose	
Paints, printing inks	Paints, antifouling (sterilization) pigments,	
	preservatives, stabilizers, antioxidants	

## Table 2-I-6 Dibutyltin compounds

#### (1) Details

(-,				
No. I-6	Substance Group: Dibutyltin compounds			
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note
Level 1	Immediate	• All applications	- Less than 1000 ppm (tin conversion) in mixture, article or part thereof	*1
Note	*1 Annex XV	II to REACH (restriction)		

# (2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ジブチルスズオキシド	Dibutyltin oxide	$C_8H_{18}OSn$	818-08-6	0.477
ジブチルスズ二酢酸	Dibutyltin diacetate	$C_{12}H_{24}O_4Sn$	1067-33-0	0.338
ジブチル [(1-オキソドデシル)オ キシ] スズ; ジブチルスズジラウ レート		C <sub>32</sub> H <sub>64</sub> O <sub>4</sub> Sn	77-58-7	0.188
マレイン酸ジ-n-ブチルスズ	Dibutyltin maleate	$C_{12}H_{20}O_4Sn$	78-04-6	0.342
ジブチルスズジクロライド (DBTC)	Dibutyltin dichloride (DBTC)	C <sub>8</sub> H <sub>18</sub> Cl <sub>2</sub> Sn	683-18-1	0.391
その他のジブチルスズ化合物	Other dibutyltin compounds	-	JAMP- SN0072	-

## (3) Principal uses for substances

Part	Purpose
Stabilizer for PVC, curing catalyst for silicone resin	Stabilizer for PVC, curing catalyst for silicone resin
and urethane resin	and urethane resin

## Table 2-I-7 Dioctyltin compounds (DOT)

## (1) Details

No. I-7	Substance Gro	Substance Group: Dioctyltin compounds (DOT)			
Prohibition	Date of ban Applications Control Value No			Note	
Level	on delivery				
Level 1	Immediate	·Textile and leather articles intended to	- Less than 1000 ppm	*1	

Ver. 18 15/66

		come into contact with the skin	(tin conversion) in	
		·Childcare articles	article or part thereof	
		·Two-component room temperature		
		vulcanization molding kits		
		(RTV-2 sealant molding kits)		
Note	*1 Annex XVII to REACH (restriction)			

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ジオクチルスズオキシド	Dioctyltin oxide	C <sub>16</sub> H <sub>34</sub> OSn	870-08-6	0.326
ジオクチルビス [(1·オキソドデ シル)オキシ] スズ	Dioctyltin dilaurate	C40H80O4Sn	3648-18-8	0.160
ジオクチルスズビス(2-エチル ヘキシルチオグリコラート)	'Dioctyltin bis(2-ethylhexyl thioglycolate)	C <sub>36</sub> H <sub>72</sub> O <sub>4</sub> S <sub>2</sub> Sn	15571-58-1	0.158
その他のジオクチルスズ化合物	Other Dioctyltin compounds	-	-	-

## (3) Principal uses for substances

Part	Purpose
Stabilizer for PVC, curing catalyst for silicone resin	Stabilizer for PVC, curing catalyst for silicone resin
and urethane resin	and urethane resin

## Table 2-I-8 Nickel and its compounds.

## (1) Details

No. I-8	Substance Gr	Substance Group: Nickel and its compounds			
Prohibition	Date of ban	Applications	Control Value	Note	
Level	on delivery				
Level 1	Immediate	The following types of articles that maintain direct, sustained contact with the skin:  • Earrings, necklaces, bracelets, chains, anklets, rings  • Wristwatch cases, wristwatch bands, rivet buttons used in clothing, belts, rivets, zippers, and metal marks.	-The rate of nickel release from the article is less than 0.5 µg/cm² per week.	*1	
Note	*1 Annex XVII to REACH (restriction) The use of articles is prohibited if the rate of nickel released from those articles equals or exceeds 0.5 µg/cm² per week. (In cases where the above-mentioned articles have non-nickel				
	coatings on them, the use of the articles will still be prohibited if the rate of nickel released from them under normal usage conditions for at least two years exceeds 0.5 µg/cm²per week.)				

## (2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
一酸化ニッケル	Nickel oxide	NiO	1313-99-1	0.786
炭酸ニッケル	Nickel carbonate	NiCO <sub>3</sub>	3333-67-3	0.494
硫酸ニッケル	Nickel Sulphate	NiSO <sub>4</sub>	7786-81-4	0.379
ニッケル	Nickel	Ni	7440-02-0	1.000
塩化第一ニッケル	Nickel (II) chloride	NiCl <sub>2</sub>	7718-54-9	0.453
その他のニッケル化合物	Other nickel compounds	-	JAMP-SN0027	-

# (3) Principal uses for substances

-,		
Part	Purpose	

Ver. 18 16/66

Headphones, accessories	Stainless steel, plating

## Table 2-I-9 Polybrominated biphenyl (PBBs)

## (1) Details

No. I-9	Substance Gro	Substance Group: Polybrominated biphenyl (PBBs)				
Prohibition	Date of ban	Applications	Control Value	Note		
Level	on delivery					
Level 1	Immediate	·Electric and electronic equipment subject	-1000 ppm or less in	*1		
		to RoHS Directive (2011/65/EU)	homogeneous material			
		·The following types of articles that	-Intentional inclusion	*2		
		maintain direct, sustained contact with	prohibited			
		the skin:				
		<ul> <li>Fiber products such as clothes,</li> </ul>				
		underwear, and linens				
Note	*1 RoHS Directive (2011/65/EU); monitoring chemical substances by Japanese Chemical					
	Substances Control Act.					
	*2 Annex XV	*2 Annex XVII to REACH (restriction)				

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ポリ臭化ビフェニル類	Polybrominated Biphenyls		59536-65-1 JAMP-SN0065	-
4,4'-ジブロモビフェニル	4,4'-Dibromobiphenyl	C <sub>6</sub> H <sub>4</sub> BrC <sub>6</sub> H <sub>4</sub> Br	92-86-4	-
2-ブロモビフェニル	2-Bromobiphenyl	$C_6H_5C_6H_4Br$	2052-07-5	-
3-ブロモビフェニル	3-Bromobiphenyl	C <sub>6</sub> H <sub>5</sub> C <sub>6</sub> H <sub>4</sub> Br	2113-57-7	-
4-ブロモビフェニル	4-Bromobiphenyl	$C_6H_5C_6H_4Br$	92-66-0	-
トリブロモビフェニル	1,1'-Biphenyl, 2,2',5-tribromo-	$C_{12}H_7Br_3$	59080-34-1	-
テトラブロモビフェニル	Tetrabromobiphenyl	$C_{12}H_6Br_4$	40088-45-7	-
ペンタブロモビフェニル	Pentabromobiphenyl	$C_{12}H_5Br_5$	56307-79-0	
2,2',4,4',5,5'-ヘキサブロモビフ	2,2',4,4',5,5'-	$C_6H_2Br_3C_6H_2B$	59080-40-9	-
エニル	Hexabromobiphenyl Hexabromobiphenyl	$\mathbf{r}_3$		
ヘキサブロモ・1,1・ビフェニル	Hexabromo-1,1-biphenyl	$C_6H_2Br_3C_6H_2B$ $r_3$	36355-01-8	-
ファイアーマスターFF-1	Firemaster FF-1	$\mathrm{C}_{12}\mathrm{H}_4\mathrm{Br}_6$	67774-32-7	-
ヘプタブロモビフェニル	Heptabromobiphenyl	$C_6Br_5C_6H_3Br_2$	35194-78-6	-
オクタブロモビフェニル	Octabromobiphenyl	C <sub>6</sub> HBr <sub>4</sub> C <sub>6</sub> HBr <sub>4</sub>	61288-13-9	-
ノナブロモ-1,1-ビフェニル	Nonabiphenyl	C <sub>12</sub> HBr <sub>9</sub>	27753-52-2	-
デカブロモビフェニル	Decabromobiphenyl	$C_6BrC_6Br_5$	13654-09-6	-
[1,1'-ビフェニル]-ar,ar'-ジオー	[1,1'-Biphenyl]-ar,ar'-diol,	(C15H16O2.C1	68758-75-8	-
ル, テトラブロモ-, (クロロメチ	tetrabromo-, polymer with	2H6Br4O2.C3		
ル)オキシラン及び4,4'-(1-メチ	(chloromethyl)oxirane and 4,4'-	H5ClO)x		
ルエチリデン)ビス[フェノール]	(1-			
とのポリマー	methylethylidene)bis[phenol]			

## (3) Principal uses for substances

Part	Purpose
Flame-retardant plastic enclosure molded items	Plastic flame retardants

# Table 2-I-10 Polybrominated diphenyl ethers (PBDEs)

#### (1) Details

No. I-10 Substance Group: Polybrominated diphenyl ethers (PBDEs)
--

Ver. 18 17/66

Prohibition	Date of ban	Applications	Control Value	Note	
Level	on delivery				
Level 1	Immediate	·Electric and electronic equipment subject	-1000 ppm or less in	*1	
		to RoHS Directive (2011/65/EU)	homogeneous material	*3	
		[PBDEs excluding DecaBDE (CAS No.:	·Less than 500 ppm as	*2	
		1163-19-5)]	a total amount in		
		· All applications other than the items	article		
		subject to RoHS Directive (2011/65/EU)			
		[DecaBDE (CAS No.: 1163-19-5) only]	-Intentional inclusion	*3	
		· All applications	prohibited	*4	
4. 4	TID 4	1 1 1 1 1 1			
*4		ed medical devices»			
Exemption		Official Journal is applicable. APTER 53—TOXIC SUBSTANCES CONTROL SUI	DOLLA DEED T CONTEDOL O	D.	
		BSTANCES Sec. 2602. Definitions. (2)(vi)	BCHAFTER I—CONTROL O.	Г	
		w.govinfo.gov/content/pkg/USCODE-2018-title15/pc	df/USCODE-2018-title15-char	53.pdf)	
	_			_	
	(Note) FDA-registered medical devices are not subject to TSCA but Olympus may require suppliers to report the contents of these substances so that Olympus can confirm the exemptions are applied.				
	«Exceptions to US TSCA PBT Rules »				
	• Regulated substances, products or articles containing regulated substances, which have already				
	been sold to end-consumers (such as secondhand articles and donations to charity)				
	Disposal of regulated substances, products or articles containing regulated substances				
		ion, treatment, distribution in commerce and use		ducts or	
	articles containing regulated substances for research and development purposes				
	<ul> <li>Processing and distribution in commerce for recycling of plastic containing DecaBDE from products or articles</li> </ul>				
	(Note) Items of	her than the "FDA-registered medical devices	" described above		
Note		tive (2011/65/EU)			
	*2 EU POPs r				
		ecified Chemical Substances (CAS No. : 116	33-19-5) designated by Ja	panese	
	Chemical Substances Control Act., US TSCA PBT Rules				

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ポリ臭化ジフェニルエーテル類	Polybrominated diphenyl ethers	C <sub>12</sub> H <sub>X</sub> Br <sub>(10-X)</sub> O	JAMP-SN0066	-
ブロモジフェニルエーテル	Bromodiphenyl ether	Br(C <sub>6</sub> H <sub>4</sub> )O(C <sub>6</sub> H <sub>5</sub> )	101-55-3	-
ジブロモジフェニルエーテル	Dibromodiphenyl ethers	C <sub>6</sub> H <sub>4</sub> BrOC <sub>6</sub> H <sub>4</sub> Br	2050-47-7	-
トリブロモジフェニルエーテル	Tribromodiphenyl ether	C <sub>12</sub> H <sub>7</sub> Br <sub>3</sub> O	49690-94-0	-
テトラブロモジフェニルエーテ ル	Tetrabromobiphenyl ethers	C <sub>12</sub> H <sub>6</sub> Br <sub>4</sub> O	40088-47-9	-
ペンタブロモジフェニルエーテル (注:市販のPeBDPDは、種々の臭素化ジフェニルオキシドを含む複雑な反応混合物である)	Pentabromodiphenyl ether (note:Commercially available PeBDPD is a complex reaction mixture containing a variety of brominated diphenyloxides)	-	32534-81-9 (CAS No. used for commercial grades of PeBDPD)	-
ヘキサブロモジフェニルエーテル	Hexabromodiphenyl ether	$\mathrm{C}_{12}\mathrm{H}_4\mathrm{Br}_6\mathrm{O}$	36483-60-0	-

ヘプタブロモジフェニルエーテ	Heptabromodiphenyl ether	$C_{12}H_3Br_7O$	68928-80-3	-
ル				
オクタブロモジフェニルエーテ	Octabromobiphenyl ether	$C_{12}H_2Br_8O$	32536-52-0	-
ル				
ノナブロモジフェニルエーテル	Nonabromodiphenyl ether	C <sub>12</sub> HBr <sub>9</sub> O	63936-56-1	-
デカブロモジフェニルエーテル	Bis(pentabromophenyl) ether	$\mathrm{Br}_5\mathrm{C}_6\mathrm{OC}_6\mathrm{Br}_5$	1163-19-5	-
(DecaBDE)	(decabromodiphenyl ether;			
	DecaBDE)			

Part	Purpose
Flame-retardant plastic enclosure molded items	Plastic flame retardants

## Table 2-I-11 Polychlorinated biphenyl (PCBs)

## (1) Details

No. I-11	Substance Group: Polychlorinated biphenyl (PCBs)					
Prohibition	Date of ban	Applications Control Value				
Level	on delivery					
Level 1	Immediate	·All applications	-Intentional inclusion	*1		
			prohibited			
Note	*1 Class I S	*1 Class I Specified Chemical Substances designated by Japanese Chemical Substances				
	Control Act., TSCA(USA)					

## (2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ポリクロロビフェニル	Polychlorobiphenyl	Unspecified	1336-36-3	-
アロクロール(Aroclor)	Aroclor	(C <sub>6</sub> -C <sub>6</sub> )HxCly	12767-79-2	-
クロロジフェニル(アロクロール 1260)	Aroclor 1260	-	11096-82-5	-
クロロビフェニル	Chlorobiphenyl	$C_{12}H_9Cl$	27323-18-8	-
アロクロール 1254	Aroclor 1254	Unspecified	11097-69-1	-
モノメチル・テトラクロロ・ジフェニルメタン(Ugilec 141)	Monomethyl-tetrachloro- diphenyl methane (Ugilec 141)	$\mathrm{C}_{14}\mathrm{H}_{10}\mathrm{Cl}_4$	76253-60-6	-
モノメチル -ジクロロ -ジフェ ニルメタン (Ugilec121, Ugilec21)	Monomethyl-dichloro-diphenyl methane (Ugilec 121, Ugilec 21)	1	81161-70-8	-
モノメチル -ジブロモ -ジフェ ニルメタン (DBBT)	Monomethyl-dibromo-diphenyl methane (DBBT)	-	99688-47-8	-

## (3) Principal uses for substances

Part	Purpose
Insulating oil for transformers and capacitors	Electrical insulation medium, solvents

## Table 2-I-12 Substance Group: Polychlorinated Terphenyls (PCTs)

## (1) Details

No.I-12	Substance Group: Polychlorinated Terphenyls (PCTs)				
Prohibition	Date of ban	Applications	Control Value	Note	
Level	on delivery				
Level 1	Immediate	·All applications	-Less than 50 ppm in mixture or article		
			illixture of article		

Ver. 18 19/66

# Note \*1 Annex XVII to REACH (restriction)

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
(全ての異性体および同族体)	Polychlorinated terphenyls (PCTs; all isomers and congeners)	Unspecified	61788-33-8	-
テルフェニル類	Terphenyls	$C_6H_4(C_6H_5)_2$	26140-60-3	-

#### (3) Principal uses for substances

Part	Purpose
Insulating oil for transformers and capacitors	Electrical insulation medium, solvents

#### Table 2-I-13 Polychlorinated naphthalene (number of chlorine: 2 or more)

#### (1) Details

No. I-13	Substance Gr	Substance Group: Polychlorinated naphthalene (number of chlorine: 2 or more)				
Prohibition	Date of ban	Applications Control Value No				
Level	on delivery					
Level 1	Immediate	· All applications	-Intentional inclusion prohibited	*1		
Note	*1 Class I Specified Chemical Substances designated by Japanese Chemical Substances					
	Control Act.					

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ポリ塩化ナフタレン(塩素数が2	Polychlorinated	Unspecified	70776-03-3	-
以上)	Naphthalenes(Cl≥2)			
2塩化ナフタレン	Dichloronaphtalene	$C_{10}H_6Cl_2$	28699-88-9	-
3塩化ナフタレン	Trichloronaphtalene	$C_{10}H_5Cl_3$	1321-65-9	-
4塩化ナフタレン	Tetrachloronaphtalene	$C_{10}H_4Cl_4$	1335-88-2	-
5塩化ナフタレン	1	$\mathrm{C}_{10}\mathrm{H}_{3}\mathrm{Cl}_{5}$	1321-64-8	-
その他のポリ塩化ナフタレン(塩		-	-	-
素数が2以上)	Naphthalenes (Cl≥2)			

## (3) Principal uses for substances

Part	Purpose
Flexible rubber, elastomer belts, rolls, packing,	Plastic stabilizers (electrical characteristics, flame-
sealing materials, insulating oil for capacitors	proofing, water-proofing, biocidal characteristics),
	electrical insulation medium

#### Table 2-I-14 Short-chained chlorinated paraffin (having the chain length of 10 - 13)

#### (1) Details

No. I-14	Substance Group: Short-chained chlorinated paraffin (having the chain length of 10 - 13)					
Prohibition	Date of ban	Applications	applications Control Value Not			
Level	on delivery					
Level 1	Immediate	· All applications	-Intentional inclusion	*1		
			prohibited			
Note	*1 Class I Specified Chemical Substances designated by Japanese Chemical Substances					
	Control Act., EU POPs regulation					

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

	1			
Cubatanaa (Iananaaa)	Cubetanes (English)	Chamical	CACNO	1 Mata1
Substance (Japanese)	L Substance (English)	Chemical	CAS No or	l Metal

Ver. 18 20/66

		formula	JAMP-SN	conversi on factor
塩素化パラフィン(短鎖) (C10-13)	Alkanes,C10-13,chloro(Short Chain Chlorinated Paraffins)	Unspecified	85535-84-8	-
クロロアルカン C10-12	Alkanes, C10-12, chloro	Unspecified	104948-36-9	-
1,1,1,3,5,7,9,11,11-ノナクロ ロウンデカン	Undecane, 1,1,1,3,5,7,9,11,11- nonachloro-	C11H15Cl9	18993-26-5	-
ヘプタクロロウンデカン	Undecane, heptachloro-	-	219697-10-6	-
ノナクロロウンデカン	Undecane, nonachloro-	-	219697-11-7	-
1,2,10,11,? ,? ,? ,?-オクタク ロロウンデカン 塩素化パラ フィン (C11、Cl7-12)	Undecane, 1,2,10,11,?,?,?,?- octachloro-	-	221174-07-8	-
デカクロロウンデカン	Undecane, decachloro-	-	276673-33-7	-
オクタクロロウンデカン	Undecane, octachloro-	C11H16Cl8	36312-81-9	-
クロロワックス	Chlorowax	-	51990-12-6	-
1,1,1,3,6,7,10,11-オクタクロ ロウンデカン	Undecane, 1,1,1,3,6,7,10,11- octachloro-	-	601523-20-0	-
1,1,1,3,9,11,11,11-オクタク ロロウンデカン	Undecane, 1,1,1,3,9,11,11,11- octachloro-	-	601523-25-5	-
クロロアルカン	Alkanes, chloro; chloroparaffins	Unspecified	61788-76-9	-
1,1,1,2-テトラクロロ-ウンデカン	Undecane, 1,1,1,2-tetrachloro-	C11H20Cl4	63981-28-2	-
クロロアルカン C12-24	Alkene, C12-24-, Chloro-	Unspecified	68527-02-6	-
クロロパラフィン(C6-18) (組成不定)	Chlorinated n-paraffins (C6-18)	Unspecified	68920-70-7	-
塩素化マイクロクリスタリン炭化水素ワックス(石油系)	Hydrocarbon waxes (petroleum), microcryst., chlorinated	Unspecified	68938-43-2	-
クロロアルカン(炭化水素化 合物)(C12-13)	Alkanes, C12-13, chloro	Unspecified	71011-12-6	-
クロロアルカン(塩化炭化水 素)(C10-21)	Alkanes, C10-21, chloro	Unspecified	84082-38-2	-
クロロアルカン類, C10-32	Alkanes, C10-32, chloro	Unspecified	84776-06-7	-
クロロパラフィン油	Paraffin oils, chloro-	Unspecified	85422-92-0	-
クロロパラフィン(C12-14)	Alkane, C12-14-, Chloro-	Unspecified	85536-22-7	-
クロロパラフィン(C10-14)	Alkane, C10-14-, Chloro-	Unspecified	85681-73-8	-
クロロアルカン(C12-16)	Alkanes, C12-16, chloro	Unspecified	866758-65-8	-
塩素化パラフィン(石油)、 標準 C>10	Paraffins (petroleum), normal C>10, chloro	Unspecified	97553-43-0	-
クロロアルカン類, C10-26	Alkanes, C10-26, chloro	Unspecified	97659-46-6	-
塩素化パラフィン ( SCCP( 短 鎖 ) ま た は MCCP(中鎖)か分からないも の)	Chlorinated Paraffins may or may not be SCCP or MCCP	-	JAMP- SN1020	-

<sup>(3)</sup> Principal uses for substances

Ver. 18 21/66

Part	Purpose
Flexible polyvinyl chloride molded items	Polyvinyl chloride plasticizers

## Table 2-I-15 Polyvinyl chloride (PVC)

#### (1) Details

No. I-15	Substance Gr	roup: Polyvinyl chloride (PVC)	
Prohibition	Date of ban	Applications Control Value	Note
Level	on delivery		
Level 1	Immediate	Packaging materials -Intentional inclusion	_
		prohibited	
Exemption	Other applica	ations are permitted.	

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversio n factor
塩化ビニル、クロロエチレン	Chloroethene	-	75-01-4	-
ポリ塩化ビニル(PVC)およびそ	Polyvinyl chloride (PVC) and its	(CH <sub>2</sub> CHCl) <sub>n</sub>	9002-86-2	-
の混合物	mixture			
ポリ塩化ビニル酢酸ビニル共重	Vinyl chloride/vinyl acetate	-	9003-22-9	-
合体	copolymer			

## (3) Principal uses for substances

Part	Purpose	
Coated wiring cords, electric insulation molded	Electrical insulation medium, chemical-resistance,	
items, chemical-resistant molded parts, plumbing	transparency	
components, transparent covers		

## Table 2-I-16 Hexabromocyclododecane (HBCDD)

#### (1) Details

No. I-16	Substance Group: Hexabromocyclododecane (HBCDD)					
Prohibition	Date of ban	Applications	Control Value	Note		
Level	on delivery					
Level 1	Immediate	·All applications	-Intentional inclusion prohibited	*1		
		·Substances	-Intentional inclusion	*2		
		·Mixtures	prohibited			
Exemption		*2 Applications that are submitted to, and approved by, the European Chemicals Agency will be permitted.				
Note	*1 Class I Sp	*1 Class I Specified Chemical Substances designated by Japanese Chemical Substances				
		Control Act., EU POPs regulation				
	*2 Annex XI	V to REACH (authorizations)				

## (2) Regulated substances (Japanese Chemical Substances Control Act.)

Substance (Japanese)	Substance (English)		CAS No or JAMP-SN
1,2,5,6,9,10-ヘキサブロモシクロドデ カン	1,2,5,6,9,10-hexabromocyclododecane	$\mathrm{C}_{12}\mathrm{H}_{18}\mathrm{Br}_{6}$	3194-55-6
ヘキサブロモシクロドデカン (HBCDD)	Hexabromocyclododecane (HBCDD)	$\mathrm{C}_{12}\mathrm{H}_{18}\mathrm{Br}_{6}$	25637-99-4
1,2,5,6,9,10-ヘキサブロモシクロドデ	Hexabromocyclododecane; Alpha-hexabromocyclododecane	$\mathrm{C}_{12}\mathrm{H}_{18}\mathrm{Br}_{6}$	134237-50-6

Ver. 18 22/66

rel-(1R,2S,5R,6R,9R,10S)- 1,2,5,6,9,10-ヘキサブロモシクロドデ	rel-(1R,2S,5R,6R,9R,10S)-1,2,5,6,9,10- hexabromocyclododecane	$C_{12}H_{18}Br_6$	134237-51-7
カン;	Beta-hexabromocyclododecane		
ベータ-ヘキサブロモシクロドデカン			
rel-(1R,2R,5R,6S,9S,10R) -	rel-(1R,2R,5R,6S,9S,10R)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	134237-52-8
1,2,5,6,9,10-ヘキサブロモシクロドデ	hexabromocyclododecane		
カン;	Gamma-hexabromocyclododecane		
ガンマ-ヘキサブロモシクロドデカン			
rel-(1R,2S,5R,6S,9R,10S)-	rel-(1R,2S,5R,6S,9R,10S)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	4736-49-6
1,2,5,6,9,10-ヘキサブロモシクロドデ	Hexabromocyclododecane		
カン			
rel-(1R,2S,5R,6S,9S,10R)-	rel-(1R,2S,5R,6S,9S,10R)-1,2,5,6,9,10-	$\mathrm{C}_{12}\mathrm{H}_{18}\mathrm{Br}_{6}$	65701-47-5
1,2,5,6,9,10-ヘキサブロモシクロドデ	Hexabromocyclododecane		
カン			
(1R,2R,5R,6S,9S,10S)-1,2,5,6,9,10-\sigma	(1R,2R,5R,6S,9S,10S)-1,2,5,6,9,10-	$\mathrm{C}_{12}\mathrm{H}_{18}\mathrm{Br}_{6}$	138257-17-7
キサブロモシクロドデカン	Hexabromocyclododecane		
(1R,2R,5R,6S,9R,10S)-1,2,5,6,9,10-\(\sigma\)	(1R,2R,5R,6S,9R,10S)-1,2,5,6,9,10-	$\mathrm{C}_{12}\mathrm{H}_{18}\mathrm{Br}_{6}$	138257-18-8
キサブロモシクロドデカン	Hexabromocyclododecane		
(1R,2S,5S,6R,9S,10S)-1,2,5,6,9,10-\(\sigma\)	(1R,2S,5S,6R,9S,10S)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	138257-19-9
キサブロモシクロドデカン	Hexabromocyclododecane		
(1R,2S,5S,6S,9S,10R)-1,2,5,6,9,10-\sigma	(1R,2S,5S,6S,9S,10R)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	169102-57-2
キサブロモシクロドデカン	Hexabromocyclododecane		
(1R,2R,5S,6R,9R,10S)-1,2,5,6,9,10-\(\sigma\)	(1R,2R,5S,6R,9R,10S)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	678970-15-5
キサブロモシクロドデカン	Hexabromocyclododecane		
(1R,2S,5R,6S,9S,10S)-1,2,5,6,9,10-\(\sigma\)	(1R,2S,5R,6S,9S,10S)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	678970-16-6
キサブロモシクロドデカン	Hexabromocyclododecane		
(1R,2R,5R,6S,9S,10R)-1,2,5,6,9,10-\sime\)	(1R,2R,5R,6S,9S,10R)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	678970-17-7
キサブロモシクロドデカン	Hexabromocyclododecane	0120000	
Regulated substances (REACH, EU	<u>-</u>		
		Chemical	CAS No or
Substance (Japanese)	Substance (English)	formula	JAMP-SN
1,2,5,6,9,10-ヘキサブロモシクロドデ	1,2,5,6,9,10-hexabromocyclododecane	$C_{12}H_{18}Br_6$	3194-55-6
カン			
ヘキサブロモシクロドデカン	Hexabromocyclododecane (HBCDD) and	$C_{12}H_{18}Br_6$	25637-99-4
(HBCDD)	all major diastereoisomers identified:		
アルファ-ヘキサブロモシクロドデカン	Alpha-hexabromocyclododecane		134237-50-6,
ベータ-ヘキサブロモシクロドデカン	Beta-hexabromocyclododecane		134237-51-7,
ガンマ-ヘキサブロモシクロドデカン	Gamma-hexabromocyclododecane		134237-52-8

Part	Purpose
Expanded polystyrene molded parts, adhesive agents, fiber coating	Fire-retardant for resins and fibers

# Table 2-I-17 Pentachlorothiophenol (PCTP)

## (1) Details

No. I-17	No. I-17 Substance Group: Pentachlorothiophenol (PCTP)			
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			

Level 1	Immediate	·All applications	-1% (10, 000 ppm) by	*1	
			weight or less of the		
			weight of an article		
Exemption	«FDA-registered medical devices»				
	The following Official Journal is applicable.  TSCA: CHAPTER 53—TOXIC SUBSTANCES CONTROL SUBCHAPTER I—CONTROL OF TOXIC SUBSTANCES Sec. 2602. Definitions. (2)(vi)				
	(https://www.govinfo.gov/content/pkg/USCODE-2018-title15/pdf/USCODE-2018-title15-chap53.pdf)				
	(Note) FDA-registered medical devices are not subject to TSCA but Olympus may require suppliers to report the contents of these substances so that Olympus can confirm the exemptions are applied.				
	«Exceptions to US TSCA PBT Rules»				
	• Regulated substances, products or articles containing regulated substances, which have been already sold to end-consumers (such as secondhand articles and donations to charity)				
	<ul> <li>Product</li> </ul>	<ul> <li>Disposal of regulated substances, products or articles containing regulated substances</li> <li>Production, treatment, distribution in commerce and use of regulated substances, products or articles containing regulated substances for research and development purposes</li> </ul>			
	(Note) Items oth	er than the "FDA-registered medical devices" descri	bed above		
Note	*1 US TSCA P	BT Rules			

# (2) Regulated substances

Substance (Japanese)	Substance (English)		CAS No or JAMP-SN
	Pentachlorothiophenol (PCTP)	C6HCl5S	133-49-3
(PCTP)			

## (3) Principal uses for substances

Part	Purpose
Rubber	Additive to improve stiffness modulus

## Table 2-I-18 Hexachlorobutadiene (HCBD)

## (1) Details

No. I-18	Substance Gro	up: Hexachlorobutadiene (HCBD)		
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note
Level 1	Immediate	·All applications	-Intentional inclusion prohibited	*1
Exemption	The following ( TSCA: CHA TOXIC SUI (https://www  (Note) FDA-regis report the co «Exceptions to • Regulat already • Disposa • Product articles (Note) Only the co	od medical devices»  Official Journal is applicable.  APTER 53—TOXIC SUBSTANCES CONTI STANCES Sec. 2602. Definitions. (2)(vi)  w.govinfo.gov/content/pkg/USCODE-2018-1  stered medical devices are not subject to TS ontents of these substances so that Olympu US TSCA PBT Rules »  ed substances, products or articles contained to end-consumers (such as secondhamed of regulated substances, products or articles contained to the end-consumers (such as secondhamed of regulated substances, products or articles containing regulated substances for researe exceptions related to Olympus Group products than the "FDA-registered medical devices of the end-consumers (such as secondhamed to end-consumers).	scan confirm the exemptions are applied at a containing regulated substances, which is districted and donations to charity) eles containing regulated substances and use of regulated substances, proch and development purposes acts are listed above.	ap53.pdf) iers to oplied. have been
Note	*1 Class I Specified Chemical Substances designated by Japanese Chemical Substances Control Act., US TSCA PBT Rules			

# (2) Regulated substances

Ver. 18 24/66

Substance (Japanese)	(English)	0 0	CAS No or JAMP-SN
ヘキサクロロブタジエン (HCBD)	Hexachlorobutadiene (HCBD)	C4Cl6	87-68-3

Part	Purpose
Rubber compounds	Chemical intermediates

## Table 2-I-19 Hexachlorobenzene (HCB)

No. I-19	Substance Group: Hexachlorobenzene (HCB)			
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	· All applications (substances, mixtures and articles)	equal to or below 10ppm	*1
Note	*1 : Commission Delegated Regulation (EU) 2022/2291 amending EU PoPs			

(2) Regulated substances

Substance (Japanese)	Substance (English)	Chemical formula	CAS No or JAMP-SN
Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	C6Cl6	118-74-1

(3) Principal uses for substances

Part	Purpose
Pesticides, chlorinated solvents, inks, coatings,	Fungicides, herbicides, smelting accelerators,
paints and toners, wood application, textile	plasticizers, flame retardants, chemical
application and plastics.	intermediates

#### Table 2-I-20 Asbestos

## (1) Details

No. I-20	Substance G	roup: Asbestos		
Prohibition	Date of	Applications	Control Value	Note
Level	ban on			
	delivery			
Level 1	Immediate	·All applications	-Intentional inclusion prohibited	*1
Note		VII to REACH (restriction), Industrial Safety and Chemical Substances Class II: Applicable onlite)		ınd

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
アクチノライト	Actinolite	Unspecified	77536-66-4	-
アモサイト	Amosite	Unspecified	12172-73-5	-
アンソフィライト	Anthophyllite	Unspecified	77536-67-5	-
クリソタイル	Chrysotile	Unspecified	12001-29-5 132207-32-0	-
クロシドライト	Crocidolite	Unspecified	12001-28-4	-

Ver. 18 25/66

トレモライト	Tremolite	Unspecified	77536-68-6	-
アスベスト繊維	Asbestos fibers	-	1332-21-4 JAMP- SN0056	-

Part	Purpose
Brake lining pads, electrical insulation parts, seals for	Friction material, insulation materials, fillers
chemical installations	

# Table 2-I-21 Azo dyes and pigments (specific amines formed by degrading azo dyes and pigments)

# (1) Details

No. I-21	Substance Grepigments)	oup: Azo dyes and pigments (specific amines fo	ormed by degrading azo dy	es and
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	•Use of Azo dyes and pigments forming specific amines by degradation of the parts of articles being routinely touched by skin for a long time (such as earphones, headphones and straps)	-Less than 30 ppm in article	*1
		·Substances and mixtures that contain the following substances: CAS No.101-77-9: 4,4'-Diaminodiphenylmethane CAS No. 101-14-4: 2,2'-dichloro-4,4'- methylenedianiline	-Intentional inclusion prohibited	*2
Exemption	*2 Application be permitt	ns that are submitted to, and approved by, the ed.	European Chemicals Age	ncy will
Note		I to REACH (restriction), Consumer Goods Or to REACH (authorizations)	dinance (BedGgstV) (Gern	nany)

## (2) Regulated substances

Substance			
Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN
4-アミノアゾベンゼン	4-aminoazobenzene	$C_{12}H_{11}N_3$	60-09-3
2-メトキシアニリン; o-アニシジン	2-Methoxyaniline; o-Anisidine	C <sub>7</sub> H <sub>9</sub> NO	90-04-0
2-ナフチルアミン	2-naphthylamine	$C_{10}H_9N$	91-59-8
3,3'-ジクロロベンジジン	3,3'-dichlorobenzidine	$C_{12}H_{10}Cl_2N_2$	91-94-1
ビフェニル-4-イルアミン; 4-アミノビフェニル	Biphenyl-4-ylamine; 4-aminobiphenyl	$C_{12}H_{11}N$	92-67-1
ベンジジン	Benzidine	$C_{12}H_{12}N_2$	92-87-5
o-トルイジン	o-toluidine	C <sub>7</sub> H <sub>9</sub> N	95-53-4
o-塩化トルイジン	4-chloro-o-toluidine	C7H8ClN	95-69-2
2,4-ジアミノトルエン	4-methyl-m-phenylenediamine(toluene-2,4-diamine)	C <sub>7</sub> H <sub>10</sub> N <sub>2</sub>	95-80-7
o-アミノアゾトルエン	o-aminoazotoluene	$C_{14}H_{15}N_3$	97-56-3
5-ニトロ-o-トルイジン	5-nitro-o-toluidine	$C_7H_8N_2O_2$	99-55-8
2,2'-ジクロロ-4,4'-メチレンジアニ	コン 2,2'-dichloro-4,4'-methylenedianiline	$C_{13}H_{12}Cl_2N_2$	101-14-4
4,4'-ジアミノジフェニルメタン	4,4'-diaminodiphenylmethane(MDA);	$C_{13}H_{14}N_2$	101-77-9
4,4'-オキシジアニリン及びその	D塩 4,4'-oxydianiline and its salts	$C_{12}H_{12}N_2O$	101-80-4
p-クロロアニリン	p-chloroaniline	C <sub>6</sub> H <sub>6</sub> ClN	106-47-8

Ver. 18 26/66

3,3'-ジメトキシベンジジン	3,3'-dimethoxybenzidine	$C_{14}H_{16}N_2O_2$	119-90-4
3,3'-ジメチルベンジジン	3,3'-dimethylbenzidine	$C_{14}H_{16}N_2$	119-93-7
6-メトキシ-m-トルイジン	6-methoxy-m-toluidine	$C_8H_{11}NO$	120-71-8
2,4,5-トリメチルアニリン	2,4,5-trimethylaniline	$C_9H_{13}N$	137-17-7
4,4'-ジアミノジフェニルスルフィド	4,4'-thiodianiline	$C_{12}H_{12}N_2S$	139-65-1
2,4-ジアミノアニソール	2,4-diaminoanisole	$C_7H_{10}N_2O$	615-05-4
4,4'-メチレンビス(o-トルイジン)	4,4'-methylenedi-o-toluidine	$C_{15}H_{18}N_2$	838-88-0

Part	Purpose
Fiber products, printing inks	Dyes and pigments

## Table 2-I-22 Ozone depleting substances

## (1) Details

No. I-22	Substance Gro	up: Ozone depleting substances		
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	·All applications	-Intentional inclusion	*1
			prohibited	
Note		Protocol, Section 611 on the Clean Air Act Am		
	(EC)No 2	037/2000, (EC)No 1005/2009, Law Concern	ing the Protection of the O	zone
	Layer (Jaj	pan).		

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN
• Annex A Group I : CFC			
トリクロロフルオロメタン ; CFC-11	Trichlorofluoromethane; CFC-11	$CFCl_3$	75-69-4
ジクロロジフルオロメタン ; CFC-12	Dichlorodifluoromethane ; CFC-12	$\mathrm{CF_2Cl_2}$	75-71-8
トリクロロトリフルオロエタン;	Trichlorofluoroethane;	$C_2F_3Cl_3$	354-58-5
1,1,2トリクロロ-1,2,2トリフルオロエ	1,1,2 Trichloro-1,2,2 trifluoroethane;		76-13-1
タン ; CFC-113	CFC-113		
ジクロロテトラフルオロエタン;	Dichlorotetrafluoroethane; CFC-114	$C_2F_4Cl_2$	1320-37-2
CFC-114			76-14-2
モノクロロペンタフルオロエタン;	Monochloropentafluoroethane ; CFC-115	$C_2F_5Cl$	76-15-3
CFC-115			
· Annex A Group II: Halons			
ブロモクロロジフルオロメタン;ハロ	Bromochlorodifluoromethane; Halon 1211	$\mathrm{CF_{2}BrCl}$	353-59-3
ン-1211			
ブロモトリフルオロメタン;ハロン・	Bromotrifluoromethane; Halon 1301	CF <sub>3</sub> Br	75-63-8
1301			
ジブロモテトラフルオロエタン;ハロ	Dibromotetrafluoroethane ; Halon 2402	$C_2F_4Br_2$	124-73-2
$\sim$ 2402			
• Annex B Group I:Other CFCs			
塩化フッ化メタン ; CFC-13	Chlorotrifluoromethane ; CFC-13	CF <sub>3</sub> Cl	75-72-9
ペンタクロロフルオロエタン; CFC-	Pentachlorofluoroethane ; CFC-111	$C_2FCl_5$	354-56-3
111			
テトラクロロジフルオロエタン;	Tetrachlorodifluoroethane ; CFC-112	$C_2F_2Cl_4$	28605-74-5
CFC-112			76-12-0
1.1.1.2-テトラクロロ-2.2-ジフオロエ	1,1,1,2-Tetrachloro-2,2- difluoroethane ;	$C_2F_2Cl_4$	76-11-9
タン ; CFC-112a	CFC-112a		
ヘプタクロロフルオロプロパン;	Heptachlorofluoropropane ; CFC-211	C <sub>3</sub> FCl <sub>7</sub>	135401-87-5
CFC-211			422-78-6

1.1.1.2.3.3.3-ヘプタクロロ-2-フルオ			
ロプロパン ; CFC-211ba	1,1,1,2,3,3,3-Heptachloro-2-fluoropropane; CFC-211ba	C <sub>3</sub> Cl <sub>7</sub> F	422-81-1
ヘキサクロロジフルオロプロパン;	Hexachlorodifluoropropane;	C <sub>3</sub> F <sub>2</sub> Cl <sub>6</sub>	3182-26-1
CFC-212	1,1,1,3,3,3-Hexachlor-2,2-difluoropropane; CFC-212		
ペンタクロロトリフルオロプロパン;	Pentachlorotrifluoropropane; CFC-213	C <sub>3</sub> F <sub>3</sub> Cl <sub>5</sub>	134237-31-3
CFC-213		-	2354-06-5
テトラクロロテトラフルオロプロパ	Tetrachlorotetrafluoropropane; CFC-214	$C_3F_4Cl_4$	29255-31-0
$\sim$ ; CFC-214			
1,1,1,3-テトラクロロテトラフルオロ	1,1,1,3-Tetrachlorotetrafluoropropane	$C_3Cl_4F_4$	2268-46-4
プロパン			
トリクロロペンタフルオロプロパン;	Trichloropentafluoropropane;	C <sub>3</sub> F <sub>5</sub> Cl <sub>3</sub>	1599-41-3
CFC-215	1,2,2-trichloropentafluoropropane; CFC-215		
1,2,3-トリクロロペンタフルオロプロ	1,2,3-trichloropentafluoropropane; CFC-	$C_3Cl_3F_5$	76-17-5
パン;CFC-215ba	215ba		
1,1,2-トリクロロペンタフルオロプロ	1,1,2-trichloropentafluoropropane; CFC-	C <sub>3</sub> HCl <sub>3</sub> F <sub>4</sub>	812-30-6
パン;CFC-215bb	215bb		
1,1,3-トリクロロペンタフルオロプロ	1,1,3-trichloropentafluoropropane; CFC-	$C_3Cl_3F_5$	1652-81-9
パン;CFC-215ca	215ca		
,			
1,1,1-トリクロロペンタフルオロプロ	1,1,1-trichloropentafluoropropane; CFC-	$C_3Cl_3F_5$	4259-43-2
パン;CFC-215cb	215cb		
ジクロロヘキサフルオロプロパン;	Dichlorohexafluoropropane;	$C_3F_6Cl_2$	661-97-2
CFC-216	1,2-Dichloro-1,1,2,3,3,3-hexafluoropropane;		
	CFC-216		
モノクロロヘプタフルオロプロパン; CFC-217	Monochloroheptafluoropropane; CFC-217	C <sub>3</sub> F <sub>7</sub> Cl	422-86-6
· Annex B Group II :tetrachloride	1	I.	<b>!</b>
	Carbon tetrachloride	CCl <sub>4</sub>	56-23-5
• Annex B Group II :tetrachloride 四塩化炭素(テトラクロロメタン)		CCl <sub>4</sub>	56-23-5
• Annex B Group II:tetrachloride		CCl <sub>4</sub>	56-23-5 71-55-6
・Annex B Group II :tetrachloride 四塩化炭素(テトラクロロメタン) ・Annex B Group III :1,1,1-Trichlo 1,1,1-トリクロロエタン	roethane		
<ul> <li>Annex B Group II :tetrachloride</li> <li>四塩化炭素 (テトラクロロメタン)</li> <li>Annex B Group III :1,1,1-Trichlo</li> </ul>	roethane 1,1,1-trichloroethane	C <sub>2</sub> H <sub>3</sub> Cl <sub>3</sub>	71-55-6
・Annex B Group II:tetrachloride 四塩化炭素(テトラクロロメタン) ・Annex B Group III:1,1,1-Trichlo 1,1,1-トリクロロエタン ・Annex C Group II:HBFC ジブロモフルオロメタン	roethane		
・Annex B Group II:tetrachloride 四塩化炭素(テトラクロロメタン) ・Annex B Group III:1,1,1-Trichlo 1,1,1-トリクロロエタン ・Annex C Group II:HBFC ジブロモフルオロメタン	roethane 1,1,1-trichloroethane Dibromofluoromethane	C <sub>2</sub> H <sub>3</sub> Cl <sub>3</sub>	71-55-6 1868-53-7
<ul> <li>・Annex B Group II:tetrachloride</li> <li>四塩化炭素 (テトラクロロメタン)</li> <li>・Annex B Group III:1,1,1-Trichlo</li> <li>1,1,1-トリクロロエタン</li> <li>・Annex C Group II:HBFC</li> <li>ジブロモフルオロメタン</li> <li>ブロモジフルオロメタンおよび異性体</li> </ul>	Dibromofluoromethane Bromodifluoromethane and Isomers	C <sub>2</sub> H <sub>3</sub> Cl <sub>3</sub>	71-55-6 1868-53-7
・Annex B Group II:tetrachloride 四塩化炭素(テトラクロロメタン) ・Annex B Group III:1,1,1-Trichlo 1,1,1-トリクロロエタン ・Annex C Group II:HBFC ジブロモフルオロメタン ブロモジフルオロメタンおよび異性体 (HBFC類)	Dibromofluoromethane  Bromodifluoromethane and Isomers (HBFCs)	$\begin{array}{c} C_2H_3Cl_3 \\ \\ CHFBr_2 \\ \\ CHF_2Br \end{array}$	71-55-6 1868-53-7 1511-62-2
・Annex B Group II:tetrachloride 四塩化炭素(テトラクロロメタン) ・Annex B Group III:1,1,1-Trichlo 1,1,1-トリクロロエタン ・Annex C Group II:HBFC ジブロモフルオロメタン ブロモジフルオロメタンおよび異性体 (HBFC類) ブロモフルオロメタン	Dibromofluoromethane  Bromodifluoromethane and Isomers (HBFCs)  Bromofluoromethane	$C_2H_3Cl_3$ $CHFBr_2$ $CHF_2Br$ $CH_2FBr$	71-55-6 1868-53-7 1511-62-2 373-52-4
<ul> <li>・Annex B Group II:tetrachloride 四塩化炭素 (テトラクロロメタン)</li> <li>・Annex B Group III:1,1,1-Trichlo 1,1,1-トリクロロエタン</li> <li>・Annex C Group II:HBFC ジブロモフルオロメタン ブロモジフルオロメタン ブロモジフルオロメタンおよび異性体 (HBFC類)</li> <li>ブロモフルオロメタン</li> <li>テトラブロモフルオロエタン</li> </ul>	Dibromofluoromethane  Bromodifluoromethane and Isomers (HBFCs)  Bromofluoromethane Tetrabromofluoroethane	$C_2H_3Cl_3$ $CHFBr_2$ $CHF_2Br$ $CH_2FBr$ $C_2HFBr_4$	71-55-6 1868-53-7 1511-62-2 373-52-4
<ul> <li>・Annex B Group II: tetrachloride</li> <li>四塩化炭素 (テトラクロロメタン)</li> <li>・Annex B Group III: 1,1,1-Trichlo</li> <li>1,1,1-トリクロロエタン</li> <li>・Annex C Group II: HBFC</li> <li>ジブロモフルオロメタン</li> <li>ブロモジフルオロメタンおよび異性体(HBFC類)</li> <li>ブロモフルオロメタン</li> <li>テトラブロモフルオロエタン</li> <li>トリブロモジフルオロエタン</li> </ul>	Dibromofluoromethane  Bromodifluoromethane and Isomers (HBFCs)  Bromofluoromethane Tetrabromofluoroethane Tribromodifluoroethane	$C_2H_3Cl_3$ $CHFBr_2$ $CHF_2Br$ $CH_2FBr$ $C_2HFBr_4$ $C_2HF_2Br_3$	71-55-6 1868-53-7 1511-62-2 373-52-4 306-80-9
<ul> <li>・Annex B Group II: tetrachloride</li> <li>四塩化炭素 (テトラクロロメタン)</li> <li>・Annex B Group III: 1,1,1-Trichlo</li> <li>1,1,1-トリクロロエタン</li> <li>・Annex C Group II: HBFC</li> <li>ジブロモフルオロメタン</li> <li>ブロモジフルオロメタンおよび異性体(HBFC類)</li> <li>ブロモフルオロメタン</li> <li>テトラブロモフルオロエタン</li> <li>トリブロモジフルオロエタン</li> </ul>	Dibromofluoromethane  Dibromofluoromethane  Bromodifluoromethane and Isomers (HBFCs)  Bromofluoromethane  Tetrabromofluoroethane  Tribromodifluoroethane  Dibromotrifluoroethane;	$C_2H_3Cl_3$ $CHFBr_2$ $CHF_2Br$ $CH_2FBr$ $C_2HFBr_4$ $C_2HF_2Br_3$	71-55-6 1868-53-7 1511-62-2 373-52-4 306-80-9
<ul> <li>・Annex B Group II: tetrachloride</li> <li>四塩化炭素 (テトラクロロメタン)</li> <li>・Annex B Group III: 1,1,1-Trichlo</li> <li>1,1,1-トリクロロエタン</li> <li>・Annex C Group II: HBFC</li> <li>ジブロモフルオロメタン</li> <li>ブロモジフルオロメタンおよび異性体(HBFC類)</li> <li>ブロモフルオロメタン</li> <li>テトラブロモフルオロエタン</li> <li>トリブロモジフルオロエタン</li> <li>ジブロモトリフルオロエタン</li> </ul>	Dibromofluoromethane  Bromodifluoromethane and Isomers (HBFCs)  Bromofluoromethane  Tetrabromofluoroethane  Tribromodifluoroethane  Dibromotrifluoroethane; 1,2-Dibromo-1,1,2-trifluoroethane	$C_2H_3Cl_3$ $CHFBr_2$ $CHF_2Br$ $CH_2FBr$ $C_2HFBr_4$ $C_2HF_2Br_3$ $C_2HF_3Br_2$	71-55-6 1868-53-7 1511-62-2 373-52-4 306-80-9 - 354-04-1
<ul> <li>・Annex B Group II: tetrachloride 四塩化炭素 (テトラクロロメタン)</li> <li>・Annex B Group III: 1,1,1-Trichlo 1,1,1-トリクロロエタン</li> <li>・Annex C Group II: HBFC ジブロモフルオロメタン ブロモジフルオロメタンおよび異性体 (HBFC類) ブロモフルオロメタン テトラブロモフルオロエタン トリブロモジフルオロエタン ジブロモトリフルオロエタン</li> <li>ブロモテトラフルオロエタン</li> </ul>	Dibromofluoromethane  Dibromofluoromethane Bromodifluoromethane and Isomers (HBFCs) Bromofluoromethane Tetrabromofluoroethane Tribromodifluoroethane Dibromotrifluoroethane; 1,2-Dibromo-1,1,2-trifluoroethane Bromotetrafluoroethane	$C_2H_3Cl_3$ $CHFBr_2$ $CHF_2Br$ $CH_2FBr$ $C_2HFBr_4$ $C_2HF_2Br_3$ $C_2HF_3Br_2$ $C_2HF_4Br$	71-55-6 1868-53-7 1511-62-2 373-52-4 306-80-9 - 354-04-1 124-72-1
<ul> <li>・Annex B Group II: tetrachloride 四塩化炭素 (テトラクロロメタン)</li> <li>・Annex B Group III: 1,1,1-Trichlo 1,1,1-トリクロロエタン</li> <li>・Annex C Group II: HBFC ジブロモフルオロメタン ブロモジフルオロメタンおよび異性体(HBFC類)</li> <li>ブロモフルオロメタン</li> <li>テトラブロモフルオロエタン トリブロモジフルオロエタン ジブロモトリフルオロエタン</li> <li>ブロモテトラフルオロエタン</li> <li>トリブロモデトラフルオロエタン</li> <li>トリブロモフルオロエタン</li> </ul>	Dibromofluoromethane  Bromodifluoromethane and Isomers (HBFCs)  Bromofluoromethane  Tetrabromofluoroethane  Tribromodifluoroethane  Dibromotrifluoroethane; 1,2-Dibromo-1,1,2-trifluoroethane  Bromotetrafluoroethane  Tribromofluoroethane	$C_2H_3Cl_3$ $CHFBr_2$ $CHF_2Br$ $CH_2FBr$ $C_2HFBr_4$ $C_2HF_2Br_3$ $C_2HF_3Br_2$ $C_2HF_4Br$ $C_2H_2FBr_3$	71-55-6 1868-53-7 1511-62-2 373-52-4 306-80-9 - 354-04-1 124-72-1
<ul> <li>・Annex B Group II: tetrachloride</li> <li>四塩化炭素 (テトラクロロメタン)</li> <li>・Annex B Group III: 1,1,1-Trichlo</li> <li>1,1,1-トリクロロエタン</li> <li>・Annex C Group II: HBFC</li> <li>ジブロモフルオロメタン</li> <li>ブロモジフルオロメタンおよび異性体(HBFC類)</li> <li>ブロモフルオロメタン</li> <li>テトラブロモフルオロエタン</li> <li>トリブロモジフルオロエタン</li> <li>ジブロモトリフルオロエタン</li> <li>ブロモテトラフルオロエタン</li> <li>トリブロモフルオロエタン</li> <li>ブロモテトラフルオロエタン</li> <li>シブロモデンルオロエタン</li> </ul>	Dibromofluoromethane  Dibromofluoromethane  Bromodifluoromethane and Isomers (HBFCs)  Bromofluoromethane  Tetrabromofluoroethane  Tribromodifluoroethane  Dibromotrifluoroethane; 1,2-Dibromo-1,1,2-trifluoroethane  Bromotetrafluoroethane  Tribromofluoroethane  Dibromofluoroethane  Dibromodifluoroethane	$C_2H_3Cl_3$ $CHFBr_2$ $CHF_2Br$ $CH_2FBr$ $C_2HFBr_4$ $C_2HF_2Br_3$ $C_2HF_3Br_2$ $C_2HF_4Br$ $C_2H_2FBr_3$ $C_2H_2FBr_3$ $C_2H_2F_3Br_2$ $C_2H_2F_3Br_3$	71-55-6  1868-53-7 1511-62-2  373-52-4 306-80-9 - 354-04-1  124-72-1 - 75-82-1
<ul> <li>・Annex B Group II: tetrachloride 四塩化炭素 (テトラクロロメタン)</li> <li>・Annex B Group III: 1,1,1-Trichlo 1,1,1-トリクロロエタン</li> <li>・Annex C Group II: HBFC ジブロモフルオロメタン ブロモジフルオロメタンおよび異性体 (HBFC類)</li> <li>ブロモフルオロエタン</li> <li>トリブロモジフルオロエタン         <ul> <li>・リブロモジフルオロエタン</li> </ul> </li> <li>ブロモテトラフルオロエタン         <ul> <li>ブロモテトラフルオロエタン</li> </ul> </li> <li>ブロモデンフルオロエタン</li> <li>ブロモデトラフルオロエタン</li> <li>ジブロモジフルオロエタン</li> <li>ジブロモジフルオロエタン</li> <li>ジブロモジフルオロエタン</li> <li>ブロモドリフルオロエタン</li> </ul>	Dibromofluoromethane  Bromodifluoromethane and Isomers (HBFCs)  Bromofluoromethane Tetrabromofluoroethane Tribromodifluoroethane Dibromotrifluoroethane; 1,2-Dibromo-1,1,2-trifluoroethane Bromotetrafluoroethane Tribromofluoroethane Bromotetrafluoroethane Bromotetrafluoroethane Dibromodifluoroethane Dibromodifluoroethane Dibromodifluoroethane	$C_2H_3Cl_3$ $CHFBr_2$ $CHF_2Br$ $CH_2FBr$ $C_2HFBr_4$ $C_2HF_2Br_3$ $C_2HF_3Br_2$ $C_2HF_4Br$ $C_2H_2FBr_3$ $C_2H_2FBr_3$ $C_2H_2F_3Br$ $C_2H_2F_3Br$ $C_2H_3FBr_2$	71-55-6  1868-53-7 1511-62-2  373-52-4 306-80-9 - 354-04-1  124-72-1 - 75-82-1 421-06-7
<ul> <li>・Annex B Group II: tetrachloride 四塩化炭素 (テトラクロロメタン)</li> <li>・Annex B Group III: 1,1,1-Trichlo 1,1,1-トリクロロエタン</li> <li>・Annex C Group II: HBFC ジブロモフルオロメタン ブロモジフルオロメタンおよび異性体 (HBFC類)</li> <li>ブロモフルオロエタン トリブロモジフルオロエタン シブロモトリフルオロエタン ・リブロモアンルオロエタン ジブロモアンルオロエタン ジブロモフルオロエタン ジブロモフルオロエタン ジブロモフルオロエタン ジブロモシフルオロエタン ジブロモシフルオロエタン ジブロモトリフルオロエタン ジブロモトリフルオロエタン</li> </ul>	Dibromofluoromethane  Dibromofluoromethane Bromodifluoromethane and Isomers (HBFCs) Bromofluoromethane Tetrabromofluoroethane Tribromodifluoroethane Dibromotrifluoroethane; 1,2-Dibromo-1,1,2-trifluoroethane Bromotetrafluoroethane Tribromofluoroethane Bromotetrafluoroethane Dibromodifluoroethane Dibromodifluoroethane Dibromodifluoroethane Dibromodifluoroethane Dibromofluoroethane	$C_2H_3Cl_3$ $CHFBr_2$ $CHF_2Br$ $CH_2FBr$ $C_2HFBr_4$ $C_2HF_2Br_3$ $C_2HF_3Br_2$ $C_2H_2FBr_3$ $C_2H_2FBr_3$ $C_2H_2F_3Br$ $C_2H_2F_3Br$ $C_2H_3FBr_2$ $C_2H_3FBr_2$ $C_2H_3FBr_2$	71-55-6  1868-53-7 1511-62-2  373-52-4 306-80-9 - 354-04-1  124-72-1 - 75-82-1 421-06-7 358-97-4
<ul> <li>・Annex B Group II: tetrachloride 四塩化炭素 (テトラクロロメタン)</li> <li>・Annex B Group III: 1,1,1-Trichlo 1,1,1-トリクロロエタン</li> <li>・Annex C Group II: HBFC ジブロモフルオロメタン ブロモジフルオロメタンおよび異性体 (HBFC類) ブロモフルオロメタン テトラブロモフルオロエタン トリブロモジフルオロエタン ジブロモトリフルオロエタン ・リブロモジフルオロエタン ジブロモランルオロエタン ジブロモジフルオロエタン ジブロモジフルオロエタン ジブロモジフルオロエタン ジブロモジフルオロエタン ジブロモブレオロエタン ジブロモブルオロエタン</li> </ul>	Dibromofluoromethane  Bromodifluoromethane and Isomers (HBFCs)  Bromofluoromethane  Tetrabromofluoroethane  Tribromodifluoroethane  Dibromotrifluoroethane; 1,2-Dibromo-1,1,2-trifluoroethane  Bromotetrafluoroethane  Tribromofluoroethane  Bromotetrafluoroethane  Dibromofluoroethane  Dibromodifluoroethane  Dibromodifluoroethane  Bromotrifluoroethane  Bromotrifluoroethane  Bromotrifluoroethane  Bromotrifluoroethane  Bromodifluoroethane  Bromodifluoroethane	$C_2H_3Cl_3$ $CHFBr_2$ $CHF_2Br$ $CH_2FBr$ $C_2HFBr_4$ $C_2HF_2Br_3$ $C_2HF_3Br_2$ $C_2H_2FBr_3$ $C_2H_2F_2Br_2$ $C_2H_2F_3Br$ $C_2H_2F_3Br$ $C_2H_3FBr_2$ $C_2H_3FBr_2$	71-55-6  1868-53-7 1511-62-2  373-52-4 306-80-9 - 354-04-1  124-72-1 - 75-82-1 421-06-7 358-97-4 420-47-3
<ul> <li>・Annex B Group II: tetrachloride</li> <li>四塩化炭素 (テトラクロロメタン)</li> <li>・Annex B Group III: 1,1,1-Trichlo</li> <li>1,1,1-トリクロロエタン</li> <li>・Annex C Group II: HBFC</li> <li>ジブロモフルオロメタン</li> <li>ブロモジフルオロメタンおよび異性体(HBFC類)</li> <li>ブロモフルオロエタン</li> <li>トリブロモジフルオロエタン</li> <li>トリブロモジフルオロエタン</li> <li>・リブロモフルオロエタン</li> <li>・リブロモフルオロエタン</li> <li>ブロモテトラフルオロエタン</li> <li>ブロモデトリフルオロエタン</li> <li>ブロモデーリフルオロエタン</li> <li>ブロモジフルオロエタン</li> <li>ブロモデーリフルオロエタン</li> <li>ブロモデールオロエタン</li> <li>ブロモデーカー</li> <li>ブロモジフルオロエタン</li> <li>ブロモジフルオロエタン</li> <li>ブロモジフルオロエタン</li> <li>ブロモ・1,1・ジフルオロエタン</li> </ul>	Dibromofluoromethane  Bromodifluoromethane and Isomers (HBFCs)  Bromofluoromethane Tetrabromofluoroethane Tribromodifluoroethane Dibromotrifluoroethane; 1,2-Dibromo-1,1,2-trifluoroethane Bromotetrafluoroethane Tribromofluoroethane Bromotetrafluoroethane Dibromofluoroethane Dibromofluoroethane Dibromodifluoroethane Bromotrifluoroethane Dibromofluoroethane Dibromofluoroethane Dibromofluoroethane Dibromofluoroethane	$C_2H_3Cl_3$ $CHFBr_2$ $CHF_2Br$ $CH_2FBr$ $C_2HFBr_4$ $C_2HF_2Br_3$ $C_2HF_3Br_2$ $C_2HF_4Br$ $C_2H_2FBr_3$ $C_2H_2F_3Br_2$ $C_2H_2F_3Br$ $C_2H_2F_3Br$ $C_2H_3F_2Br$ $C_2H_3F_2Br$ $C_2H_3F_2Br$	71-55-6  1868-53-7 1511-62-2  373-52-4 306-80-9 - 354-04-1  124-72-1 - 75-82-1 421-06-7 358-97-4 420-47-3 359-07-9

テトラブロモトリフルオロプロパン	Tetrabromotrifluoropropane	C <sub>3</sub> HF <sub>3</sub> Br <sub>4</sub>	-
トリブロモテトラフルオロプロパン	Tribromotetrafluoropropane		666-48-8
ジブロモペンタフルオロプロパン	Dibromopentafluoropropane	$C_3HF_5Br_2$	431-78-7
ブロモヘキサフルオロプロパン	Bromohexafluoropropane	C <sub>3</sub> HF <sub>6</sub> Br	2252-79-1 2252-78-0
ペンタブロモフルオロプロパン	Pentabromofluoropropane	$C_3H_2FBr_5$	-
テトラブロモジフルオロプロパン	Tetrabromodifluoropropane	$C_3H_2F_2Br_4$	148875-98-3
トリブロモトリフルオロプロパン	Tribromotrifluoropropane	$C_3H_2F_3Br_3$	-
ジブロモテトラフルオロプロパン	Dibromotetrafluoropropane	$C_3H_2F_4Br_2$	-
ブロモペンタフルオロプロパン	Bromopentafluoropropane	$C_3H_2F_5Br$	460-88-8
テトラブロモフルオロプロパン	Tetrabromofluoropropane	$C_3H_3FBr_4$	148875-95-0
トリブロモジフルオロプロパン	Tribromodifluoropropane	$C_3H_3F_2Br_3$	70192-80-2
ジブロモトリフルオロプロパン	Dibromotrifluoropropane	$C_3H_3F_3Br_2$	70192-83-5 431-21-0
ブロモテトラフルオロプロパン	Bromotetrafluoropropane	C <sub>3</sub> H <sub>3</sub> F <sub>4</sub> Br	679-84-5
トリブロモフルオロプロパン	Tribromofluoropropane	$C_3H_4FBr_3$	75372-14-4
ジブロモジフルオロプロパン	Dibromodifluoropropane	$C_3H_4F_2Br_2$	460-25-3
ブロモトリフルオロプロパン	Bromotrifluoropropane	$C_3H_4F_3Br$	421-46-5
ジブロモフルオロプロパン	Dibromofluoropropane		51584-26-0
ブロモジフルオロプロパン	Bromodifluoropropane	C <sub>3</sub> H <sub>5</sub> F <sub>2</sub> Br	-
ブロモフルオロプロパン	Bromofluoropropane	C <sub>3</sub> H <sub>6</sub> FBr	1871-72-3
1-ブロモ-3-フルオロプロパン	1-Bromo-3-fluoropropane	C <sub>3</sub> H <sub>6</sub> FBr	352-91-0
· Annex C Group III : Bromochloro		1	•
ブロモクロロメタン	Bromochloromethane	$\mathrm{CH_{2}BrCl}$	74-97-5
· Annex E Group I:Bromomethane	9	1	•
ブロモメタン(臭化メチル)	Bromomethane (Methyl Bromide)	$\mathrm{CH_3Br}$	74-83-9
• Annex C Group I :HCFCs			
ジクロロフルオロメタン; HCFC-21	Dichlorofluoromethane ; HCFC-21	$\mathrm{CHFCl}_2$	75-43-4
クロロジフルオロメタン; HCFC-22	Chlorodifluoromethane ; HCFC-22	CHF <sub>2</sub> Cl	75-45-6
クロロフルオロメタン; HCFC-31	Chlorofluoromethane ; HCFC-31	$\mathrm{CH}_{2}\mathrm{FCl}$	593-70-4
テトラクロロフルオロエタン; HCFC-121	Tetrachlorofluoroethane ; HCFC-121	$C_2HFCl_4$	134237-32-4
1,1,1,2-テトラクロロ-2-フルオロエタン; HCFC-121a	1,1,1,2-tetrachloro-2-fluoroethane ; HCFC 121a	$\mathrm{C_{2}HCl_{4}F}$	354-11-0
1,1,2,2-テトラクロロ-1-フルオロエタン	1,1,2,2-tetracloro-1-fluoroethane	$\mathrm{C_2HCl_4F}$	354-14-3
トリクロロジフルオロエタン; HCFC-122	Trichlorodifluoroethane ; HCFC-122	C <sub>2</sub> HF <sub>2</sub> Cl <sub>3</sub>	41834-16-6
1,2,2-トリクロロ-1,1-ジフルオロエタン; HCFC-122	1,2,2-trichloro-1,1-difluoroethane; HCFC-122	C <sub>2</sub> HCl <sub>3</sub> F <sub>2</sub>	354-21-2
1,1,2-トリクロロ-1,2-ジフルオロエタ ン; HCFC-122a	Ethane, 1,2-difluoro-1,1,2-trichloro-; HCFC-122a	$C_2HF_2Cl_3$	354-15-4
1,1,1-トリクロロ-2,2-ジフルオロエタ	1,1,1-trichloro-2,2-difluoroethane; HCFC-	$C_2HF_2Cl_3$	354-12-1
ン; HCFC-122b	122b	O2111 2O10	001121
ジクロロトリフルオロエタン; HCFC-123	Dichlorotrifluoroethane ; HCFC-123	$C_2HF_3Cl_2$	34077-87-7
2,2-ジクロロ-1,1,1-トリフルオロエタ ン; HCFC-123	2.2-dichloro1,1,1-fluoroethane ; HCFC-123	C <sub>2</sub> HCl <sub>2</sub> F <sub>3</sub>	306-83-2
ジクロロ-1,1,2-トリフルオロエタン	Dichloro-1,1,2-trifluoroethane	$C_2HCl_2F_3$	90454-18-5
1,2-ジクロロ-1,1,2-トリフルオロエタ	1,2-dichloro-1,1,2-trifluroethane; HCFC-	$C_2HCl_2F_3$	354-23-4
ン; HCFC-123a	123a	- 3- 0	-

1,1-ジクロロ-1,2,2-トリフルオロエタ	1 1 dishlared 9 9-triffres others . HCEC-	C HCLE	010-04-4
ン; HCFC-123b	1,1-dichloro-1,2,2-trifluroethane; HCFC-123b	$C_2HCl_2F_3$	812-04-4
マ, nOFO-1250 その他のジクロロトリフルオロエタン	Other dichlorotrifluoroethane	_	_
2-クロロ-1,1,1,2-テトラフルオロエタ	2-chloro-1,1,1,2-tetrafluoroethane; HCFC-	C <sub>2</sub> HF <sub>4</sub> Cl	2837-89-0
ン; HCFC-124	124	C2HF4C1	2001-09-0
クロロテトラフルオロエタン;		CHECICE	C2020-10-2
HCFC-124	Chlorotetrafluoroethane; HCFC-124	CHFClCF <sub>3</sub>	63938-10-3
1-クロロ-1,1,2,2-テトラフルオロエタ	1-chloro-1,1,2,2-tetrafluoroethane; HCFC	$C_2HClF_4$	354-25-6
ン; HCFC-124a	124a	02110114	334 23 0
フ, HOFO 124a その他のクロロテトラフルオロエタン	Other chlorotetrafluoroethane	_	_
トリクロロフルオロエタン; HCFC-		$C_2H_2FCl_3$	134237-34-6
131	Trichlorofluoroethane; HCFC-131	C2H2F C13	27154-33-2
1-フルオロ-1,2,2-トリクロロエタン;	1-Fluoro-1,2,2-trichloroethane ; HCFC131	C.H.Cl.F	359-28-4
HCFC-131	1 Fluoro 1,2,2 trichioroethane , HCFC151	C2112C13F	399 20 4
1,1,2·トリクロロ-1-フルオロエタン;	1,1,2-trichloro-1-fluoroethane; HCFC131a	$C_2H_2Cl_3F$	811-95-0
HCFC-131a	1,1,2 tricinoro i nuoroethane, noroista	C2112C131	011 99 0
1,1,1-トリクロロ-2-フルオロエタン;	Ethane, 1,1,1-trichloro-2-fluoro-;	C <sub>2</sub> H <sub>2</sub> Cl <sub>3</sub> F	2366-36-1
HCFC-131b	HCFC131b	O2112O13F	2500 50 1
ジクロロジフルオロエタン; HCFC-	Dichlorodifluoroethane; HCFC-132	$C_2H_2F_2Cl_2$	25915-78-0
132	Dictiorounitoroethane, ficr C 152	021121 2012	20010 70 0
1,2-ジクロロ-1,1-ジフルオロエタン;	1,2-dichloro-1,1-difluoroethane; HCFC	$C_2H_2Cl_2F_2$	1649-08-7
HCFC-132b	132b	021120121 2	1010 00 1
1,1-ジクロロ-1,2-ジフルオロエタン;	1,1-dichloro-1,2-difluoroethane; HFCF	$C_2H_2Cl_2F_2$	1842-05-3
HCFC-132c	132c	021120121 2	1012 00 0
1,1-ジクロロ-2,2-ジフルオロエタン	1,1-dichloro-2,2-difluoroethane	$C_2H_2Cl_2F_2$	471-43-2
1,2-ジクロロ-1,2-ジフルオロエタン	1,2-dichloro-1,2-difluoroethane	$C_2H_2Cl_2F_2$	431-06-1
クロロトリフルオロエタン;1-クロロ	Chlorotrifluoroethane;	$C_2H_2G_3C_1$	1330-45-6
-1,2,2-トリフルオロエタン;	1-chloro-1,2,2-trifluoroethane;	021121 301	431-07-2
HCFC-133	HCFC 133		
2-クロロ-1,1,1-トリフルオロエタン;	2-chloro-1,1,1-trifluoroethane ; HCFC-	$C_2H_2F_3Cl$	75-88-7
HCFC-133a	133a		
1-クロロ-1,1,2-トリフルオロエタン;	1-chloro-1,1,2-trifluoroethane; HCFC-133b	$C_2H_2F_3Cl$	421-04-05
HCFC-133b	,-, , ,		
ジクロロフルオロエタン; HCFC-141	Dichlorofluoroethane; HCFC-141	$C_2H_3FCl_2$	25167-88-8
1,2-ジクロロ-1-フルオロエタン;	1,2-dichloro-1-fluoroethane ; HCFC-141	$C_2H_3FCl_2$	430-57-9
HCFC-141			
1.1-ジクロロ-2-フルオロエタン;	1,1-dichloro-2-fluoroethane; HCFC-141a	$C_2H_3FCl_2$	430-53-5
HCFC-141a			
1,1-ジクロロ-1-フルオロエタン;	1,1-dichloro-1-fluoroethane; HCFC-141b	CH <sub>3</sub> CFCl <sub>2</sub>	1717-00-6
HCFC-141b			
その他のジクロロフルオロエタン	Other dichlorofluoroethane	-	-
クロロジフルオロエタン; HCFC-142	ChlorodiFluoroethane; HCFC-142	$C_2H_3F_2Cl$	25497-29-4
2-クロロ-1,1-ジフルオロエタン;	2-Chloro-1,1-difluoroethane; HCFC-142	CH <sub>3</sub> CF <sub>2</sub> Cl	338-65-8
HCFC-142			
1-クロロ-1,1-ジフルオロエタン;	1-chloro-1,1-difluoroethane ; HCFC-142b	CH <sub>3</sub> CF <sub>2</sub> Cl	75-68-3
HCFC-142b	, , , , , , , , , , , , , , , , , , , ,		
1-クロロ-1,2-ジフルオロエタン;	1-Chloro-1,2-difluoroethane; HCFC-142a	CH <sub>3</sub> CF <sub>2</sub> Cl	338-64-7
HCFC-142a	, , , , , , , , , , , , , , , , , , , ,		
その他のクロロジフルオロエタン	Other chlorodifluoroethane	-	-
クロロフルオロエタン; HCFC-151	chlorofluoroethane; HCFC-151	C <sub>2</sub> H <sub>4</sub> FCl	110587-14-9
1-クロロ-2-フルオロエタン; HCFC-	1-chloro-2-fluoroethane; HCFC-151	C <sub>2</sub> H <sub>4</sub> FCl	762-50-5
	11010 = 11001000000000000000000	,	1
151	,		

1-クロロ-1-フルオロエタン; HCFC-	1-chloro-1-fluoroethane ; HCFC-151	C <sub>2</sub> H <sub>4</sub> FCl	1615-75-4
151			
ヘキサクロロフルオロプロパン;	Hexachlorofluoropropane ; HCFC-221	$C_3HFCl_6$	134237-35-7
HCFC-221			29470-94-8
1,1,1,2,2,3-ヘキサクロロ-1-フルオロ プロパン; HCFC-221ab	1,1,1,2,2,3-Hexachloro-1-fluoropropane; HCFC-221ab	$\mathrm{C_3HFCl_6}$	422-26-4
ペンタクロロジフルオロプロパン;	Pentachlorodifluoropropane ; HCFC-222	C <sub>3</sub> HF <sub>2</sub> Cl <sub>5</sub>	134237-36-8
HCFC-222	rentachiorodinuoropropane, HCrC-222	C3111 2C15	134237 30 0
1,1,1,3,3,-ペンタクロロ-2,2-ジフルオ	1,1,1,3,3-Pentachloro-2,2-difluoropropane;	C <sub>3</sub> HF <sub>2</sub> Cl <sub>5</sub>	422-49-1
ロプロパン ; HCFC-222ca	HCFC-222ca		
1,2,2,3,3-ペンタクロロ-1,1-ジフルオ	1,2,2,3,3-Pentachloro-1,1-difluoropropane;	$C_3HF_2Cl_5$	422-30-0
ロプロパン ; HCFC-222aa	HCFC-222aa		
テトラクロロトリフルオロプロパン;	Tetrachlorotrifluoropropane ; HCFC-223	C <sub>3</sub> HF <sub>3</sub> Cl <sub>4</sub>	134237-37-9
HCFC-223			
1,1,3,3·テトラクロロ·1,2,2·トリフル オロプロパン	1,1,3,3-Tetrachloro-1,2,2-trifluoropropane	C <sub>3</sub> HF <sub>3</sub> Cl <sub>4</sub>	422-52-6
1,1,1,3-テトラクロロ-2,2,3-トリフル	1,1,1,3-Tetrachloro-2,2,3-trifluoropropane	C <sub>3</sub> HF <sub>3</sub> Cl <sub>4</sub>	422-50-4
オロプロパン	1,1,1,0 Touradinoro 2,2,0 umadropropane	03111 3014	122 00 T
トリクロロテトラフルオロプロパン	Trichlorotetrafluoropropane; HCFC-224	C <sub>2</sub> HF <sub>4</sub> Cl <sub>3</sub>	134237-38-0
; HCFC-224	The state of the s		
1,3,3-トリクロロ-1,1,2,2,-テトラフル	1,3,3-Trichloro-1,1,2,2-tetrafluoropropane;	C <sub>2</sub> HF <sub>4</sub> Cl <sub>3</sub>	422-54-8
オロプロパン ; HCFC-224	HCFC-224		
1,1,3-トリクロロ-1,2,2,3-テトラフル	1,1,3-Trichloro-1,2,2,3-tetrafluoropropane	C <sub>2</sub> HF <sub>4</sub> Cl <sub>3</sub>	422-53-7
オロプロパン	11177:11 0000++ 7	G III GI	400 71 7
1,1,1-トリクロロ-2,2,3,3-テトラフル オロプロパン	1,1,1-Trichloro-2,2,3,3-tetrafluoropropane	C <sub>3</sub> HF <sub>4</sub> Cl <sub>3</sub>	422-51-5
ジクロロペンタフルオロプロパン;	Dichloropentafluoropropane ; HCFC-225	$C_3HF_5Cl_2$	127564-92-5
HCFC-225	Pionioropontaria oropropune , irei e 220	-	12.001020
2,2-ジクロロ-1,1,1,3,3,-ペンタフルオ	2,2-Dichloro-1,1,1,3,3-pentafluoropropane	C <sub>3</sub> HF <sub>5</sub> Cl <sub>2</sub>	128903-21-9
ロプロパン ; HCFC-225aa	; HCFC-225aa		
2,3-ジクロロ-1,1,1,2,3-ペンタフルオ	2,3-dichloro-1,1,1,2,3-pentafluoropropane;	C <sub>3</sub> HF <sub>5</sub> Cl <sub>2</sub>	422-48-0
ロプロパン ; HCFC-225ba	HCFC-225ba		
1,2-ジクロロ-1,1,2,3,3-ペンタフルオ	1,2-dichloro-1,1,2,3,3-pentafluoropropane;	$C_3HF_5Cl_2$	422-44-6
ロプロパン ; HCFC-225bb	HCFC-225bb		
3,3-ジクロロ-1,1,1,2,2-ペンタフルオ	3.3-dichloro-1,1,1,2,2-pentafluoropropane;	$C_3HCl_2F_5$	422-56-0
ロプロパン ; HCFC-225ca	HCFC-225ca		
1,3-ジクロロ-1,2,2,3,3,-ペンタフルオ	1,3-dichloro-1,1,2,2,3-pentafluoropropane;	$C_3HCl_2F_5$	507-55-1
ロプロパン ; HCFC-225cb	HCFC-225cb		
1,1-ジクロロ-1,2,2,3,3-ペンタフルオ	1,1-dichloro-1,2,2,3,3-pentafluoropropane;	C <sub>3</sub> HCl <sub>2</sub> F <sub>5</sub>	13474-88-9
ロプロパン; HCFC-225cc 1,2-ジクロロ-1,1,3,3,3-ペンタフルオ	HCFC-225cc 1,2-dichloro-1,1,3,3,3-pentafluoropropane;	CHOLE	491-96-7
ロプロパン ; HCFC-225da	HCFC-225da	C <sub>3</sub> HCl <sub>2</sub> F <sub>5</sub>	431-86-7
1,3-ジクロロ-1,1,2,3,3-ペンタフルオ	1,3-dichloro-1,1,2,3,3-pentafluoropropane;	C <sub>3</sub> HCl <sub>2</sub> F <sub>5</sub>	136013-79-1
ロプロパン ; HCFC-225ea	HCFC-225ea		
1,1-ジクロロ-1,2,3,3,3-ペンタフルオ	1,1-dichloro-1,2,3,3,3-pentafluoropropane;	C <sub>3</sub> HCl <sub>2</sub> F <sub>5</sub>	111512-56-2
ロプロパン; HCFC-225eb	HCFC-225eb		
その他のジクロロペンタフルオロプロ パン	Other dichloropentafluoropropane	-	-
クロロヘキサフルオロプロパン;	Chlorohexafluoropropane ; HCFC-226	C <sub>3</sub> HF <sub>6</sub> Cl	134308-72-8
HCFC-226	omeronemanatopropune, increase	00111 001	101000 12 0
2-クロロ-1,1,1,3,3,3-ヘキサフルオロ	2-Chloro-1,1,1,3,3,3-hexafluoropropane;	C <sub>3</sub> HF <sub>6</sub> Cl	431-87-8
プロパン ; HCFC-226da	HCFC-226da		
·			•

ペンタクロロフルオロプロパン;	Pentachlorofluoropropane ; HCFC-231	$C_3H_2FCl_5$	134190-48-0
HCFC-231			
1,1,1,2,3-ペンタクロロ-2-フルオロプ	1,1,1,2,3-Pentachloro-2-fluoropropane	$C_3H_2FCl_5$	421-94-3
ロパン			
テトラクロロジフルオロプロパン;	Tetrachlorodifluoropropane; HCFC-232	$C_3H_2F_2Cl_4$	134237-39-1
HCFC-232		0.77.77.07	
1,1,1,3-テトラクロロ-3,3-ジフルオロ	1,1,1,3-Tetrachloro-3,3-difluoropropane	$C_3H_2F_2Cl_4$	460-89-9
プロパン			
トリクロロトリフルオロプロパン;	Trichlorotrifluoropropane ; HCFC-233	$C_3H_2F_3Cl_3$	134237-40-4
HCFC-233			
1,1,1-トリクロロ-3,3,3-トリフルオロ	1,1,1-trichloro-3,3,3-trifluoropropane	$C_3H_2F_3Cl_3$	7125-83-9
プロパン			
ジクロロテトラフルオロプロパン;	Dichlorotetrafluoropropane; HCFC-234	$C_3H_2F_4Cl_2$	127564-83-4
HCFC-234			
1,2-ジクロロ-1,2,3,3-テトラフルオロ	1,2-Dichloro-1,2,3,3-tetrafluoropropane	$C_3H_2F_4Cl_2$	425-94-5
プロパン			
クロロペンタフルオロプロパン;	Chloropentafluoropropane; HCFC-235	C <sub>3</sub> H <sub>2</sub> F <sub>5</sub> Cl	134237-41-5
HCFC-235			
1-クロロ-1,1,3,3,3-ペンタフルオロプ	1-chloro-1,1,3,3,3-pentafluoropropane	C <sub>3</sub> H <sub>2</sub> F <sub>5</sub> Cl	460-92-4
ロパン			
テトラクロロフルオロプロパン:	Tetrachlorofluoropropane; HCFC-241	C <sub>3</sub> H <sub>3</sub> FCl <sub>4</sub>	134190-49-1
HCFC-241	Total and the control of the contr	03131 014	101100 10 1
1,1,2,3-テトラクロロ-1-フルオロプロ	1,1,2,3-Tetrachloro-1-fluoropropane	C <sub>3</sub> H <sub>3</sub> FCl <sub>4</sub>	666-27-3
パン	1,1,2,5 Totaliford Thadropropare	031131 014	000 21 0
トリクロロジフルオロプロパン;	Trichlorodifluoropropane ; HCFC-242	C <sub>3</sub> H <sub>3</sub> F <sub>2</sub> Cl <sub>3</sub>	134237-42-6
HCFC-242	Tricinorouniuoropropane, mere 242	C31131 2C13	134237 42 0
1,3,3-トリクロロ-1,1-ジフルオロプロ	1,3,3-Trichloro-1,1-difluoropropane	C <sub>3</sub> H <sub>3</sub> F <sub>2</sub> Cl <sub>3</sub>	460-63-9
パン	1,5,5 Tricmoro 1,1 dilidoropropane	C3113F2C13	400 05 9
ジクロロトリフルオロプロパン;	D'-1-1	$C_3H_3F_3Cl_2$	134237-43-7
1	Dichlorotrifluoropropane ; HCFC-243	C3H3F3Cl2	134237-43-7
HCFC-243 1,1-ジクロロ-1,2,2-トリフルオロプロ	1,1-dichloro-1,2,2-trifluoropropane	CILECI	7105-00-7
	1,1-dichloro-1,2,2-triffuoropropane	$C_3H_3F_3Cl_2$	7125-99-7
パン		G II P GI	222 57 2
2,3-ジクロロ-1,1,1-トリフルオロプロ	2,3-dichloro-1,1,1-trifluoropropane	$C_3H_3F_3Cl_2$	338-75-0
パン			
3,3-ジクロロ-1,1,1-トリフルオロプロ	3,3-Dichloro-1,1,1-trifluoropropane	$C_3H_3F_3Cl_2$	460-69-5
パン			
クロロテトラフルオロプロパン;	Chlorotetrafluoropropane ; HCFC-244	$C_3H_3F_4Cl$	134190-50-4
HCFC-244			
3-クロロ-1,1,2,2-テトラフルオロプロ	3-chloro-1,1,2,2-tetrafluoropropane	C <sub>3</sub> H <sub>3</sub> F <sub>4</sub> Cl	679-85-6
パン			
1-クロロ-1,1,2,2-テトラフルオロプロ	1-chloro-1,1,2,2-tetrafluoropropane	$C_3H_3F_4Cl$	421-75-0
パン			
トリクロロフルオロプロパン;	Trichlorofluoropropane; HCFC-251	C <sub>3</sub> H <sub>4</sub> FCl <sub>3</sub>	134190-51-5
HCFC-251			
1,1,3-トリクロロ-1-フルオロプロパン	1,1,3-trichloro-1-fluoropropane	C <sub>3</sub> H <sub>4</sub> FCl <sub>3</sub>	818-99-5
1,1,2-トリクロロ-1-フルオロプロパ	1,1,2-trichloro-1-fluoropropane ; HCFC-	C <sub>3</sub> H <sub>4</sub> FCl <sub>3</sub>	421-41-0
>; HCFC-251dc	251dc		
ジクロロジフルオロプロパン:	Dichlorodifluoropropane ; HCFC-252	$C_3H_4F_2Cl_2$	134190-52-6
HCFC-252	, iioi o mon	55-242 2012	
1,3-ジクロロ-1,1-ジフルオロプロパ	1,3-Dichloro-1,1-difluoropropane; HCFC-	$C_3H_4F_2Cl_2$	819-00-1
ン ; HCFC-252fb	252fb	00141 2012	
クロロトリフルオロプロパン;	Chlorotrifluoropropane; HCFC-253	C <sub>3</sub> H <sub>4</sub> F <sub>3</sub> Cl	134237-44-8
/ 1 / / / / H / H / H / Y ,	omoroumano, moro 200	O31141 3O1	101201 11 0

HCFC-253			
3-クロロ-1,1,1-トリフルオロプロパ	3-chloro-1,1,1-trifluoropropane; HCFC	C <sub>3</sub> H <sub>4</sub> F <sub>3</sub> Cl	460-35-5
ン;HCFC253fb	253fb		
ジクロロフルオロプロパン; HCFC-	Dichlorofluoropropane ; HCFC-261	$C_3H_5FCl_2$	134237-45-9
261			
1,1-ジクロロ-1-フルオロプロパン	1,1-dichloro-1-fluoropropane	$C_3H_5FCl_2$	7799-56-6
1,2-ジクロロ-2-フルオロプロパン	1,2-dichloro-2-fluoropropane; HCFC-261b	$C_3H_5FCl_2$	420-97-3
; HCFC-261b			
クロロジフルオロプロパン ; HCFC-	Chlorodifluoropropane ; HCFC-262	$C_3H_5F_2Cl$	134190-53-7
262			
1-クロロ-2,2-ジフルオロプロパン	1-chloro-2,2-difluoropropane	$C_3H_5F_2Cl$	420-99-5
2-クロロ-1,3-ジフルオロプロパン	2-chloro-1,3-difluoropropane	$C_3H_5F_2Cl$	102738-79-4
1-クロロ-1,1-ジフルオロプロパン;	1-chloro-1,1-difluoropropane; HCFC-262fc	$C_3H_5F_2Cl$	421-02-3
HCFC-262fc			
クロロフルオロプロパン; HCFC-271	Chlorofluoropropane ; HCFC-271	C <sub>3</sub> H <sub>6</sub> FCl	134190-54-8
2-クロロ-2-フルオロプロパン	2-chloro-2-fluoropropane	C <sub>3</sub> H <sub>6</sub> FCl	420-44-0
1-クロロ-1-フルオロプロパン	1-chloro-1-fluoropropane	-	430-55-7
• Others			
ジフルオロジブロモメタン	Difluorodibromomethane	$CBr_2 F_2$	75-61-6
1-ブロモプロパン(臭化n-プロピル)	1-Bromopropane (n-propyl bromide)	C <sub>3</sub> H <sub>7</sub> Br	106-94-5
ブロモエタン(臭化エチル)	Bromoethane (ethyl bromide)	$C_2H_5Br$	74-96-4
トリフルオロイオドメタン(ヨウ化ト	Trifluoroiodomethane (trifluoromethyl	$\mathrm{CF}_{3}\mathrm{I}$	2314-97-8
リフルオロメチル)	iodide)		
クロロメタン(塩化メチル)	Chloromethane (methyl chloride)	CH <sub>3</sub> Cl	74-87-3

(6) I Tillerpar asos for substances	
Part	Purpose
Compressors, foamed plastics, fire extinguishers	Refrigerants, foaming agents, extinguishants
	(Labeling requirements apply not only to products,
	but also to cleaning agents and other items used in
	production processes.)

## Table 2-I-23 Perfluorooctanesulfonic acid (PFOS) and PFOS analogs

#### (1) Details

No. I-23	Substance Group: Perfluorooctanesulfonic acid (PFOS) and PFOS analogs			
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note
Level 1	Immediate	·All applications	-Intentional inclusion prohibited	*1
Note	*1 Class I Specified Chemical Substances designated by Japanese Chemical Substances Control Act., EU POPs Regulation, Canadian Environmental Protection Act (CEPA 1999 SOR)			

## (2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
----------------------	---------------------	---------------------	-----------------------	-------------------------------

Ver. 18 33/66

ペルフルオロ-1-オクタンスルホ	Perfluorooctane sulfonate	$C_8F_{17}SO_2X$	2795-39-3	-	
ン酸カリウム(PFOS)	potassium salt	(X = Other)	JAMP-SN0035		
		derivatives			
		including			
		hydroxyls,			
		metal salts,			
		halogenated			
		compounds,			
		amides and			
		polymers)			

Part	Purpose
Paints, coating materials, industrial cleaning agents,	Smoothing agents, surfactants, anti-foaming agents
semiconductor manufacturing processes,	
electroplating processes	

## Table 2-I-24 Specific benzotriazole: 2-(2H-1,2,3-Benzotriazol-2-yl)-4,6-di-tert-butylphenol

## (1) Details

No. I-24	Substance Group: Specific benzotriazole: 2-(2H-1,2,3-Benzotriazol-2-yl)-4,6-di-tert-butylphenol				
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note	
Level 1	Immediate	Anti-UV materials and UV absorbers used in the following applications  · Molded plastic parts  · Decorative laminates  · Photographic paper  · Adhesives (excluding animal and plantbased adhesives), putties, stopping and sealing fillers  · Paints and printing inks	-Intentional inclusion prohibited	*1	
Note	*1 Class I Sp Control A	pecified Chemical Substances designated by Jact.	panese Chemical Substan	ces	

#### (2) Regulated substances

_ , , , , , , , , , , , , , , , , , , ,			
Substance (Japanese)	Substance (English)		CAS No or JAMP-SN
特定ベンゾトリアゾール:2-(2H-		C20H25N3O	3846-71-7
1,2,3-ベンゾトリアゾール-2-イル)-	Benzotriazol-2-yl)-4,6-di-tert-butylphenol		
4,6-ジ-tert-ブチルフェノール			

## (3) Principal uses for substances

Part	Purpose
Molded plastic parts, decorative laminates,	Anti-UV materials and UV absorbers
photographic paper, adhesives (excluding animal and	
plant-based adhesives), putties, stopping and sealing	
fillers, paints and printing inks	

## Table 2-I-25 Formaldehyde

## (1) Details

No. I-25	Substance Gro	ubstance Group: Formaldehyde CAS No: 50-00-0		
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	·Wood products and parts (excluding packaging materials) using materials such	-Less than 0.05ppm as gas discharge from	*1

Ver. 18 34/66

		as particle boards and MDF (medium density fiberboard)	product	
		·Fabrics	-Less than 75 ppm in product	*2
Level 2	February 6,2026	·Furniture and wood products	-The concentration of formaldehyde released from molded products is 0.062 mg/m <sup>3</sup> or less	*3 *4
		·Other than furniture and wood products	-The concentration of formaldehyde released from molded products is 0.080 mg/m3 or less	
Exemption	- Devices - Personal	ving items are exempted: within the scope of (EU)2015/745 (EU MDR) I protective equipment within the scope of (EU products within the scope of (EU) No 528/201		
Note	<ul> <li>*1 ChemVerbotsV (Germany), Formaldehyde Regulations (Denmark), California USA CARE Regulations, U.S. federal law 111-199/TSCA Article 601</li> <li>*2 Austria BGB I 1990/194, Formaldehyde Regulation §2, 12/2/1990 Lithuanian Health Standard NH 96:2000 (health standards and regulations)</li> <li>*3 Annex XVII to REACH (restriction)</li> </ul>			A CARB

#### (2) Regulated substances

Substance (Japanese)	Substance (English)		CAS No or JAMP-SN
ホルムアルデヒド	Formaldehyde	CH2O	50-00-0

#### (3) Principal uses for substances

Part	Purpose
Wood products using materials such as particle boards	Adhesives and preservatives for wood
and MDF (medium density fiberboard)	

#### Table 2-I-26 Dimethylfumarate (DMF)

#### (1) Details

No. I-26	Substance Gro	oup: Dimethylfumarate (DMF)	CAS No: 624-	49-7	
Prohibition	Date of ban	Applications		Control Value	Note
Level	on delivery				
Level 1	Immediate	·All applications		-Less than 0.1ppm in	*1
				article or part thereof	
Note	*1 Annex XV				

#### (2) Regulated substances

Substance (Japanese)	Substance (English)		CAS No or JAMP-SN
ジメチルフマレート(DMF)	Dimethyl fumarate	C6H8O4	624-49-7

#### (3) Principal uses for substances

Part	Purpose
Biocide, electronic leather seats including recliners	Biocide, mold treatment
and massage chairs	

#### Table 2-I-27 Fluorinated Greenhouse Gases (PFC, SF6, HFC)

#### (1) Details

No. I-27	Substance Group: Fluorinated Greenhouse Gases (PFC, SF6, HFC)			
Prohibition	Date of ban	Applications	Control Value	Note

Ver. 18 35/66

Level	on delivery			
Level 1	Immediate	1) SF6, HFC	-Intentional inclusion	*1
		·All applications	prohibited	
		2) PFC		
		·All applications listed below		
		Disposable containers, can-cooling systems		
		containing refrigerants, fire prevention		
		systems and fire extinguishers, household		
		windows, other windows, shoes, tires, one-		
		component foaming agents		
Note	*1 (EC)No 51	.7/2014 The Regulation on certain fluorinated s	greenhouse gases	

## (2) Regulated substances

Substance (Japanese)	Substance (English)	CAS No. or JAMP No.
テトラフルオロメタン	Tetrafluoromethane	75-73-0
(4 フッ化炭素、PFC-14)	(Carbon tetrafluoride, PFC-14)	10 10 0
ヘキサフルオロエタン(PF C-116)	Hexafluoroethane (PFC-116)	76-16-4
オクタフルオロプロパン(PFC-218)	Octafluoropropane (PFC-218)	76-19-7
デカフルオロブタン(PFC-31-10)	Decafluorobutane (PFC-31-10)	355-25-9
ドデカフルオロペンタン(PFC-41-12)	Dodecafluoropentane (PFC-41-12)	678-26-2
テトラデカフルオロヘキサン(PFC-51-14)	Tetradecafluorohexane (PFC-51-14)	355-42-0
オクタフルオロシクロブタン(PFC-c318)	Octafluorocyclobutane (PFC-c318)	115-25-3
6 フッ化硫黄(SF6)	Sulfur Hexafluoride (SF6)	2551-62-4
トリフルオロメタン	Trifluoromethane	75-46-7
ジフルオロメタン	Difluoromethane	75-10-5
フルオロメタン	Methyl fluoride	593-53-3
1,1,1,2,2,3,4,5,5,5·デカフルオロペンタン	Pentane, 1,1,1,2,2,3,4,5,5,5-decafluoro- (HFC-43-10mee)	138495-42-8
(HFC-43-10mee) ペンタフルオロエタン		254-22-0
1,1,2,2-テトラフルオロエタン (HFC-134)	Ethane, pentafluoro-	354-33-6
	1,1,2,2-Tetrafluoroethane (HFC-134)	359-35-3
1,1,1,2-テトラフルオロエタン (HFC-134a)	1,1,1,2-Tetrafluoroethane (HFC-134a)	811-97-2
1,1-ジフルオロエタン (HFC-152a)	1,1-Difluoroethane (HFC-152a)	75-37-6
1,1,2-トリフルオロエタン(H FC-143)	1,1,2-Trifluoroethane.(HFC-143)	430-66-0
1,1,1・トリフルオロエタン	Ethane, 1,1,1-trifluoro-	420-46-2
1,1,1,2,3,3,3-ヘプタフルオロプロパン	Propane, 1,1,1,2,3,3,3-heptafluoro-	431-89-0
1,1,1,2,2,3-ヘキサフルオロプロパン (HFC-236cb)	1,1,1,2,2,3-hexafluoro-propane (HFC-236cb)	677-56-5
1,1,1,2,3,3-ヘキサフルオロプロパン(HFC- 236ea)	1,1,1,2,3,3-Hexafluoropropane (HFC-236ea)	431-63-0
1,1,1,3,3,3-ヘキサフルオロプロパン(HFC-		
236fa)	1,1,1,3,3,3-Hexafluoropropane (HFC-236fa)	690-39-1
1,1,2,2,3-ペンタフルオロプロパン(HFC-	(HEC 045)	a=0 00 =
245ca)	1,1,2,2,3-Pentafluoropropane (HFC-245ca)	679-86-7
1,1,1,3,3-ペンタフルオロプロパン	1,1,1,3,3-Pentafluoropropane	460-73-1
1,1,1,3,3-ペンタフルオロブタン	1,1,1,3,3-Pentafluorobutane	406-58-6
1,1,1,2,2-ペンタフルオロプロパン	1,1,1,2,2-Pentafluoropropane	1814-88-6
1,1,1,2,2,3,3-ヘプタフルオロプロパン	1,1,1,2,2,3,3-Heptafluoropropane	2252-84-8
ジフルオロエタン	Difluoroethane	25497-28-3
ヘキサフルオロプロパン	Propane, hexafluoro-	27070-61-7
トリフルオロエタン	Trifluoroethane	27987-06-0
フルオロエタン	Ethyl fluoride	353-36-6
1,2-ジフルオロエタン	1,2-Difluoroethane	624-72-6

Ver. 18 36/66

1,1-ジフルオロエチレン	Vinylidene fluoride	75-38-7
ハイドロフルオロカーボン(HFC)類	Hydrofluorocarbons (HFC's)	SN0062

#### (3) Principal uses for substances

Part	Purpose
Tires, windows, fire extinguishers, shoes, disposable	Refrigerants, blowing agents, extinguishants,
containers, aerosols	cleaning agents, insulating media, caustic gas

## Table 2-I-28 Phthalate esters (BBP, DBP, DEHP, DIBP)

## (1) Details

No. I-28	Substance Gro	Substance Group: Phthalate esters (BBP, DBP, DEHP, DIBP)				
Prohibition	Date of ban	Applications	Control Value	Note		
Level	on delivery					
Level 1	Immediate	·Substances and mixtures that contain	-Intentional inclusion	*1		
		DEHP, BBP, DBP and/or DIBP	prohibited			
		-DEHP, BBP, DBP, DIBP: Articles	-1000 ppm or less in	*2		
		specified in Categories 1 through 11 of	homogeneous			
		Annex I to RoHS Directive (2011/65/EU)	material			
		-Articles containing plasticized material	-Less than 1000 ppm in	*3		
		that includes DEHP, BBP, DBP and/or	total of these four			
		DIBP	substances in			
		"Plasticized material" means any of the	homogeneous			
		following homogeneous materials:	material			
		- Polyvinyl chloride (PVC), polyvinylidene				
		chloride (PVDC), any other polymer similar				
		to polyvinyl acetate (PVA), and any other				
		plastics, excluding polyolefin				
		- Polyurethane and any other foamed				
		rubber and plastics, excluding rubber,				
		silicone rubber and natural latex coatings				
		- Surface coatings, non-slip coatings,				
		finishes, decals, printed designs,				
		- Adhesives, sealants, paints and inks				
Exemption		ons that are submitted to, and approved by, the	e European Chemicals Age	ncy		
	will be per					
		applications are as follows:	(00000000000000000000000000000000000000			
		nd electronic equipment subject to RoHS Direc		(DD 01)		
		evices, or parts thereof, subject to Medical				
		iagnostic Devices Directive (98/79/EC) and	l Active Implantable Me	dical		
		rective (90/385/EEC)	1 . 11			
		lusively for industrial or agricultural use, or fo				
		at no plasticized material comes into contact w	rith human mucous membi	ranes		
		d contact with human skin	0			
NT 4		devices for laboratory use, or parts thereo	10			
Note		IV to REACH (authorizations)	1.1.1.1.11			
		to RoHS Directive (2011/65/EU), addition of pro	onibited substances, (EU)			
	2015/863	III to DEACH ( to int				
(a) D1 - + -	*3 Annex XV	VII to REACH (restriction)				

#### (2) Regulated substances

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
フタル酸n-ブチル=ベンジル	Benzyl butyl phthalate (BBP)	$C_{19}H_{20}O_4$	85-68-7	-
(BBP)				
フタル酸ジ-n-ブチル(DBP)	Dibutyl phthalate (DBP)	$C_{16}H_{22}O_4$	84-74-2	-

Ver. 18 37/66

フタ	7ル酸ビス(2-エチルヘキシ	Bis (2-ethylhexyl)phthalate	$C_{24}H_{38}O_4$	117-81-7	-
ル)(	DEHP)	(DEHP)			
フタ	ル酸ジイソブチル(DIBP)	Diisobutyl phthalate	$C_{16}H_{22}O_4$	84-69-5	-

#### (3) Principal uses for substances

Part	Purpose
Flexible polyvinyl chloride molded items, rubber,	Plastic plasticizers, dye, pigment, paint, ink,
elastomer	adhesive, lubricant

# Table 2-I-29 Perfluorooctanoic acid (PFOA), its salts, PFOA-related substances and certain Long-Chain Perfluoroalkyl Carboxylates (LCPFAC)

#### (1) Details

No. I-29	Substance Gr	oup: Perfluorooctanoic acid (PFOA), its salts,	PFOA-related substances	and		
	certain Long-	Chain Perfluoroalkyl Carboxylates (LCPFAC	<b>(</b> )			
Prohibition	Date of ban	Applications	Control Value	Note		
Level	on delivery					
Level 1	Immediate	< PFOA and its salts >	<ul> <li>Intentional inclusion</li> </ul>	*1		
		· Substances or mixtures	prohibited			
		< PFOA, its salts and PFOA-related	· Less than 25ppb as	*2		
		substances >	PFOA including salts,	*4		
		· Substances or mixtures	or less than 1ppm as a	*8		
		· Articles other than invasive and	total of all PFOA-			
		implantable medical devices*3	related substances, in			
			mixture or article			
		< Certain Long-Chain Perfluoroalkyl	-Intentional inclusion	*6		
		Carboxylates (LCPFAC) >	prohibited	*7		
		<ul> <li>Surface coating on article</li> </ul>				
Level 2	January 4,	< PFOA, its salts and PFOA-related	· Less than 25ppb as	*2		
	2025	substances >	PFOA including salts,	*4		
		· Substances or mixtures	or less than 1ppm as a			
		· Articles (only invasive and implantable	total of all PFOA-			
		medical devices)*3*6	related substances, in			
			mixture or article			
Exemption	*7					
		ices under FDA				
	- All applicat	ions that they have already used for before	2015.			
	- Impurities					
	- 13 specific u	usages defined by US TSCA.				
	E.g., for use	in an antireflective coating, photoresists	, or surfactant for use i	n photo		
		ography or other process to produce semic	onductors or similar com	ponents		
	for electro	onics or other miniaturized devices.				
		vww.govinfo.gov/content/pkg/FR-2020-07-27	7/pdf/2020-13738.pdf)			
	*8					
		es other than invasive and implantable medic	cal devices: The control val	ue		
		ler 2 ppm (0.0002wt%).				
Note	*1: Class I S	Specified Chemical Substances designated b	y Japanese Chemical Sul	ostances		
	Control A					
		ent of the revised EU POPs regulation (EU 20				
		itions of medical devices and implantable	medical devices are as p	rovided		
		by the Medical Device Directive 93/42/EEC.				
		*4: PFOA-related substances are any related substances (including salts and polymers) having				
		or branched perfluoroheptyl group with the fo				
another carbon atom, as one of the structural elements, or any related substance (						
	its salts a	and polymers) having a linear or branched per	rfluorooctyl group with the	formula		

Ver. 18 38/66

C8F17-, as one of the structural elements. The following substances are excluded from this designation:

- C8F17-X, where X = F, Cl, Br.
- C8F17-C(=O)OH, C8F17-C(=O)O-X or C8F17-CF2-X

(X = any group, including salts).

- \*5: Only applies to the invasive and implantable medical devices that are submitted and approved.
- \*6: Significant New Use Rules (SNURs) under US TSCA: §721.9582 and §721.10536 of 40 CFR Part 721 (Significant New Uses of Chemical Substances)

The regulated substances are Perfluorooctanoic acid (PFOA), its salts and the following certain Long-Chain Perfluoroalkyl Carboxylates (LCPFAC).

(2) Examples of substances< PFOA, its salts and PFOA-related substances: Japanese Chemical Substances Control Act, EU POPs regulation >

(The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ペルフルオロオクタン酸	Pentadecafluorooctanoic acid; PFOA - perfluorooctanoic acid	C8HF15O2	335-67-1	
ペンタデカフルオロオクタン酸 フルオリド	Pentadecafluorooctyl fluoride	C8F16O	335-66-0	-
ペンタデカフルオロオクタン酸 銀(I)	Pentadecafluorooctanoic acid silver(I) salt	C8AgF15O2	335-93-3	-
ペンタデカフルオロオクタン酸 ナトリウム	Perfluorooctanoic acid sodium salt; Sodium salt of PFOA	C8F15NaO2	335-95-5	
ペンタデカフルオロオクタン酸 メチル	Methyl perfluorooctanoate	C9H3F15O2	376-27-2	-
ペルフルオロオクタン酸カリウ ム	Potassium salt of PFOA	C8F15KO2	2395-00-8	-
ペンタデカフルオロオクタン酸 エチル	Ethyl perfluorooctanoate	C10H5F15O2	3108-24-5	-
ペンタデカフルオロオクタン酸 アンモニウム	Ammonium pentadecafluorooctanoate (APFO); Ammonium salt of PFOA	C8H4F15NO2	3825-26-1	-
PFOA とその塩	PFOA and its salts	-	JAMP- SN0036	-
ペルフルオロオクタン酸 (PFOA)の塩	PFOA salts	-	JAMP- SN0102	-
PFOA 関連のポリマー	PFOA-related polymer	-	JAMP- SN0103	-

(3) Regulated substances < Certain Long-Chain Perfluoroalkyl Carboxylates (LCPFAC): US TSCA >

Substance (Japanese)	Substance (English)	CAS No. or JAMP-SN
1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8- ヘ プタデカフルオロ-8-ヨードオクタ ン	Perfluorooctyl iodide	507-63-1
2-(ペルフルオロオクチル)エタノー ル	Tetrahydroperfluoro-1-decanol	678-39-7
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11, 11,12,12,12-ヘンエイコサフルオロ ドデカン-1-オール		865-86-1

Ver. 18 39/66

111000014		
1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8- ヘ プタデカフルオロ-10-ヨードデカン	Perfluorodecyl iodide	2043-53-0
1-ヨード-		
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,		
11.12.12.12-ヘニコサフルオロドデ	1,1,2,2-Tetrahydroperfluorododecyl iodide	2043-54-1
11,12,12,12		
α-[2-(アクリロイルオキシ)エチル]-		
ωフルオロペルフルオロ(ポリ(2~7)	Perfluorodecylethyl acrylate	17741-60-5
エチレン)		
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10		
-ヘプタデカフルオロデシル=アク	1,1,2,2-Tetrahydroperfluorodecyl acrylate	27905-45-9
リラート		
1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,		
10,10,11,11,12,12-ペンタコサフル	1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12	30046-31-2
オロ-14-ヨードテトラデカン	-Pentacosafluoro-14-iodotetradecane	
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,		
11,12,12,13,13,14,14,14 ペンタコ	$\left 3, 3, 4, 4, 5, 5, 6, 6, 7, 7, 8, 8, 9, 9, 10, 10, 11, 11, 12, 12, 13, 13, 14\right $	39239-77-5
サフルオロテトラデカン-1-オール	,14,14-Pentacosafluorotetradecan-1-ol	00200 11 0
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,		
11,12,12,13,13,14,14,15,15,16,16,1  6-ノナコサフルオロヘキサデカン-	3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,13,14	60699-51-6
	,14,15,15,16,16,16-Nonacosafluorohexadecan-1-ol	
1・オール		
1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,		
10,10,11,11,12,12,13,13,14,14-	1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12	65510-55-6
ナコサフルオロ-16-ヨードヘキサデ	,13,13,14,14-Nonacosafluoro-16-iodohexadecane	00010 00 0
カン		
ナトリウム=2-メチル-2-{3-		
[(1,1,2,2-テトラヒドロペルフルオ		
ロアルキル(C4-C16)スルファニル)	Sodium;2-methylpropane-1-sulfonate	68187-47-3
プロパナミド]プロパン-1-スルホナ	J. J. P. I.P.	
-  -  -  -  -  -  -  -  -  -  -  -  -		
γ-ω-ペルフルオロアルコール(C8-		
C14)	1,1,2,2-Tetrahydroperfluoroalkyl (C8-C14) alcohol	68391-08-2
(514) チオール、C8-20、ガンマ-オメガ-パ		
I	[[1]] [1] [1] [1] [1] [1] [1] [1] [1] [1	50000 45.0
ーフルオロ、アクリルアミドを含む	with acrylamide	70969-47-0
テロマー	·	
ケイ酸 (H4SiO4), ニナトリウム塩,	Silicic acid (H4SiO4), sodium salt (1:2), reaction	
クロロトリメチルシランと	products with chlorotrimethylsilane and	
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10	3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluoro-	125476-71-3
-ヘプタデカフルオロ-1-デカノール	1-decanol	
との反応生成物	1 uccanoi	
チオール、C4-20、γ-オメガ-パーフ	MI: 1 04.00	1050510.00
ルオロ、アクリルアミドとアクリル	Thiols, C4-20, gamma-omegaperfluoro, telomers	
酸のテロマー、ナトリウム塩	with acrylamide and acrylic acid, sodium salts)	5
1-プロパナミニウム、3-アミノ-N-		
(カルボキシメチル) -N、N-ジメチ	1-Drononominium 2-amino. N. (l 11-1)	
· ·	1 I Topanaminami, o amino I (carbon, meting)	1078715-61-
	N,N-dimethyl-, N-(2-((gamma-omega-perfluoro-C4-	3
フルオロ-C4-20-アルキル) チオ) ア  セチル) 誘導体、内部塩	20-alkyl)thio)acetyl) derivs., inner salts	
	1	1

Ver. 18 40/66

ポリフルオロアルキルベタイン (一般名)	Polyfluoroalkyl betaine (generic)	-(CBI)
変性フルオロアルキルウレタン (一般名)	Modified fluoroalkyl urethane (generic)	-(CBI)
過フッ素化ポリアミン(一般名)	Perfluorinated polyamine (generic)	-(CBI)

## (4) Principal uses for substances

Part	Purpose
Surface coating agents, extinguishants	Additives, leveling agents for paints, aqueous film-
	forming foam extinguishants, surfactants

#### Table 2-I-30 Polycyclic-aromatic hydrocarbons (PAH)

## (1) Details

No. I-30	Substance Group: Polycyclic-aromatic hydrocarbons (PAH)			
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	• Rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with human skin or the oral cavity under normal or reasonably foreseeable conditions of use	-Less than 1mg/kg of any of the listed PAHs in components of articles for the general public (less than 0.0001% [1ppm] of the weight of such components)	*1
Note	*1 Annex X	VII to REACH (restriction)		

#### (2) Regulated substances

Substance (Japanese)	Substance (English)	Chemical	CAS No.or
		formula	JAMP-SN
ベンゾ(a)ピレン	Benzo[a]pyrene (BaP)	$C_{20}H_{12}$	50-32-8
ベンゾ(e)ピレン	Benzo[e]pyrene (BeP)	$C_{20}H_{12}$	192-97-2
ベンゾ(a)アントラセン	Benzo[a]anthracene (BaA)	$C_{20}H_{12}$	56-55-3
クリセン	Chrysene (CHR)	$C_{20}H_{12}$	218-01-9
ベンゾ(b)フルオランテン	Benzo[b]fluoranthene (BbFA)	$C_{20}H_{12}$	205-99-2
ベンゾ(j)フルオランテン	Benzo[j]fluoranthene (BjFA)	$C_{20}H_{12}$	205-82-3
ベンゾ(k)フルオランテン	Benzo[k]fluoranthene (BkFA)	$C_{20}H_{12}$	207-08-9
ジベンズ(a,h)アントラセン	Dibenzo[a,h]anthracene (DBAhA)	$C_{22}H_{14}$	53-70-3

#### (3) Principal uses for substances

Part	Purpose
Byproducts generated by combustion of petroleum	-
products	
Volatile PAHs are contained in some industrial articles	
(essential oils, lubricants, biocides, adhesives, and	
paints)	

#### Table 2-I-31 Pentachlorophenol and its salts and esters

#### (1) Details

No. I-31	Subject Group: Pentachlorophenol and its salts and esters				
Prohibition	Date of ban on	Applications	Control Value	Note	
Level	delivery				
Level 1	Immediate	-All applications	Intentional inclusion prohibited	*1	
Note	*1 Class I Specified Chemical Substances designated by Japanese Chemical Substances Control				
	Act., the EU PO	Ps regulation			

<sup>(2)</sup> Examples of substances (The table below does not cover all the substances in this substance group.)

Ver. 18 41/66

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ペンタクロロフェノール	Pentachlorophenol	C <sub>6</sub> Cl <sub>5</sub> OH	87-86-5	-
ペンタクロロフェノールナトリ ウム	Sodium pentachlorophenol	C <sub>6</sub> Cl <sub>5</sub> NaO	131-52-2	-
ペンタクロロフェノールナトリ ウム一水和物	Sodium pentachlorophenol monohydrate	C <sub>6</sub> Cl <sub>5</sub> NaO · H <sub>2</sub> O	27735-64-4	-
ペンタクロロフェニルラウレー ト	Pentachlorophenyl laurate	C <sub>18</sub> H <sub>23</sub> Cl <sub>5</sub> O <sub>2</sub>	3772-94-9	-
ペンタクロロアニソール	Pentachloreanisole	C <sub>7</sub> H <sub>3</sub> Cl <sub>5</sub> O	1825-21-4	-
メチル水銀ペンタクロロフェノ キシド	Methyl(pentachlorophenolato)m ercury	C7H4Cl5HgO	5902-76-1	-
ペンタクロロフェノール=ナト リウム塩	Phenol, pentachloro-, sodium salt, decahydrate	C6Cl5NaO • (H2O)10	27735-63-3	-
カルシウム=ビス(ペンタクロロフェノラート)	Calcium bis(pentachlorophenolate)	C12CaCl10O 2	55868-72-9	-
ペンタクロルフェノール塩類及びこれを含有する製剤	PCP-Na hydrate	C6H2Cl5NaO 2	123333-54-0	-

(3) Principal uses for substances

Part	Purpose
Wood products, leather products	Preservative

#### Table 2-I-32 Certain CMR substances

#### (1) Details

No. I-32	Subject Group: Certain CMR substances					
Prohibition	Date of ban on delivery	Applications	Control Value	Note		
Level						
Level 1	Immediate	<ul> <li>Clothing or related accessories such as bags (shoulder bags), neck straps and hand straps</li> <li>Textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing</li> <li>Footwear</li> </ul>	• Control values vary among controlled substances. For details, please refer to the control value of each substance.	*1		
Exemption	· Medical devices subjec	t to Medical Devices Regulation	((EU) 2017/745)			
	<ul> <li>Personal protective eq 2016/425)</li> </ul>	uipment subject to Personal Prote	ctive Equipment Regulation	1 ((EU)		
	• Clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide					
	· Non-textile fasteners and non-textile decorative attachments					
	· Second-hand clothing,	related accessories, textiles other t	han clothing, or footwear			
	Wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners					
Note	*1: Annex XVII to REAC	H (restriction), Entry 72, Appendix	x 12			

## (2) Regulated substances

Substance (Japanese)	Substance (English)	Control value	CAS No. or JAMP-SN
----------------------	---------------------	---------------	-----------------------

カドミウム及びその化合物	Cadmium and its compounds	·1 mg/kg after	
	r i i i i i i i i i i i i i i i i i i i	extraction	DI.
		(expressed as Cd	Please see
		metal that can be	Table 2-I-1
		extracted from the	(2).
		material)	
六価クロム化合物	Chromium VI compounds	·1 mg/kg after	
八個人口公门口物	Ciromium vi compounus	extraction	
		(expressed as Cr	Please see
		VI that can be	Table 2-I-2
		extracted from the	(2).
1、	A	material)	
ヒ素化合物	Arsenic compounds	·1 mg/kg after	Please see
		extraction	examples
		(expressed as As	table (2) of
		metal that can be	this chapter
		extracted from the	below.
		material)	DCIOW.
鉛及びその化合物	Lead and its compounds	·1 mg/kg after	
		extraction	Please see
		(expressed as Pb	Table 2-I-3
		metal that can be	(2).
		extracted from the	(2).
		material)	
ベンゼン	Benzene	·Less than 5ppm	71-43-2
ベンゾ[a]アントラセン	Benz[a]anthracene	·Less than 1ppm	56-55-3
ベンゾ[b]フルオランテン	Benz[e]acephenanthrylene	·Less than 1ppm	205-99-2
ベング[a]ピレン	benzo[a]pyrene;	·Less than 1ppm	50-32-8
ベンゾ[def]クリセン	benzo[def]chrysene	T 11 1	
ベンゾ[e]ピレン	Benzo[e]pyrene	·Less than 1ppm	192-97-2
ベンゾ[j]フルオランテン	Benzo[j]fluoranthene Benzo[k]fluoranthene	·Less than 1ppm	205-82-3
ベンゾ[k]フルオランテン		·Less than 1ppm	207-08-9
クリセン	Chrysene	·Less than 1ppm	218-01-9
ジベンゾ[a,h]アントラセン	Dibenz[a,h]anthracene	·Less than 1ppm	53-70-3
p-(トリクロロメチル)クロロベン	α, α,α,4-tetrachlorotoluene;	·Less than 1ppm	5216-25-1
ゼン	p-chlorobenzotrichloride		0210 20 1
トリクロロメチルベンゼン	α, α,α-trichlorotoluene;	·Less than 1ppm	98-07-7
	benzotrichloride		30 01 1
クロロメチルベンゼン	α-chlorotoluene;	·Less than 1ppm	100-44-7
	benzyl chloride		100 44 7
ホルムアルデヒド	Formaldehyde	·Less than 75ppm	50-00-0
ジアルキル(c=6,7(主成分),8,分岐	1,2-benzenedicarboxylic acid;	·Less than	
型)=フタラート	di-C 6-8-branched alkylesters, C	1000ppm	71888-89-6
	7-rich		
ビス(2-メトキシエチル)=フタラ	Bis(2-methoxyethyl) phthalate	·Less than	117-00-0
ート		1000ppm	117-82-8
<u>ート</u> ジイソペンチル=フタラート	Diisopentylphthalate	·Less than	207 70 7
		1000ppm	605-50-5
ジペンタル-1-イル=フタラート	Di-n-pentyl phthalate (DPP)	·Less than	101 10 0
(DPP)		1000ppm	131-18-0
	Di-n-hexyl phthalate (DnHP)	·Less than	04.57.0
シヘキサン・1・イル=フタフート			84-75-3
ジヘキサン・1・イル=フタラート (DnHP)		1000ppm	
	N-methyl-2-pyrrolidone;	1000ppm •Less than	872-50-4

N,N-ジメチルアセトアミド (DMAC)	N,N-dimethylacetamide (DMAC)	·Less than 3000ppm	127-19-5
N,N-ジメチルホルムアミド	N,N-dimethylformamide; dimethyl formamide (DMF)	·Less than 3000ppm	68-12-2
1,4,7,8·テトラアミノアントラ ノン; C.I.ディスパーブルー1	† 1,4,5,8- tetraaminoanthraquinone; C.I. Disperse Blue 1	·Less than 50ppm	2475-45-8
4,4-(4-イミノシクロヘキサ-2,8 ジエニデンメチレン)ジアニリ 塩酸塩		·Less than 50ppm	569-61-9
C.I.ベーシックバイオレット 3	[4-[4,4'] - bis(dimethylamino)benzhydrylid ene]cyclohexa-2,5-dien-1- ylidene]dimethylammonium chloride; C.I. Basic Violet 3 with ≥ 0,1 % of Michler's ketone (EC no. 202- 027-5)	·Less than 50ppm	548-62-9
4-クロロ-2-メチルアニリウム= ロリド	=ク 4-chloro-o-toluidinium chloride	·Less than 30ppm	3165-93-3
2-ナフタレンアミン・酢酸	2-Naphthylammoniumacetate	·Less than 30ppm	553-00-4
硫酸 2,4-ジアミノエーテル	4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	·Less than 30ppm	39156-41-7
2,4,5-トリミチルアニリン・塩塩	酸 2,4,5-trimethylaniline hydrochloride	·Less than 30ppm	21436-97-5
キノリン	Quinoline	·Less than 50ppm	91-22-5
(2) Examples of arsenic comp substances in this substance	pounds among certain CMR substances (T	he table below does r	not cover all t
	Chamical	CAC No. on	Metal

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ヒ素	Arsenic	As	7440-38-2	1.000
ヒ酸	Arcenic acid	AsH3O4	7778-39-4	0.528
亜ヒ酸銀	Trisilverarsenite	Ag.1/3AsH3O3	7784-08-9	0.167
亜ヒ酸鉛	Lead arsenite	As2O4Pb	10031-13-7	0.356
ヒ酸鉛	Lead arsenate	Pb3(AsO4)2	10102-48-4	0.267
ヒ酸鉄(III)	Ferric arsenate	AsFeO4	10102-49-5	0.384
亜ヒ酸鉛(II)	Zinc arsenite	As2O4Zn	10326-24-6	0.537
ヒ化マンガン	Manganese arsenide	MnAs	12005-95-7	0.577
ヒ化亜鉛	Zinc arsenide	Zn3As3	12006-40-5	0.433
ヒ化スズ	Tin arsenide	SnAs	12044-32-5	0.386
ヒ化ガリウム	Gallium arsenide	AsGa	1303-00-0	0.518
五酸化二ヒ素	Arsenic pentoxide	As2O5	1303-28-2	0.652
三酸化二ヒ素	Diarsenic trioxide	As2O3	1327-53-3	0.757
ヒ酸トリエチル	Triethyl arsenate	C6H15AsO4	15606-95-8	0.331
亜ヒ酸カルシウム	Calcium arsenite	As2Ca3O6	27152-57-4	0.409
ビス(ヒ酸)三鉛(II)	Trilead diarsenate	As2O8Pb3	3687-31-8	0.167
ビス(ヒ酸)三カルシウム	Calcium arsenate	As2Ca3O8	7778-44-1	0.376
ヒ酸水素鉛(II)	Lead hydrogen arsenate	AsH3O4.Pb	7784-40-9	0.215

Ver. 18 44/66

ヒ酸二水素カリウム	Potassium arsenate	AsH2KO4	7784-41-0	0.416
ヒ酸及びその塩	arsenic acid and its salts	-	JAMP-SN0009	-
その他のヒ素化合物	Arsenic compounds	-	JAMP-SN0010	-

#### (3) Principal uses for substances

Part	Purpose
Clothing or accessories such as bags, textiles, footwear	Pigments, germicides, biocides

## Table 2-I-33 Phenol, Isopropylated Phosphate (3:1)

#### (1) Details

No. I-33	Substance Group: Phenol, Isopropylated Phosphate (3:1) (PIP 3:1)				
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note	
Level 1	Immediate	·Substances and mixtures, excluding adhesives and sealants	-Intentional inclusion prohibited	*1	
Level 2	April 30, 2024	·Articles	-Intentional inclusion prohibited	*2	
Level 2	July 6, 2024	·Adhesives and sealants	-Intentional inclusion prohibited	*1	
Exemption	The following O TSCA: CHAPT SUBSTANCES (https://www.  (Note) FDA-registereport the con «Exceptions to U • Regulated been sold • Disposal o • Production articles co • Processing requirement for aerospont and article (Note) Only the execution of the control of th	Ifficial Journal is applicable. ER 53—TOXIC SUBSTANCES CONTROL SUBCHARTS Sec. 2602. Definitions. (2)(vi) Igovinfo.gov/content/pkg/USCODE-2018-title15/ Ered medical devices are not subject to TSCA but tents of these substances so that Olympus can of US TSCA PBT Rules » It substances, products or articles containing reg to end-consumers (such as secondhand articles of regulated substances, products or articles component, treatment, distribution in commerce and us ontaining regulated substances for research and g and distribution in commerce of "hydraulicents of the Defense Department", "lubricants and eace vehicles and automobiles", etc.; plastic contess using plastic that contains recycled PIP(3:1), ceptions related with Olympus Group products of than "FDA-registered medical devices" described	t Olympus may require supplication the exemptions are appulated substances, which have and donations to charity) taining regulated substances e of regulated substances, prodevelopment purposes of fluids that meet specificated greases", "new and replacement aining recycled PIP(3:1); and etc.	e already oducts or ions and ent parts	
Note	*1 US TSCA PB'				

## (2) Regulated substances

Substance (Japanese)	Substance (English)		CAS No or JAMP-SN
	Phenol, Isopropylated Phosphate (3:1) (PIP 3:1)	Unspecified	68937-41-7

#### (3) Principal uses for substances

Part	Purpose	
Polyvinyl chloride (PVC)	Flame-retardant plasticizers	

## Table 2-I-34 2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP)

(1) Details

Ver. 18 45/66

No. I-34	Substance Gro	up: 2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP)		
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note
Level 1	Immediate	·All applications, excluding articles	-Intentional inclusion prohibited	*1
Exemption	«FDA-register	ed medical devices»		
	TSCA: CHAI SUBSTANCI (https://ww (Note) FDA-regis	Official Journal is applicable. PTER 53—TOXIC SUBSTANCES CONTROL SUBCHAP! ES Sec. 2602. Definitions. (2)(vi) w.govinfo.gov/content/pkg/USCODE-2018-title15/pc stered medical devices are not subject to TSCA but ontents of these substances so that Olympus can con-	df/USCODE-2018-title15-chap	ers to
		US TSCA PBT Rules »	•	
	<ul> <li>Regulated substances, products or articles containing regulated substances, which have already been sold to end-consumers (such as secondhand articles and donations to charity)</li> <li>Disposal of regulated substances, products or articles containing regulated substances</li> <li>Production, treatment, distribution in commerce and use of regulated substances, products or articles containing regulated substances for research and development purposes</li> <li>(Note) Items other than "FDA-registered medical devices" described above</li> </ul>			•
Note		ified Chemical Substances designated by Japa		s
(a) D 1 .	Control Act.	US TSCA PBT Rules		

#### (2) Regulated substances

Substance (Japanese)	ISubstance (English)		CAS No or JAMP-SN
The first control of the control of	2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP)	C18H30O	732-26-3
(2,4,6-TTBP)			

#### (3) Principal uses for substances

Part	Purpose
Lubricants	Additives

# Table 2-I-35 Perfluorocarboxylic acids containing 9 to 14 carbon atoms in the chain (C9-C14 PFCAs), their salts and C9-C14 PFCA-related substances

#### (1) Details

No. I-35	Perfluorocarboxylic acids containing 9 to 14 carbon atoms in the chain (C9-C14 PFCAs), their salts and C9-C14 PFCA-related substances			
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note
Level 1	Immediate	-All applications (Except for the following applications)	- Less than 25 ppb for the sum of C9-C14 PFCAs and their salts - Less than the	*1
		-Semiconductors on their own, -Semiconductors incorporated in semi-finished and finished electronic equipment.	concentration of 260 ppb for the sum of C9-C14 PFCA- related substances	
		-Fluoroplastics and fluoroelastomers that contain perfluoroalkoxy groups.	- The concentration of 2,000 ppb or below for the sum of C9-C14 PFCAs until February 25, 2024 - The concentration of 100 ppb or below for the sum of C9-C14 PFCAs from	

Ver. 18 46/66

			February 26, 2024	
Level 2	January 5, 2025	-Invasive and implantable	- Less than 25 ppb for the	*1
		medical devices	sum of C9-C14 PFCAs and	
			their salts	
			- Less than the	
			concentration of 260 ppb for	
			the sum of C9-C14 PFCA-	
			related substances	
Exemption	-C9-C14 PFCAs, th	neir salts and related substances is	in PTFE micro powders produ	iced by
		or by thermal degradation, as well a		
	and professional us below)	ses containing PTFE micro powder	s. (The concentration of 1,000	ppb or
Note		nnex XVII, Entry 68		
		ed perfluorocarboxylic acids of the for	rmula CnF2n +1-C(= O)OH whe	ere n =
		3 (C9-C14 PFCAs), including their s		
	Any C9-C14 PFCA-related substance having a perfluoro group with the formula $CnF2n + 1$ -directly attached to another carbon atom, where $n = 8, 9, 10, 11, 12, or 13$ , including their salts and any combinations thereof;			
	Any C9-C14 PFCA-related substance having a perfluoro group with the formula CnF2 that it is not directly attached to another carbon atom, where n = 9, 10, 11, 12, 13 or 14 of the structural elements, including their salts and any combinations thereof.			
	The following subst	ances are excluded from this design:	ation:	
	- CnF2n +1-X combination	X, where $X = F$ , $Cl$ , or $Br$ (where $n = 1$ ) as thereof),	9, 10, 11, 12, 13 or 14, includi	ing any
	- CnF2n +1-0	C(= O)OX' where n> 13 and X'=any g	roup, including salts	

#### (2) Examples of substances

Substance (Japanese)	Substance (English)	Chemical formula	CAS No or JAMP-SN
パーフルオロノナン酸	Perfluorononan-1-oic acid	C9HF17O2	375-95-1
パーフルオロデカン酸	Nonadecafluorodecanoic acid	C10HF19O2	335-76-2
パーフルオロウンデカン酸	Henicosafluoroundecanoic acid	C11HF21O2	2058-94-8
パーフルオロドデカン酸	Tricosafluorododecanoic acid	C12HF23O2	307-55-1
パーフルオロトリデカン酸	Pentacosafluorotridecanoic acid	C13HF25O2	72629-94-8
パーフルオロテトラデカン酸	Heptacosafluorotetradecanoic acid	C14HF27O2	376-06-7

Notes: This table only lists substances up to C9-C14 PFCA. Please refer to the Official Journal available at the following URL for information about their salts and C9-C14 PFCA-related substances;  $\underline{\text{https://eur-lex.europa.eu/legal-}}$ 

 $\underline{content/EN/TXT/?uri=uriserv\%3AOJ.L\ .2021.282.01.0029.01.ENG\&toc=OJ\%3AL\%3A2021\%3A282\%3ATOC}$ 

#### (3) Principal uses for substances

Part	Purpose
Fluororesin / rubber, coating agents, industrial	Additives, surfactants
detergents, semiconductor manufacturing process	

Ver. 18 47/66

Table 2-I-36 Perfluorohexanoic acid (PFHxS) and its salts and PFHxS related substances

(1) Details

No. I-36	Perfluorohexanoic	acid (PFHxS) and its salts and PFHxS	S related substances	
Prohibition	Date of ban on	Applications	Control Value	Note
Level	delivery*1			
Level 1	Immediate	Chemicals	-Do not contain	*1
		Chemicals, Articles	-PFHxS and its salts: less	*2
			than 25ppb	
			-PFHxS related substances:	
			less than 1,000ppb	
		-Etching agents used for metal	-Do not export containing	*1
		processing	products to Japan.	
		-Surface treatment agents for		
		plating or their preparation		
		additives		
		-Fabric treated to provide water-		
		repellent or oil-repellent		
		properties		
		-Clothing that has been treated to		
		provide water-repellent or oil-		
		repellent properties		
		-Floor coverings treated to provide		
		water-repellent or oil-repellent		
		properties		
		-Water repellent agent/oil		
		repellent agent and fiber		
		protectant		
		-Anti-reflective agents used in		
		semiconductor manufacturing		
		-Etching agents used in		
		semiconductor manufacturing		
		-Resist for semiconductors		
Exemption		ed Chemical Substances designated by	y Japanese Chemical Substanc	es
	Control Act:			_
		ed as a by-product, it will not be treate	<u>=</u>	ical
		AT has been reported to the Japanese		
		go.jp/policy/chemical_management/kasinhou/abo		
Note		ed Chemical Substances designated by	y Japanese Chemical Substanc	es
	Control Act			
	*2 Annex I to EU	POPs Regulation (EU)2019/1021		

#### (2) Examples of substances

Substance (Japanese)	Substance (English)	Chemical formula	CAS No or JAMP-SN
パーフルオロヘキサン-1-スルホ ン酸	Perfluorohexane-1-sulphonic acid	C6HF13O3S	355-46-4
ベンジル (トリフェニル) ホスホニ ウム=トリデカフルオロヘキサンー 1-スルホナート	Phosphonium, triphenyl(phenylmeth yl)-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafl uoro-1-hexanesulfonate (1:1)	C31H22F13O3 PS	1000597-52-3

	T		
テトラブチルアンモニウム=ト	N,N,N-tributylbutan-1-aminium trid	C22H36F13NO	108427-54-9
リデカフルオロヘキサン-1-	ecafluorohexane-1-sulfonate	3S	
スルホナート			
テトラエチルアンモニウム=ト	N,N,N-triethylethanaminium tridec	C14H20F13NO	108427-55-0
リデカフルオロヘキサン-1-	afluorohexane-1-sulfonate	3S	
スルホナート			
ピロリジンとトリデカフルオロ	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C4H9N.C6HF1	1187817-57-7
ヘキサン-1-スルホン酸の化	4,5,5,6,6,6-tridecafluoro-, compd. Wi	303S	
合物 (1:1)	th pyrrolidine (1:1)		
(4-{[4-(ジエチルアミノ)	Ethanaminium, N-[4-[[4-(diethylami	C39H40F13N3	1310480-24-0
フェニル][4-(エチルアミノ)	no)phenyl][4-(ethylamino)-1-naphtha	O3S	
-1-ナフチル] メチリデン} シ	lenyl]methylene]-2,5-cyclohexadien-1		
クロヘキサー2, 5-ジエンー	-ylidene]-N-ethyl-, 1,1,2,2,3,3,4,4,5,5,		
1-イリデン) (ジエチル) アン	6,6,6-tridecafluoro-1-hexanesulfonate		
モニウム=トリデカフルオロへ	(1:1)		
キサン-1-スルホナート			
(4-{[4-(ジメチルアミノ)	Methanaminium, N-[4-[[4-(dimethyl	C35H32F13N3	1310480-27-3
フェニル][4-(エチルアミノ)	amino)phenyl][4-(ethylamino)-1-nap	O3S	
-1-ナフチル] メチリデン} シ	hthalenyl]methylene]-2,5-cyclohexad		
クロヘキサー2, 5-ジエンー	ien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,		
1-イリデン) (ジメチル) アン	4,4,5,5,6,6,6-tridecafluoro-1-hexanes		
モニウム=トリデカフルオロへ	ulfonate (1:1)		
キサン-1-スルホナート			
(4-{(4-アニリノ-1-ナ	Methanaminium, N-[4-[[4-(dimethyl	C39H32F13N3	1310480-28-4
フチル)[4-(ジメチルアミノ)	amino)phenyl][4-(phenylamino)-1-na	O3S	
フェニル] メチリデン} シクロへ	phthalenyl]methylene]-2,5-cyclohexa		
キサー2, 5ージエンー1ーイ	dien-1-ylidene]-N-methyl-, 1,1,2,2,3,		
リデン) (ジメチル) アンモニウ	3,4,4,5,5,6,6,6-tridecafluoro-1-hexane		
ム=トリデカフルオロヘキサン	sulfonate (1:1)		
-1-スルホナート			
βーシクロデキストリンとトリ	Beta-Cyclodextrin, compd. with 1,1,	C42H70O35.C6	1329995-45-0
デカフルオロヘキサン-1-ス	2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-h	F13O3S	
ルホナートの化合物(1:1)	exanesulfonic acid ion(1-)(1:1)		

Ver. 18 49/66

	Г	<u> </u>	T
γ - シクロデキストリン=モノ	Gamma-Cyclodextrin, compd. with	C48H80O40.C6	1329995-69-8
(1, 1, 2, 2, 3, 3, 4,	1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	F13O3S	
4, 5, 5, 6, 6, 6ートリデ	1-hexanesulfonic acid ion(1-)(1:1)		
カフルオロヘキサンー1-スル			
ホナート)			
トリフェニルスルホニウム=ト	Sulfonium, triphenyl-, 1,1,2,2,3,3,4,	C24H15F13O3	144116-10-9
リデカフルオロヘキサン-1-	4,5,5,6,6,6-tridecafluoro-1-hexanesulf	S2	
スルホナート	onate (1:1)		
1-(カルボキシメチル)-4-	Quinolinium, 1-(carboxymethyl)-4-[2	C50H37F13N2	1462414-59-0
(2-{4-[4-(2, 2-ジ	-[4-[4-(2,2-diphenylethenyl)phenyl]-1,	O5S	
フェニルビニル)フェニル] -	2,3,3a,4,8b-hexahydrocyclopent[b]ind		
1, 2, 3, 3 a, 4, 8 b - \( \)	ol-7-yl]ethenyl]-, 1,1,2,2,3,3,4,4,5,5,6,		
キサヒドロシクロペンタ [b] イ	6,6-tridecafluoro-1-hexanesulfonate		
ンドールー7ーイル} ビニル) キ	(1:1)		
ノリンー1ーイウム=トリデカ			
フルオロヘキサンー1-スルホ			
ナート			
ジフェニルヨードニウム=トリ	Iodonium, diphenyl-, 1,1,2,2,3,3,4,4,	C18H10F13IO3	153443-35-7
デカフルオロヘキサン-1-ス	5,5,6,6,6-tridecafluoro-1-hexanesulfo	S	
ルホナート	nate (1:1)		
テトラメチルアンモニウム=ト	Methanaminium, N,N,N-trimethyl-,	C10H12F13NO	189274-31-5
リデカフルオロヘキサン-1-	salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tri	3S	
スルホナート	decafluoro-1-hexanesulfonic acid (1:		
	1)		
2-メチルプロパン-2-アミ	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C4H11N.C6HF	202189-84-2
ンとトリデカフルオロヘキサン	4,5,5,6,6,6-tridecafluoro-, compd.wit	13O3S	
-1-スルホン酸の化合物(1:	h 2-methyl-2-propanamine (1:1)		
1)			
ビス (4-tert-ブチルフ	Iodonium, bis[4-(1,1-dimethylethyl)p	C26H26F13IO3	213740-81-9
ェニル) ヨードニウム=トリデ	henyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tride	S	
カフルオロヘキサン-1-スル	cafluoro-1-hexanesulfonate (1:1)		
ホナート			
ガリウム=トリス(トリデカフ	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C18F39GaO9S	341035-71-0
ルオロヘキサン-1-スルホナ	4,5,5,6,6,6-tridecafluoro-, gallium sa	3	
<b>ート</b> )	lt (9CI)		

フェニル (ジーpートリル) スル	Sulfonium, bis(4-methylphenyl)phen	C26H19F13O3	341548-85-4
ホニウム=トリデカフルオロへ	yl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafl	S2	
キサン-1-スルホナート	uoro-1-hexanesulfonate (1:1)		
スカンジウム=トリス(トリデ	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C18F39O9S3Sc	350836-93-0
カフルオロヘキサン-1-スル	4,5,5,6,6,6-tridecafluoro-, scandium		
ホナート)	(3+) salt (3:1)		
カリウム=1, 1, 2, 2, 3,	Potassium perfluorohexane-1-sulpho	C6F13KO3S	3871-99-6
3, 4, 4, 5, 5, 6, 6, 6	nate		
ートリデカフルオロヘキサンー			
1-スルホナート			
ネオジム=トリス(トリデカフ	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C18F39NdO9S	41184-65-0
ルオロヘキサン-1-スルホナ	4,5,5,6,6,6-tridecafluoro-, neodymiu	3	
ート)	m(3+) salt (3:1)		
イットリウム=トリス(トリデ	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C18F39O9S3Y	41242-12-0
カフルオロヘキサン-1-スル	4,5,5,6,6,6-tridecafluoro-, yttrium(3		
ホナート)	+) salt (3:1)		
S, S, S', S' - テトラフェ	Sulfonium, (thiodi-4,1-phenylene)bis	C48H28F26O6	421555-73-9
ニル [スルファンジイルビス	[diphenyl-, salt with 1,1,2,2,3,3,4,4,	S5	
(4,1-フェニレン)]ビス(ス	5,5,6,6,6-tridecafluoro-1-hexanesulfo		
ルホニウム) = ビス (トリデカフ	nic acid (1:2)		
ルオロヘキサン-1-スルホナ			
ート)			
ビス(4-tert-ペンチル	Iodonium, bis[4-(1,1-dimethylpropyl)	C28H30F13IO3	421555-74-0
フェニル) ヨードニウム=トリ	phenyl]-, salt with 1,1,2,2,3,3,4,4,5,	S	
デカフルオロー1 - ヘキサンス	5,6,6,6-tridecafluoro-1-hexanesulfoni		
ルホナート	c		
トリス(4-tertーブチル	Sulfonium, tris[4-(1,1-dimethylethyl)	C36H39F13O3	425670-70-8
フェニル) スルホニウム=トリ	phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-trid	S2	
デカフルオロヘキサンー1-ス	ecafluoro-1-hexanesulfonate (1:1)		
ルホナート			
リチウム=1, 1, 2, 2, 3,	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C6F13LiO3S	55120-77-9
3, 4, 4, 5, 5, 6, 6, 6	4,5,5,6,6,6-tridecafluoro-, lithium sa		
-トリデカフルオロヘキサン-	lt (1:1)		
1-スルホナート			
アンモニウム=トリデカフルオ	Ammonium perfluorohexane-1-sulph	C6H4F13NO3S	68259-08-5
ロヘキサンー1-スルホナート	onate		
· · · · · · · · · · · · · · · · · · ·	1	1	1

亜鉛=ビス(トリデカフルオロ	1 II 10	G10F040 4G0F	<b>5</b> 0100 <b>5</b> 0 0
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C12F26O6S2Zn	70136-72-0
ヘキサン-1-スルホナート)	4,5,5,6,6,6-tridecafluoro-, zinc salt	COLUMN	
トリデカフルオロヘキサン-1	Tridecafluorohexanesulphonic acid,	C6HF13O3S.C4	70225-16-0
ースルホン酸と2,2'ーイミノ	compound with 2,2'-iminodiethanol	H11NO2	
ジエタノールの化合物(1:1)	(1:1)		
トリデカフルオロヘキサン-1	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C6HF13O3S.C6	72033-41-1
ースルホン酸とトリエチルアミ	4,5,5,6,6,6-tridecafluoro-, compd. wi	H15N	
ンの化合物(1:1)	th N,N-diethylethanamine (1:1)		
ナトリウム=1, 1, 2, 2, 3,	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C6F13NaO3S	82382-12-5
3, 4, 4, 5, 5, 6, 6, 6	4,5,5,6,6,6-tridecafluoro-, sodium sal		
- トリデカフルオロヘキサン-	t		
1-スルホナート			
ビス(tertーブチルフェニ	Iodonium, bis[(1,1-dimethylethyl)ph	C26H26F13IO3	866621-50-3
ル) ヨードニウム=トリデカフ	enyl]-, salt with 1,1,2,2,3,3,4,4,5,5,	S	
ルオロヘキサン-1-スルホナ	6,6,6-tridecafluoro-1-hexanesulfonic		
- <b> </b>	acid (1:1) (9CI)		
ジフェニル (p-トリル) スルホ	Sulfonium, (4-methylphenyl)dipheny	C25H17F13O3	910606-39-2
ニウム=トリデカフルオロヘキ	l-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluo	S2	
サン-1-スルホナート	ro-1-hexanesulfonate (1:1)		
[4-(メタクリロイルオキシ)	Sulfonium, [4-[(2-methyl-1-oxo-2-pro	C28H19F13O5	911027-68-4
フェニル] (ジフェニル) スルホ	pen-1-yl)oxy]phenyl]diphenyl-, 1,1,2,	S2	
ニウム=トリデカフルオロヘキ	2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hex		
サン-1-スルホナート	anesulfonate (1:1)		
2-エチル-2-アダマンチル	Sulfonium, [4-[(2-methyl-1-oxo-2-pro	(C16H24O2.C1	911027-69-5
=メタクリラート・3ーヒドロ	penyl)oxy]phenyl]diphenyl-, salt wit	4H20O3.C28H1	
キシー1ーアダマンチル=メタ	h 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluo	9F13O5S2.C8H	
クリラート・[4-(メタクリロ	ro-1-hexanesulfonic acid (1:1), poly	10O4.)x	
イルオキシ) フェニル] (ジフェ	mer with 2-ethyltricyclo[3.3.1.13,7]d		
ニル) スルホニウム=トリデカ	ec-2-yl 2-methyl-2-propenoate, 3-hy		
フルオロヘキサン-1-スルホ	droxytricyclo[3.3.1.13,7]dec-1-yl 2-m		
ナート・2ーオキソオキソラン	ethyl-2-propenoate and tetrahydro-2		
-3-イル=メタクリラート重	-oxo-3-furanyl 2-methyl-2-propenoat		
合物	e		
セシウム=トリデカフルオロへ	1-Hexanesulfonic acid, 1,1,2,2,3,3,4, C6CsF13O3S 92011-17		92011-17-1
キサンー1-スルホナート	4,5,5,6,6,6-tridecafluoro-, cesium sal		
	t (1:1)		

19-(4-tert-ブチル	Dibenzo[k,n][1,4,7,10,13]tetraoxathia	C34H35F13O7	928049-42-7
フェニル) -4a, 6, 7, 9,	cyclopentadecinium, 19-[4-(1,1-dimet	S2	
10, 12, 13, 19 a ーオク	hylethyl)phenyl]-6,7,9,10,12,13-hexa		
タヒドロジベンゾ [k, n] [1,	hydro-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tride		
4,7,10,13] テトラオキ	cafluoro-1-hexanesulfonate (1:1)		
サチアシクロペンタデシン-1			
9ーイウム=トリデカフルオロ			
ヘキサンー1ースルホナート			
パーフルオロアルカンスルホン	Sulfonic acids,C6-12-alkane,perfluor	CnF2n+1-	69391-09-3
酸カリウム塩	o,potassium salts	SO3K(n=6-12)	
パーフルオロアルカンスルホン	Sulfonic acids,C6-12-alkane,perfluor	CnF2n+1-	93572-72-6
酸	0	SO3H(n=6-12)	
2-{エチル[(トリデカフルオ	2-[ethyl[(tridecafluorohexyl)sulphony	C13H12F13NO	1893-52-3
ロヘキシル)スルホニル]アミ	l]amino]ethyl acrylate;2-Propenoic a	4S	
ノ} エチル=アクリラート	cid, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-		
	tridecafluorohexyl)sulfonyl]amino]et		
	hyl ester		

## (3) Principal uses for substances

Part	Purpose
Water-forming foam fire extinguishing agents, metal	Lubrication, polishing, cleaning and protection
plating, coatings, textiles, leather goods and upholstery	from moisture, fungi, etc.

Ver. 18 53/66

#### Table 3 Criteria for managing controlled substances

#### Table 3-II-1 Candidate List of Substances of Very High Concern in REACH (SVHC)

No. II-1	No. II-1 Substance Group: Candidate List of Substances of Very High Concern in REACH (SVHC)			
Applications Control Values				
· All applications - 1000ppm			*1	
Note	Note  *1 The candidate list of substances of very high concern in REACH (SVHC) will be periodically updated.  Please refer to the website of the European Chemicals Agency (ECHA).  (https://www.echa.europa.eu/candidate-list-table)			

## Table 3-II-2 Substances subject to the European Union's Medical Device Regulation (EU-MDR) or In Vitro Diagnostic Medical Device Regulation (EU-IVDR)

	Substance group: Substances subject to the European Union's Medical Device Regulation			
(EU-MDR) or In Vitro Diagnostic Medical Device Regulation (EU-IVDR)				1
Applicable regu		Applications	Control Values	Note
The European U		Devices, or those parts thereof or those	- 1000ppm *2	*1
Device Regulati	on (EU-MDR)	materials used therein that:		
		- Are invasive and come into direct		
		contact with the human body,		
		- (re)administer medicines, body fluids		
		or other substances, including gases,		
		to or from the body, or,		
		- transport or store such medicines,		
		body fluids or substances, including		
		gases, to be (re)administered to the		
		body.	-	
The European U		Components and subsidiary materials		
Diagnostic Med		that come into direct or indirect contact		
Regulation (EU-		with the patient		-> -
		subject to EU-MDR or EU-IVDR are def		
		(3) may be added to this substance grou	ip in the future. Please	e refer to
	EU 2017/745 at An	nex I, 10.4.1 (b) for details.		
	(1) Category 1A/1B	substances that are carcinogenic, muta	agenic or toxic to	
		sted in Table 3.1 of Annex VI to the CLP		nonized
	_	d labelling of hazardous substances.	.,	
		ne following website for the table.		
		opa.eu/information-on-chemicals/annex-vi	-to-clp)	
	(2) Substances that	are on the candidate list of Substances of	f Very High Concern in	1
		, and have endocrine disrupting effects on		
		st of SVHC will be periodically updated. P		ite of the
European Chemicals Agency (ECHA). (https://www.echa.europa.eu/candidate-list-table)				
(3) BPR substances BPR Regulation (Regulation (EU) No 528/2012 o)				
	(https://echa.europa.eu/guidance-documents/guidance-on-biocides-legislation)			
		= -		
	*2: Regarding surfa	ace treatment coatings, the concentration	of a substance in an ar	ticle (not
l l	in the coating) may	be used as its control value.		

Ver. 18 54/66

## Table 3-II-3 Perfluoroalkyl and polyfluoroalkyl substances (PFAS)

No. II-3		Substance group: Perfluoroalkyl (PFAS)	and polyfluoroalkyl sub	stances	
Applicable re	gulation	Applications	Control Values	Note	
H.P. 1113 - L	.D. 1503	All products used intentionally	-Intentional inclusion	*1	
An Act To S	Stop Perfluoroalkyl	Perfluoroalkyl and polyfluoroalkyl	prohibited		
and Polyfluo	roalkyl Substances	substances (PFAS)			
Pollution (U.	S.Maine state)				
Note	*1 Please refer to t	the following U.S. Maine state's website for the details of "H.P. 1113 -			
Note	L.D. 1503 An Act '	To Stop Perfluoroalkyl and Polyfluoroalkyl Substances Pollution (U.S.			
	Maine state)".				
	(https://www.maine.gov/dep/spills/topics/pfas/index.html)				
	Please refer to the following EPA's web site to identify the PFAS regulated.				
	(https://comptox.ep	a.gov/dashboard/chemical-lists/pfasm	<u>aster</u> )		

Ver. 18 55/66

## 5. Major Revisions

	evisions		
Ver.	Date	Article	Contents and reason for revisions
18	2024.04.01	Table 1	Modified I-28 phthalates (BBP, DBP, DEHP, DIDP, DINP, DNOP, DIBP) to phthalates (BBP, DBP, DEHP, DIBP)
		Table 1 (Note)	-In the note regarding "Certain CMR substances", "I-31" was corrected to "I-32".
			-In the note regarding "TSCA PBT","I-10" and "Table 2-I-10" were added.
		Table 2-I- 1,2,3,4,9,28,29,33, 35	"The date of ban on delivery is set as the date six months before the effective date of an applicable law or regulation." was deleted from the note, which overlaps with the content of Article 3 Terms and Definitions, Paragraph 15.
		Table 2-I-3	Addition of regulations regarding "Lead in PVC" according to REACH Annex XVII.
		Table 2-I-25	Addition of regulations regarding "Formaldehyde" according to REACH Annex XVII
		Table 2-I-28	-Corrected phthalate esters (BBP, DBP, DEHP, DIDP, DINP, DNOP, DIBP) to phthalate esters (BBP, DBP, DEHP, DIBP).
			<ul> <li>Deleted content related to the U.S. Consumer Product Safety Improvement Act.</li> <li>Deleted REACH Regulation Annex XVII (Restricted Substances) from Note *1</li> </ul>
		Table 2-I-35	Prohibition Level, Date of ban on delivery, and Control value have been revised to the latest contents.
		Table 2-I-36	Added regulatory details for "Perfluorohexanoic acid (PFHxS) and its salts and PFHxS related substances"
17	2023.04.01	Table 2-I-19	"Hexachlorobenzene (HCB)" was added.
		From Table 2-I-20 To Table 2-I-35	Table Numbers ware revised because Table 2-I-19 "hexachlorobenzene (HCB)" was added.
		Table 2-I-35	"Date of ban on delivery", and date described at "Control Value" cell was revised.
		Table 3-II-3	"Perfluoroalkyl and polyfluoroalkyl substances (PFAS)" was added.
16	2022.04.01	3	-"Substance" was added to "Terms and Definitions".
		Table 2-I-28	-"Applications" and "Examples of (regulated) substances" were revised to clearly indicate substances and the regulations applicable to them.
		Table 2-I-31	-"Article" was added as applications, and their Prohibition Level" and "Date of ban on delivery", "Control Value" was described. "CFR No" was added in the note.
		Table 2-I-34	-"Perfluorocarboxylic acids containing 9 to 14 carbon atoms in the chain (C9-C14 PFCAs), their salts and C9-C14 PFCA-related substances" was added.
15	2021.06.30	All pages	•The structure of articles and tables were reviewed.
		3	· "Homogeneous materials" was added under "Terms and Definitions". "Control content" was

Ver. 18 56/66

	incorporated into "Control value".
	· "CMR substances" and "Effective date of an
4	applicable law or regulation" were deleted.
4	• The structure of this section was reviewed. The contents of the section were revised so as to best
	reflect the changes made to the terms and the definitions.
Table 2-I-1	• "Intentional inclusion prohibited" and "The
	following applications, other than *1 and *2" were deleted
	• "Less than 100 ppm" according to RoHS Directive was replaced with "100 ppm or less".
Table 2-I-2	• "Intentional inclusion prohibited" and "The following applications, other than *1, *2 and *3" were deleted
	• "Less than 1000 ppm" according to RoHS
M.1.1. 0. I. 0	Directive was replaced with "1000 ppm or less".
Table 2-I-3	• "Intentional inclusion prohibited" and "The following applications, other than *1, *2 and *3" were deleted
	· "Less than 1000 ppm" according to RoHS
	Directive was replaced with "1000 ppm or less".
Table 2-I-4	• "Intentional inclusion prohibited" and "The
	following applications, other than *1, *2 and *3" were deleted
	• "Less than 1000 ppm" according to RoHS
Table 2-I-9	Directive was replaced with "1000 ppm or less".  • "Intentional inclusion prohibited" and "The
Table 2-1-9	following applications, other than *1, *2 and *3" were deleted
	• "Less than 1000 ppm" according to RoHS Directive was replaced with "1000 ppm or less".
Table 2-I-10	• "Intentional inclusion prohibited" and "The following applications, other than *1, *2 and *3" were deleted
	• "Less than 1000ppm" according to RoHS Directive
	was replaced with "1000 ppm or less".  • "US TSCA PBT Rules" was added to note *3, and
M.1.1. 0 T 15	*4 Exemption was also added to the table.
Table 2-I-17	· Pentachlorothiophenol (PCTP) was added.
Table 2-I-18	· Hexachlorobutadiene (HCBD) was added.
Table 2-I-21	• The substances in this substance group were reviewed.
Table 2-I-27	"Less than 1000 ppm" according to RoHS Directive was replaced with "1000 ppm or less".
Table 2-I-28	<ul> <li>"certain Long-Chain Perfluoroalkyl Carboxylates (LCPFAC)" was added.</li> <li>Regarding PFOA, changes were made in response</li> </ul>
	to the publication of Official Journals about "Class I Specified Chemical Substances designated by Japanese Chemical Substances Control Act." and "EU POPs regulation".
	• "Implantable medical devices*2, *5" was deleted from "Exemption".

Ver. 18 57/66

			· Notes *6 and *7 were added.
		Table 2-I-30	
			• "EU POPs regulation" was added to note *1.
		Table 2-I-32	• Phenol, Isopropylated Phosphate (3:1) (PIP 3:1) was added.
		Table 2-I-33	• 2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP) was added.
		Table 3-II-2	• BPR substances was added to note *1.
			Explanation of the control value of surface coatings was added to note *2.
14	2020.05.01	4.1	Table 1 Environment-related Substances "II-2: Substances subject to the European Union's Medical Device Regulation (EU-MDR) or In Vitro Diagnostic Medical Device Regulation (EU-IVDR)" was added.
		4.2.3	Table 2-I-1 Cadmium and its compounds Table 2-I-2 Hexavalent chromium compounds Table 2-I-3 Lead and its compounds Table 2-I-4 Mercury and its compounds Table 2-I-4 Mercury and its compounds Table 2-I-9 Polybrominated biphenyl (PBBs)  • The applications that had been classified according to the RoHS Directive categories were unified as "Electric and electronic equipment subject to RoHS Directive (2011/65/EU)" because the RoHS Directive entered into force in all the categories on its effective date.  • "Electric and electronic equipment as provided by Article 2-2 of RoHS Directive (2011/65/EU)" was deleted to reflect the removal of Article 2-2 from the RoHS Directive.  Table 2-I-10 Polybrominated diphenyl ethers (PBDEs)  • The applications were divided into "PBDEs excluding DecaBDE" and "DecaBDE only" because while PBDEs are regulated by the EU POPs regulation, only DecaBDE is controlled by Japanese Chemical Substances Control Act.  Table 2-I-14 Substance Group: Short-chained chlorinated paraffin (having the chain length of 10 · 13)  • The control value is "Intentional inclusion prohibited" ,it is controlled by Japanese Chemical Substances Control Act.  Table 4-I-24 Fluorinated Greenhouse Gases (PFC, SF6, HFC)  • Regarding the control on these substances, "EC No.842/2006" was repealed with the revision of "(EU) No. 517/2014". Accordingly, Table 4-I-24 was updated with the addition of several substances.

Ver. 18 58/66

	I	1	T 11.01 . D 1 . D 1
		4.2.4	<ul> <li>Level 1: "Norwegian Product Regulations" was deleted because the same level of control can be guaranteed by complying with other applicable laws and regulations.</li> <li>Level 2: The control by the REACH was replaced with the proposed control by the EU POPs regulation, which is set to be published.</li> <li>Table 5-II-2</li> <li>"Substances subject to the European Union's Medical Device Regulation (EU-MDR) or In Vitro Diagnostic Medical Davige Regulation (EU-IVDR)"</li> </ul>
		5	Diagnostic Medical Device Regulation (EU-IVDR)" was added.  Perfluorooctanoic acid (PFOA) and its salts and esters  · Some information in Table 2-I-26 was moved to Table 6-I-26 (where it is now provided as information on examples belonging to this substance group).  · "JAMP-SN0102" and "JAMP-SN0103" were added
			as substances belonging to this substance group.  Short-chained chlorinated paraffin (having the carbon chain length of 10 - 13)  · Some information in Table 2-I-14 was moved to Table 6-I-14 (where it is now provided as information on examples belonging to this substance group).  · To reflect regulatory information, some substances belonging to this substance group were added.  Pentachlorophenol and its salts and esters  · To reflect regulatory information, some substances belonging to this substance group were
			added.  Table 6-I-2 Hexavalent chromium compounds  · Copper chromite (CAS NO.12053-18-8) was deleted because it's a trivalent chromium.
13	2018.03.31	3	<ul> <li>3. Terms and Definitions</li> <li>"CMR substances" was added to explain the new prohibited substances.</li> <li>"RoHS2 Directive" was replaced with "RoHS Directive (2011/65/EU)" to clearly indicate the applicable regulation.</li> </ul>
		4.1	Table 1 Environment-related Substances • In keeping with the new regulation, "I-29 Certain CMR substances" was added. A note was also added to the table, in order to clearly indicate the applications of "I-29 Certain CMR substances."
		4.2.3	Table 2-I ·With regard to cadmium, hexavalent chromium, lead, mercury, PBB, PBDE and phthalate esters, the timing of the application of RoHS Directive was incorporated. Accordingly, cadmium,

Ver. 18 59/66

			hexavalent chromium, lead, mercury, PBB, PBDE are categorized as Level 1, and phthalate esters as Level 2.
			·With regard to cadmium, hexavalent chromium,
			lead, mercury, PBB, PBDE and phthalate esters, "RoHS2 Directive" was replaced with "RoHS
			Directive (2011/65/EU)" to clearly indicate the
			applicable regulation.
			• In Europe, all the information contained in
			Annex B, except for "Date of ban on delivery," is public information. Therefore, regarding
			cadmium, hexavalent chromium, lead and
			mercury, "Annex B" was deleted from the "Exemption," and "Exclusions from RoHS
			Directive: 6 months prior to expiration" was
			added to "Date of ban on delivery."
			Table 2-I-2 (Hexavalent chromium compounds)
			•The timing of the application of the REACH
			regulation to Level-2 substances was
			incorporated, and the prohibition level was changed to Level 1.
			Table 2-I-25 (Phthalate esters)
			·Regarding "the restriction of plasticized material
			that includes DEHP, BBP, DBP and/or DIBP,"
			which are four substances newly added to Annex
			XVII to REACH (restriction), their effective
			dates of REACH regulation, dates of ban on
			delivery, applications and control values were
			added to the Level-2 boxes. Additional information was also provided in "Exemption"
			and "Note."
			• Table 2-I-29 (Certain CMR substances)
			This new table was created in keeping with the
			addition of "Certain CMR substances" to Annex
			XVII to REACH (restriction).
		5	"Table 6-I-29 Certain CMR substances" was added
			to provide examples of arsenic compounds among certain CMR substances.
			The sentence of "The table below does not cover all
			the substances in this substance group" was added
			to Tables 6-I-1 - 6-I-29 to clearly indicate that
			these examples are provided for illustrative
12	2018.06.01	4.1	purposes only.  Table 1 (Environment-related Substances)
14	2010.00.01	7.1	• Table 1 I-28: "Benzenamine, N-phenyl-,
			Reaction Products with Styrene and 2,4,4-
			Trimethylpentene (BNST)" was deleted because
			these substances became exempt from the
			"Prohibition of Certain Toxic Substances
		400	Regulations, 2012" of Canada.
		4.2.3	Table 2-I • With regard to cadmium, hexavalent chromium,
			lead, mercury, PBB and PBDE, the timing of the
			application of RoHS2 Directive was incorporated.
			Table 2-I-2 (Hexavalent chromium compounds)
1			"Intentional inclusion prohibited" was deleted

Ver. 18 60/66

			from the Control Value column for Level-1
			electric and electronic equipment subject to
			RoHS2 Directive.
			·Regarding the four Level-2 substances that will
			become subject to applicable regulations on
			January 22, 2019 (Annex XIV to REACH), their
			control value was changed to "Intentional
			inclusion prohibited."
			Table 2-I-10 (PBDEs)
			· "Annex XVII to REACH (restriction)" was added.
			Table 2-I-12 (PCTs)
			· "Intentional inclusion prohibited" was deleted from the Control Value column, and "mixture"
			was replaced with "mixture or finished product."
			Table 2-I-20 (PFOS and PFOS analogs)
			The Exemption row was deleted to reflect the
			review of exemption from "Class I Specified
			Chemical Substances designated by Japanese
			Chemical Substances Control Act."
			Table 2-I-26 (PFOA and its salts and esters)
			·"Annex XVII to REACH (restriction)" was added.
			Table 2-I-28 (BNST) was deleted.
			Table 6-I-5 (Trisubstituted organotin compounds)
			"JAMP-SN0024" was added in the CAS No. or
			JAMP-SN column.
			Table 6-I-6 (Dibutyltin compounds) "JAMP-SN0072" was added in the CAS No. or
			JAMP-SN column.
			Table 6-I-7 (Dioctyltin compounds)
			·"JAMP-SN0073" was added in the CAS No. or
			JAMP-SN column.
			Table 6-I-10 (PBDEs)
			·In the Substance (Japanese) column, "PBDE 類" │
			was spelled out as "ポリ臭化ジフェニルエーテル
			類" in keeping with the use of unabbreviated
			names for PBBs.
			Table 6-I-17 (Asbestos)
			·"JAMP-SN0056" was added in the CAS No. or JAMP-SN column.
			Table 6-I-28 (BNST) was deleted because these
			substances became exempt from the "Prohibition of
			Certain Toxic Substances Regulations, 2012" of
			Canada.
11	2017.04.01	4.2.3	Table 2-I: With regard to cadmium, hexavalent
			chromium, lead, mercury, PBB and PBDE,
			incorporated the timing of the application of
			RoHS2 Directive.
			Table 2-I-2 (Hexavalent chromium compounds):
			The prohibition level of nine hexavalent chromium
			compounds was changed from 2 to 1.
			Table 2-I-13 (Polychlorinated naphthalene): The
			information on "2 chlorine atoms" was integrated
			with that on "3 or more chlorine atoms".
10	2016.04.04	4.1	The number of chlorine atoms of polychlorinated
			naphthalene was changed from 3 or more to 2 or
	1		1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Ver. 18 61/66

	1		
			more.
			• "and its salts and esters" was added to
			perfluorooctanoic acid (PFOA), which was also
			added to the relevant parts in other pages.
			• I-29: "Pentachlorophenol and its salts and
			esters" was added.
		4.3	In Table 2-I-13 (Polychlorinated naphthalene),
			• The number of chlorine atoms of polychlorinated
			naphthalene was changed from 3 or more to 2 or
			more.
			In Table 2-I-14 (Short-chained chlorinated
			paraffin), • *1: (EC)No.850/2004 was added to EU POPs
			regulation
			• *2: Norwegian Product Regulations was deleted.
			• From the examples of substances listed in Table
			6-1-14, only chlorinated paraffins (short chain)
			(number of carbon from 10 to 13) was added.
			In Table 2-I-16 (hexabromocyclododecane), • EU POPs regulation (EC)No.850/2004 was added
			to Note *1.
			In Table 2-I-25 (Phthalate esters),
			· Categories" was deleted from the RoHS directive
			categories for level 2 applications.
			• In Note *3, TBT notification was replaced with.
			(EU)2015/863.
			In Table 2-I-18 (BNST),
			· Under Applications, description was changed to
			incorporate the exemption.
			• In the note, the name of regulation was changed
			to Canadian Prohibition of Certain Toxic
			Substances Regulations, 2012.
			Table 2-I-29 (Pentachlorophenol) was added.
			_
			In Table 3-I-19 (Ozone depleting substances), • Under Chemical formula, chemical formula was
			· ·
			added to a blank field.
			In Table 6-1-9 (PBBs),
			· Under Chemical formula, chemical formula was
			added to a blank field.
			In Table 6-I-14 (Short-chained chlorinated
			paraffin),
			· The examples of substances were removed and
			were incorporated into Table 2-I-14 as reference.
9	2015.06.05	3	Definition of terms: "preparation" was replaced
			with "mixture".
		4.1	Table 1, I-28: "Benzenamine, N-phenyl-, Reaction
			Products with Styrene and 2,4,4
		400	Trimethylpentene (BNST)" was added.
		4.2.3	Table 2-I: With regard to cadmium, hexavalent
			chromium, lead, mercury, PBB, and PBDE,

Ver. 18 62/66

8	2014.02.20	4.1	incorporated the timing of the adoption of RoHS2 Directive.  Table 2-I-2: The regulation on leather products was added to hexavalent chromium.  Table 2-I-6: The exemptions for dibutyltin compounds were removed.  Table 2-I-25, Phthalate esters: Removed the Danish regulation, and addressed the official publication that has added prohibited substances to RoHS2.  Table 2-I-28: "Benzenamine, N-phenyl-, Reaction Products with Styrene and 2,4,4- Trimethylpentene (BNST)" was added.  REACH Regulation: Added SVHC as examples to the corresponding substance tables, and reviewed descriptions.  Table 1: "I-26 Perfluorooctanoic acid (PFOA)" and
		4.2.3	"I-27 Polycyclic aromatic hydrocarbon (PAH)" were added.  "In some cases, business units set their own dates on ban on delivery that are different from the ones
			herein. These dates set by business units take precedence over the ones herein" was added.  Table 2: "Intentional use prohibited" was replaced with "intentional inclusion prohibited" in each
			table. "If the Control Value column lists "intentional inclusion prohibited" and the control value, both of these requirements must be fulfilled" was also added.
			"Intentional use prohibited" was deleted from Table 2 for cadmium, lead, dioctyltin, nickel, and azo compounds. The denominators as the standard for the control values were defined.
			In Table 2-I-16, Level 1 was established in accordance with Japanese Chemical Substances Control Act., and applicable substances were added.
			In Table 2-I-24, the applications of PFC were defined.
		2, 6	Tables 2 and 6 were revised in accordance with the JAMP-AIS format.
7	2013.09.05	4.2.3	In Table 2-I-6, "Intentional use prohibited" was deleted. In Table 2-I-18, date of ban on delivery at Level 2
6	2013.05.17	2	was corrected. • The code for RoHS2 was corrected: 2010/65/EU
			<ul> <li>⇒ 2011/65/EU</li> <li>• Substance names followed the spelling used by JAMP.</li> </ul>
			• Regarding the control on phthalate esters in Demark, it was difficult to impose a ban on delivery six months before the deadline of
			delivery six months before the deadline of December 2013. Therefore, a date three months before was set as the date of the ban on delivery. As for products subject to RoHS2, a date 12

Ver. 18 63/66

			months before was set as the date of ban on
			delivery, mainly because of the amount of
			inventory on the market.
5	2012.06.12	3	The explanations on the terms (a), (b) and (c)
	2012.00.12	· ·	under (1) Environment-related substances were
			repeated in Section 4.2.1. For this reason, these
			explanations were deleted from the Terms and
			Definitions section.
		3	(14) Intentionally added, (15) Impurities, (16)
		J	Preparation and (17) Article were added.
		4.1	Table 1 was reviewed and the following changes
		4.1	were made:
			(I) Prohibited substances
			TBTO was included into trisubstituted organotin
			compounds.
			Radioactive substances, acrylamide and musk
			xylene were deleted, and hexabromocyclododecane
			was added.
			(II) Controlled substances
			Antimony, arsenic, beryllium, bismuth, selenium,
			brominated flame retardants (except prohibited
			substances), perchlorates, phthalate esters (except
			prohibited substances) and PRTR substances were
			deleted.
		2.3	In Section 4.2.3, "Detailed information about the
			control of prohibited substances," a separate table
			was made for each prohibited substance group.
			"Intentionally added" was added to the control
			value column. Prohibited substances were
			reviewed and their substance groups were
			renumbered.
		4.2.3	"I-19 Ozone depleting substances" were extracted
		1,2,0	from the examples and separately presented as
			Table 3.
		4.2.3	In Table 3, because the CAS number for
		4.2.0	Tribromodifluoroethane, 128903-21-9, was an error
			in writing, it was replaced with "-".
		499	
		4.2.3	"I-24 Fluorinated greenhouse gasses (PFC, SF6,
			HFC)" were extracted from the examples and
		4.0.4	separately presented as Table 4.
		4.2.4	Section 4.2.4 on controlled substances was devoted
			to substances of very high concern in REACH
			(SVHC).
		5	Examples and principal uses were listed for each
			substance.
4	2011.07.22	All	• REACH Regulation Annex 16: Addressed 6
			substances added to "Approved Substances" and
			7 substances added to the "List of Candidate
			Substances for Approval".
			· REACH Regulation Annex 17: Addressed
			additions to "Limited Substances", and
			confirmed/revised exemptions.
			• Incorporated the latest information from JIG
			(Joint Industry Guidelines) Ver4.0 and JAMP.
			-
			• Revised description to make it easier to
			understand. Corrected table errors.

Ver. 18 64/66

3	2011.03.04	2	Scope has been amended to "Olympus" and "These rules apply to domestic Olympus, OGZ, OSZ and OPI. Products manufactured and sold in other regions shall be subject to these rules" has been deleted.  8 substances of Very High Concern have been added to Table 5 and Table 6.
2	2010.12.17	2	"Dibutyltin compounds (DBT), Dioctyltin compounds (DOT), Nickel, Dimethylfumarate (DMF), Fluorinated Greenhouse Gases (PFC, SF6, HFC), partial phthalate esters" have been added as "Prohibited substances".  "Perchlorates" has been added as "Controlled substances".  "Tributyltin (TBTs), Triphenyltin (TPTs)" has been amended to "Trisubstituted organotin compounds".
		All	"Products used for sales promotion" has been added in 2.1 Applicable items.  Exclusions from RoHS Directive was revised under Commission Decision 2009/425/EC.  Table 6: Examples of environment-related substances was revised by reference to JIG-
	December 20		101Ed3.1
<b>17</b> :	December 20.	10.	

Versi ons befor e 2

Revisions of REACH ANNEX 14 (candidate substances for approval) were accepted, "Hexabromocyclododecane (HBCDD)" and "Musk xylene" were newly added as "prohibited substances", and the prohibited usage and thresholds were reviewed for "Azo dyes and pigments (specific amines formed by degrading azo dies and pigments)" and "Phthalate esters".

Revisions of REACH ANNEX 17 (limited substances) were accepted, and "Acrylamide" was made a "prohibited substance".

August 2010:

Examples of environment-related substances in Table 6 were revised by reference to JIG-101Ed3.1. This revision included the addition of substances and name changes. October 2009:

"Formaldehyde" was classified as a "prohibited substance" according to the regulations of various countries as well as social needs. June 2009:

Directive 76/769/EEC (on restrictions on the marketing and use of certain dangerous substances and preparations) was repealed with effect. Any amendment to the restrictions adopted under Directive 76/769/EEC from June 1, 2007 were incorporated in Annex XVII, EC 1907/2006. (Article 137, Article 139 of the REACH) October 2008:

Following the publication of 15 Substances of Very High Concern that were added to the candidate list, additional substances were classified as "controlled substances."

The 30th amendment directive (2006/122/EC) concerning Directive 76/769/EEC (PFOS and PFOS analogs) came into effect.

November 2007:

Specific benzotriazole was designated as a Class I designated chemical substance pursuant to a partial amendment of Japanese Chemical Substances Control Act. August 2007:

The Joint Industry Guidelines (JIG) came into force. Therefore, regarding the five substances that had been designated under the JGPSS, their designation was cancelled and deleted from the list of "prohibited substances." June 2007:

Ver. 18 65/66 The REACH came into force.

Ver. 18 66/66