Control Rules for Environment-related Substances Used in Product

Ver. 19 April 1, 2025

OLYMPUS

Contents

1. Purpose	1
2. Scope	1
2.1 Items	1
2.2 Laws and regulations	1
3. Terms and Definitions	2
4. Rules	3
4.1 The environment-related substances and control classification	3
4.2 Prohibited substances	3
4.3 Controlled substances	4
4.4 Control value	4
Table 1 Environment-related Substances	5
Table 2 Criteria for managing prohibited substances	7
Table 3 Criteria for managing controlled substances	54
5. Maior Revisions	56

1. Purpose

These rules pertain to environment-related substances used in the products of Olympus Group (this is hereinafter referred to as "Olympus"). They are to ensure that Olympus products comply with laws and regulations by defining criteria for prohibiting or controlling the substances, as well as to reduce environmental load.

2. Scope

2.1 Items

- (1) Products (shipped out by Olympus)
 - Products designed, manufactured and sold by Olympus
 - Products designed and manufactured by third parties, and sold by Olympus with its trademark attached
 - Products designed and manufactured by Olympus and supplied to a third party as OEM products.
 - (Note1) In this case, third parties are responsible for requiring Olympus to comply with these regulations.
 - (Note2) These rules do not apply to the components or materials specified by the third party.
- (2) Parts and materials (delivered to Olympus, and used in "(1) Products" above)
 - Subassemblies (e.g., assembly parts such as function units, modules and board assemblies)
 - Components and materials (e.g., electrical components, components of machinery, components of electric machinery, semiconductors, printed wiring boards.)
 - Parts for repair and maintenance services
 - Accessories (e.g., accessories, such as AC adaptors, necessary for device operation)
 - Subsidiary materials (e.g., solder materials, adhesives, lubricants, reinforcing materials, tapes, paints, inks.)
 - Printed materials (e.g., instruction manuals, brochures.)
 - Materials for sales promotion (e.g., labels.)
- (3) Packaging materials
 - Packaging materials and components used to ship out products
 - Packaging subsidiary materials (e.g., adhesives, lubricants, reinforcing materials, tapes, paints, inks.)
 - (Except for packaging materials disposed of during Olympus manufacturing processes.)

(Note) Olympus may require our suppliers to comply with the rules herein in the following cases;

- Products distributed by Olympus for sales promotion purposes (e.g., novelty items bearing Olympus's name)

2.2 Laws and regulations

Based on major global treaties, laws, ordinances and industry standards (hereinafter called "regulations"), these rules state the requirements of regulations regarding Olympus Group products. However, they may not cover all of these regulations. If there are additional requirements in regions where products are sold, Olympus global, regional, and local business centers and their suppliers shall obey those requirements.

Ver. 19 1/59

3. Terms and Definitions

The following definitions are applied to the terms used in these rules.

(1) Environment-related substances

These substances have significant influence on human health and the environment. They are specified by Olympus as "prohibited" or "controlled" substances, in accordance with laws and regulations.

(2) Joint Article Management Promotion-Consortium (JAMP)

JAMP is a Japanese consortium that manages information on chemical substances contained in an article appropriately and operates a system to disclose and efficiently transmit this information through companies in the supply chain.

(3) Substance group

This is a collective term for a chemical substance and its chemical compounds, or a collective term for several substances that possess similar chemical structures, toxicities, and/or harmful effects on the environment.

(4) Inclusion

This is defined as the addition or adhesion of substances to, or mixture of substances with, raw materials, parts, or products, whether intentionally or otherwise. The addition, adhesion or mixture of impurities is also regarded as inclusion.

(5) Intentional use

This is the situation where a substance is contained in products because of deliberate addition, filling, blending, or adhesion, in order to provide a specific characteristic, appearance or quality.

(6) Impurities

Natural impurities contained in natural raw materials and technically impossible to be completely removed in the refining process for industrial materials, or substances that are created in the synthetic reaction process but technically impossible to be completely removed.

(Note) If any substances that are referred to as "impurities" (in order to distinguish them from main raw materials) are added to materials to change their characteristics, such substances are deemed to be "intentionally included".

(7) Substance (REACH Article 3: Definitions)

It means a chemical element and its compounds in the natural state or obtained by any manufacturing process, including any additive necessary to preserve its stability and any impurity deriving from the process used, but excluding any solvent which may be separated without affecting the stability of the substance or changing its composition.

(8) Article (REACH Article 3: Definitions)

An object which during production is given a special shape, surface or design which determines its function to a greater degree than does its chemical composition.

Ver. 19 2/59

(9) Mixture (REACH Article 3: Definitions)

A mixture or solution composed of two or more substances.

(10) Homogeneous materials

Homogeneous materials are materials that cannot be mechanically separated anymore and have a homogeneous composition. Examples are plastic, ceramics, glass, metals, alloys, paper, boards, resins and coatings. Mechanical separation means separation by mechanical processes, such as removing screws, cutting, crushing, grinding and polishing.

(11) Metal conversion factor

This is the factor used to calculate the weight of a metallic element in a metallic compound from the weight of the metallic compound. The weight of a metallic element in a metallic compound can be obtained by multiplying the weight of the metallic compound by the metal conversion factor.

(12) CAS No.

This is the registration number for chemical substances allocated by the Chemical Abstracts Service (CAS), which is a division of the American Chemical Society. CAS numbers are used globally to identify chemical substances since there are several different ways of writing the names of chemical substances.

(13) JAMP Substance Numbers (JAMP-SN)

The number introduced by JAMP for some substances and groups that do not have a CAS No. (SN stands for "Substance Number").

(14) Control value

The concentrations defined by Olympus to ensure that the amounts of substances contained in items do not exceed the concentrations regulated.

(15) Dates of ban on delivery

Dates when Olympus imposes ban on delivery from their suppliers to Olympus. Olympus determines them to ensure observance of the effective dates of regulations. (They are six months before the effective dates.)

In case that Olympus's business centers set their own dates of ban on delivery, these dates set by business centers take precedence over the ones herein.

4. Rules

4.1 The environment-related substances and control classification

The environment-related substances designated by Olympus are listed in Table 1. They are classified into two categories: "prohibited substances" and "controlled substances".

4.2 Prohibited substances

Prohibited substances are classified into the two following levels based on their date of ban on delivery.

Ver. 19 3/59

(1) Prohibited substances Level 1:

These substances are immediately prohibited. Exceptions apply in the following cases:

- They have 'a control value' and can be used below that value.
- They have 'an exemption' and can be used for that application provided that their concentrations and their location of use shall be reported.

(2) Prohibited substances Level 2:

These substances will be prohibited after their date of ban on delivery.

- They are acceptable to use until their date of ban on delivery.
- Date of ban on delivery may be revised if the effective date of a regulation is changed.

Criteria for managing prohibited substances are shown in Table 2.

- Prohibition level, date of ban on delivery, applications, control values, exemptions, notes
- Examples of substances (They do not cover all the substances in this substance group.) or regulated substances.
- Principal uses for substances

4.3 Controlled substances

If the content of a controlled substance exceeds its control value, the substance, the concentrations, and the location of use shall all be reported.

Criteria for managing controlled substances are shown in Table 3.

- Applications, control values and notes

4.4 Control value

Unless otherwise designated, the control values are the concentrations of substances in homogeneous materials.

- In complex components (assemblies), it is the concentration in each article of that component (not what is in the whole component).
- In surface treatment coatings, it is the concentration in the coating.
- In metal compounds that have metal conversion factors, the control values are the respective concentrations of the metal elements included in those compounds. In metal compounds that have no metal conversion factors, the control values are the concentrations of the whole metal compound.

Ver. 19 4/59

Table 1 Environment-related Substances

Class	Major division	No.	Substance group	Detail
(I)	Metal and	I-1	Cadmium and its compounds	Table 2-I-1
Prohibited	metal	I-2	Hexavalent chromium compounds	Table 2-I-2
substances compounds		I-3	Lead and its compounds	Table 2-I-3
	(including their	I-4	Mercury and its compounds	Table 2-I-4
	alloys)	I-5	Trisubstituted organotin compounds	Table 2-I-5
			(including tributyltin compounds (TBTs)	
		T 0	and triphenyltin compounds (TPTs))	m 11 a 7 a
		I-6	Dibutyltin compounds (DBT)	Table 2-I-6
		I-7	Dioctyltin compounds (DOT)	Table 2-I-7
		I-8	Nickel and its compounds	Table 2-I-8
	Halogenated	I-9	Polybrominated biphenyl (PBBs)	Table 2-I-9
	organic	I-10	Polybrominated diphenyl ether (PBDEs)	Table 2-I-10
	compounds	I-11	Polychlorinated biphenyl (PCBs)	Table 2-I-11
		I-12	Polychlorinated terphenyls (PCTs)	Table 2-I-12
		I-13	Polychlorinated naphthalene (with more than 3 chlorine atoms)	Table 2-I-13
		I-14	Short-chained chlorinated paraffin	Table 2-I-14
			(having the chain length of 10 - 13)	
		I-15	Polyvinyl chloride (PVC)	Table 2-I-15
		I-16	Hexabromocyclododecane (HBCDD)	Table 2-I-16
		I-17	Pentachlorothiophenol (PCTP)	Table 2-I-17
		I-18	Hexachlorobutadiene (HCBD)	Table 2-I-18
		I-19	Hexachlorobenzene (HCB)	Table 2-I-19
		I-20	Dechlorane Plus	Table 2-I-20
	Others	I-21	Asbestos	Table 2-I-21
		I-22	Azo dyes and pigments (specific amines	Table 2-I-22
			formed by degrading azo dies and pigments)	
		I-23	Ozone depleting substances (listed in Montreal Protocol)	Table 2-I-23
		I-24	Perfluorooctanesulfonic acid (PFOS) and PFOS analogs	Table 2-I-24
		I-25	Specific benzotriazole: 2-(2H-1,2,3-Benzotriazol-2-yl)-4,6-di-tert-butylphenol	Table 2-I-25
		I-26	Formaldehyde	Table 2-I-26
		I-27	Dimethylfumarate (DMF)	Table 2-I-27
		I-28	Fluorinated Greenhouse Gases (PFC, SF6, HFC)	Table 2-I-28
		I-29	Phthalate esters (BBP, DBP, DEHP, DIBP)	Table 2-I-29
		I-30	Perfluorooctanoic acid (PFOA) and its salts and esters and certain Long-Chain Perfluoroalkyl Carboxylates (LCPFAC)	Table 2-I-30
		I-31	Polycyclic aromatic hydrocarbon (PAH)	Table 2-I-31
		I-32	Pentachlorophenol and its salts and esters	Table 2-I-32
1		I-33	Phenol, isopropylated phosphate (3:1)	Table 2-I-33
		1 00	1 Heliol, isopropyrated phosphate (5.1)	1 abic 2 1 55

Ver. 19 5/59

		I-35	Perfluorocarboxylic acids containing 9 to 14 carbon atoms in the chain (C9-C14	Table 2-I-35
			PFCAs), their salts and C9-C14 PFCA- related substances	
		I-36	Perfluorohexanoic acid (PFHxS) and its salts and PFHxS related substances	Table 2-I-36
		I-37	UV-328	Table 2-I-37
(II) Controlled	Others	II-1	Candidate List of Substances of Very High Concern in REACH(SVHC)	Table 3-II-1
substances		II-2	Substances subject to the European Union's Medical Device Regulation (EU-MDR) or In Vitro Diagnostic Medical Device Regulation (EU-IVDR)	Table 3-II-2
		II-3	Perfluoroalkyl and polyfluoroalkyl substances (PFAS)	Table 3-II-3
		II-4	Mineral Oil	Table 3-II-4

(Note)

- I-10, I-17, I-18, I-33, I-34 are substances that are persistent, bio-accumulative, and toxic chemicals (PBTs) identified pursuant to section 6(h) of the Toxic Substances Control Act (TSCA). Please see Table 2-I-10, Table 2-I-17, Table 2-I-18, Table 2-I-33, and Table 2-I-34 for details.
- Applications of II-2 "Substances subject to the European Union's Medical Device Regulation (EU-IVDR) or In Vitro Diagnostic Medical Device Regulation (EU-IVDR)" are limited to components and subsidiary materials that are used in products subject to EU-MDR or EU-IVDR, and that come into direct or indirect contact with the patient. Please see Table 3-II-2 for details.

Ver. 19 6/59

Table 2 Criteria for managing prohibited substances.

Table 2-I-1 Cadmium and its compounds

(1) Details

No. I-1	Substance Gre	oup: Cadmium and its compounds				
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note		
Level 1	Immediate	 Surface processing (e.g. plating) and coating (except for electrical contacts requiring a high level of safety and reliability, and for which no substitute exists) Fluorescence lamps and photographic film Stabilizer, pigment and dye used for plastics (including rubbers) Paints and inks 	-Less than 75 ppm in homogeneous material	*1		
		·Packaging materials	-Less than 100 ppm in homogeneous material	*2		
	Exclusions from RoHS Directive: 6 months prior to expiration	· Electric and electronic equipment subject to RoHS Directive (2011/65/EU)	-100 ppm or less in homogeneous material	*3		
	Immediate	·Portable Battery	·Less than 20 ppm relative to battery weight	*4		
Exemption	Please refer t	to the EU RoHS ANNEX III and ANNEX IV	•			
Note	*1 Because the Danish cadmium control act has been amended to reflect RoHS Directive (2011/65/EU), the control value is set at 100 ppm for products subject to RoHS Directive (2011/65/EU) and 75 ppm for products not covered by RoHS Directive (2011/65/EU). Annex XVII to REACH (restriction), ChemVerbotsV (Germany) *2 The total concentration of four heavy metals (cadmium, hexavalent chromium, lead and mercury) in packaging materials must be considered. In the case of printing inks used on packaging, the total concentration of these four heavy metals included in the solid ingredients of the inks must be considered. EU Directive on packaging materials and Regulations on Heavy Metals in Packaging (U.S.A.). *3 RoHS Directive (2011/65/EU)					
		ry Regulation ((EU)2023/1542)				

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
カドミウム	Cadmium	Cd	7440-43-9	1.000
酸化カドミウム(II)	Cadmium oxide	CdO	1306-19-0	0.875
硫化カドミウム	Cadmium sulfide	CdS	1306-23-6	0.778
塩化カドミウム	Cadmium chloride	CdCl_2	10108-64-2	0.613

硫酸カドミウム(II)	Cadmium sulfate	$CdSO_4$	10124-36-4	0.539
			31119-53-6	
		$CdH_6O_{16}S_4$	119222-01-4	0.224
硝酸カドミウム	Cadmium Nitrate	Cd(NO ₃) ₂	10325-94-7	0.475
炭酸カドミウム	Cadmium carbonate	$CdCO_3$	513-78-0	0.652
硫セレン化カドミウム	Cadmium selenide sulfide	Cd_2SSe	12214-12-9	0.669
セレン化カドミウム	Cadmium Selenide	CdSe	1306-24-7	0.587
テルル化カドミウム	Cadmium Telluride	CdTe	1306-25-8	0.468
水酸化カドミウム	Cadmium Hydroxide	Cd(OH) ₂	21041-95-2	0.768
ステアリン酸カドミウム	Cadmium Stearate	Cd(C ₁₇ H ₃₅ COO	2223-93-0	0.166
		$)_2$		
フッ化カドミウム	Cadmium fluoride	CdF_2	7790-79-6	0.747
シロキサンおよびシリコーン, 3-	Siloxanes and Silicones, 3-[(2-	-	1623456-05-2	-
[(2-アミノエチル)アミノ]プロピ				
ルメチル, ジメチル, セレン化	di-Me, reaction products with			
磁化亜鉛カドミウム ラウリン	cadmium zinc selenide sulfide,			
酸、オレイルアミンとの反応生	lauric acid and oleylamine			
成物				
その他のカドミウム化合物	Other cadmium compounds	-	JAMP-SN0016	-

Part	Purpose
Corrosion-resistant plating, decorative coatings,	Anticorrosion surface treatment, pigments,
printing inks, NiCd batteries, vinyl chloride sheaths	battery and electrical materials, plastic
for wires and cords, fuses, fluorescent materials,	stabilizers, optical materials
optical glasses (filters)	

Table 2-I-2 Hexavalent chromium compounds

(1) Details

No. I-2	Substance G	Substance Group: Hexavalent chromium compounds				
Prohibition	Date of ban	Applications	Control Value	Note		
Level	on delivery					
Level 1	Immediate	·Packaging materials	-Less than 100 ppm in homogeneous material	*1		
		·Leather articles and articles containing leather parts, which come into contact with the skin	-Less than 3 mg/kg (0.0003%) of the total dry weight of the leather	*2		
		·Substances and mixtures that contain chemicals with the following CAS numbers: Lead (II) chromate: 7758-97-6 Lead chromate molybdate sulphate red: 12656-85-8 Chromium (VI) trioxide: 1333-82-0 Oligomers of chromic acid and dichromic acid: 13530-68-2 Chromic acid: 7738-94-5 Sodium dichromate: 10588-01-9 Sodium dichromate dihydrate: 7789-12-0 Potassium dichromate: 7778-50-9 Ammonium dichromate: 7789-09-5 Potassium chromate: 7789-00-6	Intentional inclusion prohibited	*3		

		Sodium chromate: 7775-11-3 Pentazinc chromate octahydroxide: 49663-84-5 Strontium chromate: 7789-06-2 Dichromium tris(chromate): 24613-89-6 Potassium hydroxyoctaoxodizincatedichromate: 11103-86-9					
	Immediate	• Electric and electronic equipment subject to RoHS Directive (2011/65/EU)	-1000 ppm or less in homogeneous	*4			
	Exclusions		material				
	from RoHS						
	Directive: 6						
	months						
	prior to						
	expiration						
Exemption	Please refer to the EU RoHS ANNEX III and ANNEX IV.						
Note	*1 The tota	l concentration of four heavy metals (cadmium, he	xavalent chromium, lea	ad and			
	mercury) in packaging materials must be considered. In the case of printing inks used						
	on packaging, the total concentration of these four heavy metals included in the solid						
	ingredients of the inks must be considered. EU Directive on packaging materials and						
	Regulations on Heavy Metals in Packaging (U.S.A.).						
	*2 Annex X	VII to REACH (restriction)					
	*3 Annex X	IV to REACH (authorizations)					
	*4 RoHS Directive (2011/65/EU)						

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
重クロム酸ナトリウム	Sodium dichromate	Na ₂ Cr ₂ O ₇	10588-01-9	0.349
重クロム酸ナトリウム・2水和	Sodium dichromate, dihydrate	Na ₂ Cr ₂ O ₇	7789-12-0	0.349
物		$2H_2O$		
酸化クロム(VI)	Chromium (VI) trioxide	CrO_3	1333-82-0	0.520
クロム酸カルシウム	Calcium chromate	$CaCrO_4$	13765-19-0	0.333
クロム酸鉛(II)	Lead (II) chromate	PbCrO ₄	7758-97-6	0.161
重クロム酸カリウム	Potassium dichromate	$K_2Cr_2O_7$	7778-50-9	0.354
クロム酸カリウム	Potassium chromate	K ₂ CrO ₄	7789-00-6	0.268
クロム酸バリウム	Barium chromate	BaCrO ₄	10294-40-3	0.205
クロム酸ナトリウム	Sodium chromate	Na_2CrO_4	7775-11-3	0.321
クロム酸ストロンチウム(II)	Strontium chromate	SrCrO ₄	7789-06-2	0.255
クロム酸亜鉛(II)	Zink chromate	$ZnCrO_4$	13530-65-9	0.287
クロム酸鉛(C.Iピグメントイエロー34)	Lead sulfochromate yellow (C.I.Pigment Yellow 34)	Unspecified	1344-37-2	-
塩基性クロム酸鉛	C.I. Pigment Orange 21	Unspecified	1344-38-3	-
クロム酸	Chromic acid	$\mathrm{CrH_{2}O_{4}}$	7738-94-5	0.441
クロム酸及び重クロム酸オリゴマー	Oligomers of chromic acid and dichromic acid	-	JAMP-SN0071	
重クロム酸、二クロム酸	Dichromic acid; Chromic acid	$H_2Cr_2O_7$	13530-68-2	0.477
二クロム酸アンモニウム	Ammonium dichromate	$(NH_4)_2Cr_2O_7$	7789-09-5	0.413
硫酸モリブデン酸クロム酸鉛 (C.Iピグメントレッド104)	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	Unspecified	12656-85-8	-
トリス(クロム酸)二クロム(III)	Dichromium tris(chromate)	$\mathrm{Cr}_5\mathrm{O}_{12}$	24613-89-6	0.575

クロム酸八水酸化五亜鉛	Pentazinc chromate	${ m CrH_8O_{12}Zn_5}$	49663-84-5	0.090
	octahydroxide	01110012		
ヒドロキシオクタオキソ二亜鉛	Potassium		11103-86-9	0.277
酸二クロム酸カリウム	hydroxyoctaoxodizincatedichro	$\mathrm{Cr}_{2}\mathrm{K}_{2}\mathrm{O}_{8}\mathrm{Zn}$		
	mate			
その他の六価クロム化合物	Other hexavalent chromium	-	JAMP-SN0019	-
	compounds			

Part	Purpose
Metal corrosion-proof chromate treatment	Anticorrosion surface treatment, pigments,
(galvanizing, electrode plating, alloys, die-casting),	anticorrosion pigments, paint desiccants
alumite dyes, anticorrosion paints, black chrome	
plating	

Table 2-I-3 Lead and its compounds.

(1) Details

No. I-3	Substance Group: Lead and its compounds			
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	·Packaging materials	-Less than 100 ppm in	*1
			homogeneous material	
		·Cable stabilizer used for insulating	-Less than 300 ppm in	*2
		sheaths whose main ingredient is PVC	PVC cable insulating	
		(especially used in the parts of the sheaths	sheath	
		touched routinely with hands)		
		·Substances and mixtures that contain	-Intentional inclusion	*3
		chemicals with the following CAS	prohibited	
		numbers:		
		Lead (II) chromate: 7758-97-6		
		Lead sulfochromate yellow (C.I. Pigment		
		Yellow 34): 1344-37-2 Lead chromate molybdate sulphate red		
		(C.I. Pigment Red 104): 12656-85-8		
	Immediate	· Electric and electronic equipment subject	-1000 ppm or less in	*4
	Immediate	to RoHS Directive (2011/65/EU)	homogeneous material	-
	Exclusions	to Rolls Birective (2011/00/EC)	inomogenes de indecida	
	from RoHS			
	Directive: 6			
	months			
	prior to			
	expiration			
	Immediate	·Article manufactured from "vinyl chloride	·Less than 1000ppm	*5
		polymer or copolymer (PVC)"		
	l			

Ver. 19 10/59

	Immediate	·Portable battery	·Less than 100 ppm by *6		
			battery weight		
Exemption	*4 Please re	fer to the EU RoHS ANNEX III and ANNE	X IV.		
_	*5 Products	subject to 2011/65/EU (RoHS Directive), 9-	4/62/EC (Packaging Materials and		
	Packaging W	aste Directive)			
	*6 Portable	zinc-air button batteries are excluded until	August 18, 2028		
Note	mercury on packa ingredie Regulati	*1 The total concentration of four heavy metals (cadmium, hexavalent chromium, lead and mercury) in packaging materials must be considered. In the case of printing inks used on packaging, the total concentration of these four heavy metals included in the solid ingredients of the inks must be considered. EU Directive on packaging materials and Regulations on Heavy Metals in Packaging (U.S.A.).			
	out-of-correquirent therefore *3 Annex XX *4 RoHS Di *5 Annex XX	is required if the inclusion level exceeds the curt settlement of a lawsuit alleging non-connents provided by Proposition 65 in the State, is set at less than 300 ppm. IV to REACH (authorizations) rective (2011/65/EU), ChemVerbotsV (Gerral VII to REACH (restriction) ery Regulation ((EU)2023/1542)	mpliance with the warning labeling te of California. The control value,		

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
鉛	Lead	Pb	7439-92-1	1.000
炭酸鉛	Lead carbonate	PbCO ₃	598-63-0	0.775
二酸化鉛	Lead (IV) oxide	PbO_2	1309-60-0	0.866
四三酸化鉛	Orange lead (Lead tetroxide)	Pb ₃ O ₄	1314-41-6	0.907
硫化鉛	Lead (II) sulfide	PbS	1314-87-0	0.866
一酸化鉛	Lead monoxide (Lead oxide); Lead (II) oxide	PbO	1317-36-8	0.928
水酸化炭酸鉛(II)	Trilead bis(carbonate)dihydroxide	C ₂ H ₂ O ₈ Pb ₃	1319-46-6	0.801
水酸化炭酸鉛(2)	Lead (II) hydroxidcarbonate	C ₂ H ₂ O ₆ Pb	1344-36-1	0.629
硫酸鉛	Lead sulfate	$PbSO_4$	7446-14-2	0.683
燐酸鉛	Trilead bis(orthophosphate)	$Pb_3(PO_4)_2$	7446-27-7	0.766
クロム酸鉛(II)	Lead chromate	PbCrO ₄	7758-97-6	0.641
チタン酸鉛	Lead titanate	$PbTiO_3$	12060-00-3	0.684
硫酸鉛	Lead sulfate	PbxSO ₄	15739-80-7	-
三塩基性硫酸鉛	Tetralead trioxide sulphate	Pb ₄ O ₃ (SO ₄)	12202-17-4	0.852
ステアリン酸鉛	Lead stearate	Pb(C ₁₇ H ₃₅ CO O) ₂	1072-35-1	0.268
ステアリン酸二鉛	Dibasic lead stearate	2PbO • Pb(C ₁₇ H ₃₅ CO O) ₂	56189-09-4	0.409
酢酸鉛(II)	Lead di(acetate)	Pb(CH ₃ COO) ₂	301-04-2	0.637
酢酸鉛(II)·三水和物	Lead (II) acetate trihydrate	Pb(CH ₃ COO) ₂ ·3H ₂ O	6080-56-4	0.546

セレン化鉛	Lead selenide	PbSe	12069-00-0	0.724
ジルコン酸鉛	Lead zirconate	$PbZrO_3$	12060-01-4	0.598
水酸化鉛	Hydroxylead	$Pb(OH)_2$	1311-11-1	0.859
硝酸鉛	Lead dinitrate	Pb(NO ₃) ₂	10099-74-8	0.626
ヒ酸鉛(II)	Trilead diarsenate	$Pb_3(AsO_4)_2$	3687-31-8	0.691
酸性ヒ酸鉛	Lead hydrogen arsenate	AsH ₃ O ₄ .Pb	7784-40-9	0.593
トリニトロレゾルシン鉛	Lead styphnate	C ₆ HN ₃ O ₈ Pb	15245-44-0	0.460
アジ化鉛	Lead diazide	N ₆ Pb	13424-46-9	0.711
ピクリン酸鉛(II)	Lead dipicrate	$C_{12}H_4N_6O_{14}Pb$	6477-64-1	0.312
メタンスルホン酸鉛(II)	Lead (II) bis(methanesulfonate)	$C_2H_6O_6PbS_2$	17570-76-2	0.521
硫酸モリブデン酸クロム酸鉛 (C.Iピグメントレッド104)	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	Unspecified	12656-85-8	-
クロム酸鉛(C.Iピグメントイエ ロー34)	Lead sulfochromate yellow (C.I.Pigment Yellow 34)	Unspecified	1344-37-2	-
ジオキソ(フタラト)三鉛	[Phthalato(2-)]dioxotrilead	C ₈ H ₄ O ₆ Pb ₃	69011-06-9	0.760
ケイ酸とバリウムの塩(1:1)(鉛 ドープ)	Silicic acid (H2Si2O5), barium salt (1:1), lead-doped	Unspecified	68784-75-8	
ケイ酸と鉛の塩	Silicic acid, lead salt	Unspecified	11120-22-2	
シアナミド鉛	Lead cyanamidate	CH ₂ N ₂ Pb	20837-86-9	0.831
ジオキソビス(ステアリン酸)三 鉛	Dioxobis(stearato)trilead	C ₃₆ H ₇₀ O ₆ Pb ₃	12578-12-0	0.509
ジルコン酸チタン酸鉛	Lead titanium zirconium oxide	Unspecified	12626-81-2	
四エチル鉛	Tetraethyllead	$C_8H_{20}Pb$	78-00-2	0.641
ピグメントエロー41	Pyrochlore, antimony lead yellow	Unspecified	8012-00-8	
四フッ化ホウ酸鉛(II)	Lead bis(tetrafluoroborate)	B ₂ F ₈ Pb	13814-96-5	0.544
塩基性クロム酸鉛	C.I. Pigment Orange 21	Unspecified	1344-38-3	
塩基性亜硫酸鉛	Sulfurous acid, lead salt, dibasic	Unspecified	62229-08-7	
塩基性酢酸鉛	Acetic acid, lead salt, basic	Unspecified	51404-69-4	
塩基性硫酸鉛	Lead oxide sulfate (Pb2O(SO4))	Pb ₂ O(SO ₄)	12036-76-9	0.787
塩基性硫酸鉛	Pentalead tetraoxide sulphate; Lead oxide sulfate (Pb5O4(SO4))	Pb ₅ O ₄ (SO ₄)	12065-90-6	0.866
脂肪酸鉛塩(炭素数16~18)	Fatty acids, C16-18, lead salts	-	91031-62-8	
二塩基性リン酸鉛	Trilead dioxide phosphonate; ; Lead oxide phosphonate (Pb3O2(HPO3))		12141-20-7	0.847
銅、鉄、鉛マット(かわ)の残 渣の非水溶性亜硫酸化合物	Residues, copper-iron-lead- nickel matte, sulfuric acid-	-	102110-49-6	-
	insol. Other lead compounds		JAMP-SN0023	

Part	Purpose
Electrodes for lead accumulators, optical glasses	Battery materials, free-machining alloy materials,
(lens, filters), structural parts (steel, aluminum,	optical materials, plastic stabilizers, pigments,
copper), vinyl chloride sheaths for wires and cords,	radiation shielding materials, electric solder
paints, inks, X-ray shield plastic plates, CRTs for	materials, mechanical solder materials, rubber
monitors, electro soldering, die bonding, mechanical	vulcanizing agents
soldering, vulcanized rubber molded items,	
manganese cells, alkaline button cells	

Ver. 19 12/59

Table 2-I-4 Mercury and its compounds

(1) Details

No. I-4	Substance Group: Mercury and its compounds						
Prohibition	Date of ban	Applications	Control Value	Note			
Level	on delivery						
Level 1	Immediate	·Packaging materials	-Less than 100 ppm in	*1			
			homogeneous material				
		·Use in appliances used fully or partially in	-Intentional inclusion	*2			
		water	prohibited				
			-Not detected				
	Immediate	·Electric and electronic equipment subject	-1000 ppm or less in	*3			
	B 1 .	to RoHS Directive (2011/65/EU)	homogeneous material				
	Exclusions						
	from RoHS						
	Directive: 6 months						
	prior to						
	expiration						
	Immediate	·Battery	-5ppm or less by	*4			
	Immediate	Dattery	battery weight	4			
			Saccery Weight				
Exemption	Please refer to	o the EU RoHS ANNEX III and ANNEX IV.					
Note	*1 The total concentration of four heavy metals (cadmium, hexavalent chromium, lead and						
	mercury) in packaging materials must be considered. In the case of printing inks used						
	on packaging, the total concentration of these four heavy metals included in the solid						
	ingredients of the inks must be considered. EU Directive on packaging materials and						
		ons on Heavy Metals in Packaging (U.S.A.).					
	*2 Annex XVII to REACH (restriction), ChemVerbotsV (Germany)						
		oHS Directive (2011/65/EU)					
		ery Regulation ((EU)2023/1542)		`			
(9) Examples	9) Examples of substances (The table below does not cover all the substances in this substance group)						

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
水銀	Mercury	Hg	7439-97-6	1.000
塩化第二水銀	Mercury dichloride	$HgCl_2$	7487-94-7	0.739
酸化水銀(II)	Mercury (II) oxide	HgO	21908-53-2	0.926
硫酸第二水銀	Mercury sulphate	$HgSO_4$	7783-35-9	0.676
硝酸水銀(II)	Mercury (II) nitrate	Hg(NO ₃) ₂	10045-94-0	0.618
硫化第二水銀	Mercury (II) sulfide	HgS	1344-48-5	0.862
酸化水銀(I)(黒色)	Mercury(I) oxide (black)	Hg ₂ O	15829-53-5	0.962
ジメチル水銀	Dimethyl mercury	(CH ₃) ₂ Hg	593-74-8	0.870
塩化第一水銀	Mercury chloride	Hg_2Cl_2	10112-91-1	0.850
その他の水銀化合物	Other mercury compounds	-	JAMP-SN0024	-

(3) Principal uses for substances

(a) =					
Part	Purpose				

Lamps (mercury lamps, fluorescent tubes, back lights for liquid crystal displays), electrodes, batteries, electric contacts, plastics, paints, printing inks

Table 2-I-5 Trisubstituted organotin compounds (including bis (tributyltin) oxide (TBTO), tributyltin compounds (TBTs, excluding TBTO) and triphenyltin compounds (TPTs))

(1) Details

No. I-5	Substance Group: Trisubstituted organotin compounds (including bis (tributyltin) oxide					
	(TBTO), tribu	tyltin compounds (TBTs, excluding TBTO) and	d triphenyltin compounds ((TPTs))		
Prohibition	Date of ban	Applications	oplications Control Value			
Level	on delivery					
Level 1	Immediate	[TBTO (CAS No.: 56-35-9) only]	TBTO (CAS No.: 56-35-9) only] Intentional inclusion			
		All applications prohibited				
		[Trisubstituted organotin compounds - Less than 1000 ppm				
		except TBTO (CAS No.: 56-35-9)] (tin conversion) in				
		·All applications article or part thereof				
Note	*1 Class I Specified Chemical Substances (TBTO: Cas No.56-35-9) designated by Japanese					
	Chemical Substances Control Act.					
	*2 Annex XVII to REACH (restriction), ChemVerbotsV (Germany)					

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ビス(トリブチルスズ)=オキシド (TBTO)	Bis(tri-n-butyltin) oxide	$O(Sn(C_4H_9)_3)_2$	56-35-9	0.398
トリフェニルスズ=N,N-ジメチ ルジチオカルバマート	Triphenyltin dimethyldithiocarbamate	(C ₆ H ₅) ₃ Sn(CH ₃) ₂ NCS ₂	1803-12-9	0.252
トリフェニルスズ=フルオリド	Triphenyltin fluoride	$(C_6H_5)_3SnF$	379-52-2	0.322
酢酸トリフェニルスズ	Triphenyltin acetate	(C ₆ H ₅) ₃ SnOC OCH ₃	900-95-8	0.290
トリフェニルスズ=クロリド	Triphenyltin chloride	(C ₆ H ₅) ₃ SnCl	639-58-7	0.308
トリフェニルスズ=ヒドロキシ ド	Triphenyltin hydroxide	(C ₆ H ₅) ₃ SnOH	76-87-9	0.323
トリフェニル [(2, 2, 4, 4ーテトラメチルー1ーオキソペンチル) オキシ] スタンナン	Stannane, triphenyl[(2,2,4,4-tetramethyl-oxopentyl)oxy]-	C ₂₇ H ₃₂ O ₂ Sn	18380-71-7	0.234
[[2, 3-ジメチル-2- (1-メチルエチル)-1-オ キソブチル]トリフェニルスタ ンナン	Stannane, [[2,3-dimethyl-2-(1-methylethyl)-oxobutyl]oxy]triphenyl-	C ₂₇ H ₃₂ O ₂ Sn	18380-72-8	0.234
[(1-オキソデシル) オキ シ] トリフェニルスタンナン	Stannane, [(1- oxodecyl)oxy]triphenyl-	C ₂₈ H ₃₄ O ₂ Sn	47672-31-1	0.228
[(1-オキソウンデシル)オ キシ]トリフェニルスタンナン	Stannane, [(1- oxoundecyl)oxy]triphenyl-	$C_{29}H_{36}O_2Sn$	94850-90-5	0.222
トリフェ ニルスズ=クロロアセ タート	Triphenyltin chloroacetate	(C ₆ H ₅) ₃ SnOC OCH ₂ Cl	7094-94-2	0.268
トリブチルスズ=メタクリラー ト	Tributyltin methacrylate	(C ₄ H ₉) ₃ SnC ₄ H ₅ O ₂	2155-70-6	0.317
ビス(トリブチルスズ)=フマラー ト	Bis(tributyltin) fumarate	C ₂ H ₂ (COO) ₂ ((C ₄ H ₉) ₃ Sn) ₂	6454-35-9	0.342

トリブチルスズ=フルオリド	Tributyltin fluoride	$(C_4H_9)_3SnF$	1983-10-4	0.384
トリブチルスズ=2,3-ジブロモス	Bis(tributyltin) meso-2,3-	$((C_4H_9)_3Sn)_2C$	31732-71-5	0.278
クシナート	dibromosuccinate	₂ H ₂ (Br) ₂ (COO)		
トリブチルスズ=アセタート	Tributyltin acetate	(C ₄ H ₉) ₃ SnOC OCH ₃	56-36-0	0.340
トリブチルスズ=ラウラート	Tributyltin laurate	$(C_4H_9)_3SnC_{12} H_{23}O_2$	3090-36-6	0.243
ビス(トリブチルスズ)=フタラー ト	Bis(tributyltin) phthalate	(C ₆ H ₄)(COO) ₂ ((C ₄ H ₉) ₃ Sn) ₂	4782-29-0	0.319
アルキル=アクリラート・メチル=メタクリラート・トリブチルスズ=メタクリラート、共重合物(アルキル=アクリラートのアルキル基の炭素数が8のものに限る)	Copolymer of alkyl acrylate, methyl-methacrylate and tributyltin-methacrylate(alkyl; C=8)	-	67772-01-4	
トリブチルスズ=スルファマー ト	Tributyltin sulfamate	(C ₄ H ₉) ₃ SnSO ₃ NH ₂	6517-25-5	0.307
ビス(トリブチルスズ)=マレアー ト	Bis(tributyltin) maleate	C ₂ H ₂ (COO) ₂ ((C ₄ H ₉) ₃ Sn) ₂	14275-57-1	0.342
トリブチルスズ=クロリド	Tributyltin chloride	(C ₄ H ₉) ₃ SnCl	1461-22-9 7342-38-3	0.365
トリブチルスズ=シクロペンタ ンカルボキシラート及びこの類 縁化合物の混合物	Mixture of tributyltin -cyclopentanecarboxylate and its –analogs (Tributyltin naphthenate)	(C ₄ H ₉) ₃ SnCO ₃ C ₅ H ₉	85409-17-2	-
ト F リブタン- 1 -イルスタンニル = $(1R,4aR,4bR,10aR)$ - 7 -イソプロピル- $1,4a$ -ジメチル- $1,2,3,4,4a,4b,5,6,10,10a$ -デカヒドロフェナントレン- 1 -カルボキシラート	Tributan-1-ylstannyl (1R,4aR,4bR,10aR)-7-isopropyl- 1,4a-dimethyl- 1,2,3,4,4a,4b,5,6,10,10a- decahydrophenanthrene-1- carboxylate	C ₃₂ H ₅₆ O ₂ Sn	26239-64-5	0.201
その他の三置換有機スズ化合物	Other Trisubstituted organotin compounds	-	JAMP- SN0068	-

Part	Purpose	
Paints, printing inks	Paints, antifouling (sterilization) pigments,	
	preservatives, stabilizers, antioxidants	

Table 2-I-6 Dibutyltin compounds

(1) Details

No. I-6	Substance Group: Dibutyltin compounds			
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note
Level 1	Immediate	· All applications	- Less than 1000 ppm (tin conversion) in mixture, article or part thereof	*1
Note	*1 Annex XVII to REACH (restriction)			

⁽²⁾ Examples of substances (The table below does not cover all the substances in this substance group.)

Ver. 19 15/59

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ジブチルスズオキシド	Dibutyltin oxide	$C_8H_{18}OSn$	818-08-6	0.477
ジブチルスズ二酢酸	Dibutyltin diacetate	$C_{12}H_{24}O_4Sn$	1067-33-0	0.338
ジブチル [(1-オキソドデシル)オ			77-58-7	0.188
キシ] スズ; ジブチルスズジラウ	Dibutyltin dilaurate	$C_{32}H_{64}O_4Sn$		
レート				
マレイン酸ジ-n-ブチルスズ	Dibutyltin maleate	$C_{12}H_{20}O_4Sn$	78-04-6	0.342
ジブチルスズジクロライド (DBTC)	Dibutyltin dichloride (DBTC)	C ₈ H ₁₈ Cl ₂ Sn	683-18-1	0.391
その他のジブチルスズ化合物	Other dibutyltin compounds	-	JAMP- SN0072	-

Part	Purpose	
Stabilizer for PVC, curing catalyst for silicone resin	Stabilizer for PVC, curing catalyst for silicone resir	
and urethane resin	and urethane resin	

Table 2-I-7 Dioctyltin compounds (DOT)

(1) Details

No. I-7	Substance Group: Dioctyltin compounds (DOT)			
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note
Level 1	Immediate	 Textile and leather articles intended to come into contact with the skin Childcare articles Two-component room temperature vulcanization molding kits (RTV-2 sealant molding kits) 	- Less than 1000 ppm (tin conversion) in article or part thereof	*1
Note	*1 Annex XVII to REACH (restriction)			

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ジオクチルスズオキシド	Dioctyltin oxide	$C_{16}H_{34}OSn$	870-08-6	0.326
ジオクチルビス [(1-オキソドデ シル)オキシ] スズ	Dioctyltin dilaurate	$ m C_{40}H_{80}O_4Sn$	3648-18-8	0.160
ジオクチルスズビス(2-エチル ヘキシルチオグリコラート)	'Dioctyltin bis(2-ethylhexyl thioglycolate)	C ₃₆ H ₇₂ O ₄ S ₂ Sn	15571-58-1	0.158
その他のジオクチルスズ化合物	Other Dioctyltin compounds	-	-	-

(3) Principal uses for substances

Part	Purpose	
Stabilizer for PVC, curing catalyst for silicone resin	Stabilizer for PVC, curing catalyst for silicone resin	
and urethane resin	and urethane resin	

Ver. 19 16/59

Table 2-I-8 Nickel and its compounds.

(1) Details

No. I-8	Substance Group: Nickel and its compounds					
Prohibition	Date of ban	Applications	Control Value	Note		
Level	on delivery					
Level 1	Immediate	The following types of articles that maintain direct, sustained contact with the skin: • Earrings, necklaces, bracelets, chains, anklets, rings • Wristwatch cases, wristwatch bands, rivet buttons used in clothing, belts, rivets, zippers, and metal marks.	-The rate of nickel release from the article is less than 0.5 µg/cm² per week.	*1		
Note	*1 Annex XVII to REACH (restriction)					
	The use of articles is prohibited if the rate of nickel released from those articles equals or					
	exceeds 0.5 µg/cm ² per week. (In cases where the above-mentioned articles have non-nickel					
	coatings on them, the use of the articles will still be prohibited if the rate of nickel released					
	from them under normal usage conditions for at least two years exceeds 0.5 µg/cm²per week.)					

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
一酸化ニッケル	Nickel oxide	NiO	1313-99-1	0.786
炭酸ニッケル	Nickel carbonate	$NiCO_3$	3333-67-3	0.494
硫酸ニッケル	Nickel Sulphate	NiSO ₄	7786-81-4	0.379
ニッケル	Nickel	Ni	7440-02-0	1.000
塩化第一ニッケル	Nickel (II) chloride	$ m NiCl_2$	7718-54-9	0.453
その他のニッケル化合物	Other nickel compounds	-	JAMP-SN0027	-

(3) Principal uses for substances

Part	Purpose	
Headphones, accessories	Stainless steel, plating	

Table 2-I-9 Polybrominated biphenyl (PBBs)

(1) Details

No. I-9	Substance Gro	Group: Polybrominated biphenyl (PBBs)			
Prohibition	Date of ban	Applications	Control Value	Note	
Level	on delivery				
Level 1	Immediate	·Electric and electronic equipment subject	-1000 ppm or less in	*1	
		to RoHS Directive (2011/65/EU)	homogeneous material		
		·The following types of articles that	-Intentional inclusion	*2	
		maintain direct, sustained contact with	prohibited		
		the skin:			
		 Fiber products such as clothes, 			
		underwear, and linens			
Note	*1 RoHS Directive (2011/65/EU); monitoring chemical substances by Japanese Chemical				
	Substances Control Act.				
	*2 Annex XVII to REACH (restriction)				

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ポリ臭化ビフェニル類	Polybrominated Biphenyls		59536-65-1 JAMP-SN0065	-
4,4'-ジブロモビフェニル	4,4'-Dibromobiphenyl	C ₆ H ₄ BrC ₆ H ₄ Br	92-86-4	-
2-ブロモビフェニル	2-Bromobiphenyl	$C_6H_5C_6H_4Br$	2052-07-5	-
3-ブロモビフェニル	3-Bromobiphenyl	$C_6H_5C_6H_4Br$	2113-57-7	-
4-ブロモビフェニル	4-Bromobiphenyl	$C_6H_5C_6H_4Br$	92-66-0	-
トリブロモビフェニル	1,1'-Biphenyl, 2,2',5-tribromo-	$C_{12}H_7Br_3$	59080-34-1	-
テトラブロモビフェニル	Tetrabromobiphenyl	$C_{12}H_6Br_4$	40088-45-7	-
ペンタブロモビフェニル	Pentabromobiphenyl	$C_{12}H_5Br_5$	56307-79-0	
2,2',4,4',5,5'-ヘキサブロモビフ	2,2',4,4',5,5'-	$C_6H_2Br_3C_6H_2B$	59080-40-9	-
エニル	Hexabromobiphenyl Hexabromobiphenyl	\mathbf{r}_3		
ヘキサブロモ・1,1・ビフェニル	Hexabromo-1,1-biphenyl	$C_6H_2Br_3C_6H_2B$	36355-01-8	-
ファイアーマスターFF-1	Firemaster FF-1	$\mathrm{C}_{12}\mathrm{H}_4\mathrm{Br}_6$	67774-32-7	-
ヘプタブロモビフェニル	Heptabromobiphenyl	$C_6Br_5C_6H_3Br_2$	35194-78-6	-
オクタブロモビフェニル	Octabromobiphenyl	C ₆ HBr ₄ C ₆ HBr ₄	61288-13-9	-
ノナブロモ-1,1-ビフェニル	Nonabiphenyl	C ₁₂ HBr ₉	27753-52-2	-
デカブロモビフェニル	Decabromobiphenyl	$C_6BrC_6Br_5$	13654-09-6	-
[1,1'-ビフェニル]-ar,ar'-ジオー	[1,1'-Biphenyl]-ar,ar'-diol,	(C15H16O2.C1	68758-75-8	-
ル, テトラブロモ-, (クロロメチ	tetrabromo-, polymer with	2H6Br4O2.C3		
ル)オキシラン及び4,4'-(1-メチ	(chloromethyl)oxirane and 4,4'-	H5ClO)x		
ルエチリデン)ビス[フェノール]	(1-			
とのポリマー	methylethylidene)bis[phenol]			

(3) Principal uses for substances

Part	Purpose
Flame-retardant plastic enclosure molded items	Plastic flame retardants

Table 2-I-10 Polybrominated diphenyl ethers (PBDEs)

(1) Details

No. I-10	Substance Group: Polybrominated diphenyl ethers (PBDEs)					
Prohibition	Date of ban	Applications	Control Value	Note		
Level	on delivery					
Level 1	Immediate	· Electric and electronic equipment subject	-1000 ppm or less in	*1		
		to RoHS Directive (2011/65/EU)	homogeneous material	*3		
		[PBDEs excluding DecaBDE (CAS No.:	·Less than 500 ppm as	*2		
		1163-19-5)]	a total amount in			
		· All applications other than the items article				
		subject to RoHS Directive (2011/65/EU)				
		[DecaBDE (CAS No.: 1163-19-5) only]	-Intentional inclusion	*3		
		· All applications	prohibited	*4		
*4	«FDA-registere	ed medical devices»				
Exemption		owing Official Journal is applicable.				
		A: CHAPTER 53—TOXIC SUBSTANCES CONTROL SUBCHAPTER I—CONTROL OF				
	TOXIC SUBSTANCES Sec. 2602. Definitions. (2)(vi)					
	(https://ww	(https://www.govinfo.gov/content/pkg/USCODE-2018-title15/pdf/USCODE-2018-title15-chap53.pdf)				

	(Note) FDA-registered medical devices are not subject to TSCA but Olympus may require suppliers to
	report the contents of these substances so that Olympus can confirm the exemptions are applied.
	«Exceptions to US TSCA PBT Rules »
	 Regulated substances, products or articles containing regulated substances, which have already been sold to end-consumers (such as secondhand articles and donations to charity) Disposal of regulated substances, products or articles containing regulated substances Production, treatment, distribution in commerce and use of regulated substances, products or articles containing regulated substances for research and development purposes Processing and distribution in commerce for recycling of plastic containing DecaBDE from products or articles
	(Note) Items other than the "FDA-registered medical devices" described above
Note	*1 RoHS Directive (2011/65/EU)
	*2 EU POPs regulation
	*3 Class I Specified Chemical Substances (CAS No. : 1163-19-5) designated by Japanese
	Chemical Substances Control Act., US TSCA PBT Rules

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

(2) Examples of substances (The	table below does not cover an	me substances in	tills substance	group.
Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ポリ臭化ジフェニルエーテル類	Polybrominated diphenyl ethers	C ₁₂ H _X Br _(10-X) O	JAMP-SN0066	-
ブロモジフェニルエーテル	Bromodiphenyl ether	Br(C ₆ H ₄)O(C ₆ H ₅)	101-55-3	-
ジブロモジフェニルエーテル	Dibromodiphenyl ethers	C ₆ H ₄ BrOC ₆ H ₄ Br	2050-47-7	-
トリブロモジフェニルエーテル	Tribromodiphenyl ether	C ₁₂ H ₇ Br ₃ O	49690-94-0	-
テトラブロモジフェニルエーテ ル	Tetrabromobiphenyl ethers	C ₁₂ H ₆ Br ₄ O	40088-47-9	-
ペンタブロモジフェニルエーテル (注:市販のPeBDPDは、種々の臭素化ジフェニルオキシドを含む複雑な反応混合物である)	Pentabromodiphenyl ether (note:Commercially available PeBDPD is a complex reaction mixture containing a variety of brominated diphenyloxides)	-	32534-81-9 (CAS No. used for commercial grades of PeBDPD)	-
ヘキサブロモジフェニルエーテ ル	Hexabromodiphenyl ether	C ₁₂ H ₄ Br ₆ O	36483-60-0	-
ヘプタブロモジフェニルエーテ ル	Heptabromodiphenyl ether	C ₁₂ H ₃ Br ₇ O	68928-80-3	-
オクタブロモジフェニルエーテ ル	Octabromobiphenyl ether	$\mathrm{C}_{12}\mathrm{H}_2\mathrm{Br}_8\mathrm{O}$	32536-52-0	-
ノナブロモジフェニルエーテル	Nonabromodiphenyl ether	C ₁₂ HBr ₉ O	63936-56-1	-
デカブロモジフェニルエーテル (DecaBDE)	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	Br ₅ C ₆ OC ₆ Br ₅	1163-19-5	-

(3) Principal uses for substances

Part	Purpose
Flame-retardant plastic enclosure molded items	Plastic flame retardants

Ver. 19 19/59

Table 2-I-11 Polychlorinated biphenyl (PCBs)

(1) Details

No. I-11	Substance Group: Polychlorinated biphenyl (PCBs)						
Prohibition	Date of ban	Applications Control Value					
Level	on delivery						
Level 1	Immediate	·All applications	-Intentional inclusion	*1			
			prohibited				
Note	*1 Class I S	*1 Class I Specified Chemical Substances designated by Japanese Chemical Substances					
	Control Act., TSCA(USA)						

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ポリクロロビフェニル	Polychlorobiphenyl	Unspecified	1336-36-3	-
アロクロール(Aroclor)	Aroclor	(C ₆ -C ₆)HxCly	12767-79-2	-
クロロジフェニル(アロクロール 1260)	Aroclor 1260	-	11096-82-5	-
クロロビフェニル	Chlorobiphenyl	C ₁₂ H ₉ Cl	27323-18-8	-
アロクロール 1254	Aroclor 1254	Unspecified	11097-69-1	-
モノメチル・テトラクロロ・ジフェニルメタン(Ugilec 141)	Monomethyl-tetrachloro- diphenyl methane (Ugilec 141)	$\mathrm{C}_{14}\mathrm{H}_{10}\mathrm{Cl}_4$	76253-60-6	-
モノメチル -ジクロロ -ジフェ ニルメタン (Ugilec121, Ugilec21)	Monomethyl-dichloro-diphenyl methane (Ugilec 121, Ugilec 21)	-	81161-70-8	-
モノメチル・ジブロモ・ジフェ ニルメタン (DBBT)	Monomethyl-dibromo-diphenyl methane (DBBT)	-	99688-47-8	-

(3) Principal uses for substances

Part	Purpose
Insulating oil for transformers and capacitors	Electrical insulation medium, solvents

Table 2-I-12 Substance Group: Polychlorinated Terphenyls (PCTs)

(1) Details

No.I-12	Substance Gr	Substance Group: Polychlorinated Terphenyls (PCTs)				
Prohibition	Date of ban	Applications	Control Value	Note		
Level	on delivery					
Level 1	Immediate	·All applications	-Less than 50 ppm in			
			mixture or article			
Note	*1 Annex X	VII to REACH (restriction)				

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

	Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
	全ての異性体および同族体)	Polychlorinated terphenyls (PCTs; all isomers and congeners)	Unspecified	61788-33-8	-
5	テルフェニル類	Terphenyls	$C_6H_4(C_6H_5)_2$	26140-60-3	-

(3) Principal uses for substances

Part	Purpose
Insulating oil for transformers and capacitors	Electrical insulation medium, solvents

Table 2-I-13 Polychlorinated naphthalene (number of chlorine: 2 or more)

(1) Details

No. I-13	Substance Gr	Substance Group: Polychlorinated naphthalene (number of chlorine: 2 or more)				
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note		
Level 1	Immediate			*1		
Note	*1 Class I Specified Chemical Substances designated by Japanese Chemical Substances Control Act.					

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ポリ塩化ナフタレン(塩素数が2		Unspecified	70776-03-3	-
以上)	Naphthalenes(Cl≥2)			
2塩化ナフタレン	Dichloronaphtalene	$C_{10}H_6Cl_2$	28699-88-9	-
3塩化ナフタレン	Trichloronaphtalene	$C_{10}H_5Cl_3$	1321-65-9	-
4塩化ナフタレン	Tetrachloronaphtalene	$C_{10}H_4Cl_4$	1335-88-2	-
5塩化ナフタレン	Pentachloronaphtalene	$C_{10}H_3Cl_5$	1321-64-8	-
その他のポリ塩化ナフタレン(塩		-	-	-
素数が2以上)	Naphthalenes (Cl≥2)			

(3) Principal uses for substances

Part	Purpose
Flexible rubber, elastomer belts, rolls, packing,	Plastic stabilizers (electrical characteristics, flame-
sealing materials, insulating oil for capacitors	proofing, water-proofing, biocidal characteristics),
	electrical insulation medium

Table 2-I-14 Short-chained chlorinated paraffin (having the chain length of 10 - 13)

(1) Details

No. I-14	Substance Group: Short-chained chlorinated paraffin (having the chain length of 10 - 13)			
Prohibition	Date of ban	oan Applications Control Value Note		
Level	on delivery			
Level 1	Immediate	· All applications	-Intentional inclusion prohibited	*1
Note	*1 Class I Specified Chemical Substances designated by Japanese Chemical Substances Control Act., EU POPs regulation			

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversi on factor
塩素化パラフィン(短鎖) (C10-13)	Alkanes,C10-13,chloro(Short Chain Chlorinated Paraffins)	Unspecified	85535-84-8	-
クロロアルカン C10-12	Alkanes, C10-12, chloro	Unspecified	104948-36-9	-
1,1,1,3,5,7,9,11,11-ノナクロ ロウンデカン	Undecane, 1,1,1,3,5,7,9,11,11- nonachloro-	C11H15Cl9	18993-26-5	-
ヘプタクロロウンデカン	Undecane, heptachloro-	-	219697-10-6	-
ノナクロロウンデカン	Undecane, nonachloro-	-	219697-11-7	-

1,2,10,11,? ,? ,? ,?-オクタク ロロウンデカン 塩素化パラ フィン (C11、C17-12)	Undecane, 1,2,10,11,?,?,?,?-octachloro-	-	221174-07-8	-
デカクロロウンデカン	Undecane, decachloro-	-	276673-33-7	-
オクタクロロウンデカン	Undecane, octachloro-	C11H16Cl8	36312-81-9	-
クロロワックス	Chlorowax	-	51990-12-6	-
1,1,1,3,6,7,10,11-オクタクロ ロウンデカン	Undecane, 1,1,1,3,6,7,10,11- octachloro-	-	601523-20-0	-
1,1,1,3,9,11,11,11-オクタク ロロウンデカン	Undecane, 1,1,1,3,9,11,11,11- octachloro-	-	601523-25-5	-
クロロアルカン	Alkanes, chloro; chloroparaffins	Unspecified	61788-76-9	-
1,1,1,2-テトラクロロ-ウンデ カン	Undecane, 1,1,1,2-tetrachloro-	C11H20Cl4	63981-28-2	-
クロロアルカン C12-24	Alkene, C12-24-, Chloro-	Unspecified	68527-02-6	-
クロロパラフィン(C6-18) (組成不定)	Chlorinated n-paraffins (C6-18)	Unspecified	68920-70-7	-
塩素化マイクロクリスタリン炭化水素ワックス(石油系)	Hydrocarbon waxes (petroleum), microcryst., chlorinated	Unspecified	68938-43-2	-
クロロアルカン(炭化水素化 合物)(C12-13)	Alkanes, C12-13, chloro	Unspecified	71011-12-6	-
クロロアルカン(塩化炭化水 素)(C10-21)	Alkanes, C10-21, chloro	Unspecified	84082-38-2	-
クロロアルカン類, C10-32	Alkanes, C10-32, chloro	Unspecified	84776-06-7	-
クロロパラフィン油	Paraffin oils, chloro-	Unspecified	85422-92-0	-
クロロパラフィン(C12-14)	Alkane, C12-14-, Chloro-	Unspecified	85536-22-7	-
クロロパラフィン (C10-14)	Alkane, C10-14-, Chloro-	Unspecified	85681-73-8	-
クロロアルカン(C12-16)	Alkanes, C12-16, chloro	Unspecified	866758-65-8	-
塩素化パラフィン(石油)、 標準 C>10	Paraffins (petroleum), normal C>10, chloro	Unspecified	97553-43-0	-
クロロアルカン類, C10-26	Alkanes, C10-26, chloro	Unspecified	97659-46-6	-
塩素化パラフィン (SCCP(短 鎖) ま た は MCCP(中鎖)か分からないも の)	Chlorinated Paraffins may or may not be SCCP or MCCP	-	JAMP- SN1020	-

Part	Purpose
Flexible polyvinyl chloride molded items	Polyvinyl chloride plasticizers

Table 2-I-15 Polyvinyl chloride (PVC)

(1) Details

(1) Details				
No. I-15	Substance Group: Polyvinyl chloride (PVC)			
Prohibition	Date of ban	Applications	Control Value No	Vote
Level	on delivery			
Level 1	Immediate	·Packaging materials	-Intentional inclusion —	_
			prohibited	

Ver. 19 22/59

Exemption Other applications are permitted.

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversio n factor
塩化ビニル、クロロエチレン	Chloroethene	-	75-01-4	-
ポリ塩化ビニル(PVC)およびそ	Polyvinyl chloride (PVC) and its	(CH ₂ CHCl) _n	9002-86-2	-
の混合物	mixture			
ポリ塩化ビニル酢酸ビニル共重	Vinyl chloride/vinyl acetate	-	9003-22-9	-
合体	copolymer			

(3) Principal uses for substances

Part	Purpose
Coated wiring cords, electric insulation molded	Electrical insulation medium, chemical-resistance,
items, chemical-resistant molded parts, plumbing	transparency
components, transparent covers	

Table 2-I-16 Hexabromocyclododecane (HBCDD)

(1) Details

No. I-16	Substance Group: Hexabromocyclododecane (HBCDD)			
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	·All applications	-Intentional inclusion prohibited	*1
		·Substances	-Intentional inclusion	*2
		·Mixtures	prohibited	
Exemption	*2 Applications that are submitted to, and approved by, the European Chemicals Agency			
	will be permitted.			
Note	*1 Class I Specified Chemical Substances designated by Japanese Chemical Substances			
	Control Act., EU POPs regulation			
	*2 Annex XIV to REACH (authorizations)			

(2) Regulated substances (Japanese Chemical Substances Control Act.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No or JAMP-SN
1,2,5,6,9,10-ヘキサブロモシクロドデ	1,2,5,6,9,10-hexabromocyclododecane	$\mathrm{C}_{12}\mathrm{H}_{18}\mathrm{Br}_{6}$	3194-55-6
カン			
ヘキサブロモシクロドデカン	Hexabromocyclododecane (HBCDD)	$\mathrm{C}_{12}\mathrm{H}_{18}\mathrm{Br}_{6}$	25637-99-4
(HBCDD)			
rel-(1R,2R,5S,6R,9R,10S)-	rel-(1R,2R,5S,6R,9R,10S)-1,2,5,6,9,10-	$\mathrm{C}_{12}\mathrm{H}_{18}\mathrm{Br}_{6}$	134237-50-6
1,2,5,6,9,10-ヘキサブロモシクロドデ	Hexabromocyclododecane;		
カン;	Alpha-hexabromocyclododecane		
アルファ-ヘキサブロモシクロドデカン			
rel-(1R,2S,5R,6R,9R,10S)-	rel-(1R,2S,5R,6R,9R,10S)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	134237-51-7
1,2,5,6,9,10-ヘキサブロモシクロドデ	hexabromocyclododecane		
カン;	Beta-hexabromocyclododecane		
ベータ-ヘキサブロモシクロドデカン			
rel-(1R,2R,5R,6S,9S,10R) -	rel-(1R,2R,5R,6S,9S,10R)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	134237-52-8
1,2,5,6,9,10-ヘキサブロモシクロドデ	hexabromocyclododecane		
カン;	Gamma-hexabromocyclododecane		
ガンマ-ヘキサブロモシクロドデカン			

Ver. 19 23/59

rel-(1R,2S,5R,6S,9R,10S)-	rel-(1R,2S,5R,6S,9R,10S)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	4736-49-6
1,2,5,6,9,10-ヘキサブロモシクロドデ	Hexabromocyclododecane		
カン			
rel-(1R,2S,5R,6S,9S,10R)-	rel-(1R,2S,5R,6S,9S,10R)-1,2,5,6,9,10-	$\mathrm{C}_{12}\mathrm{H}_{18}\mathrm{Br}_{6}$	65701-47-5
1,2,5,6,9,10-ヘキサブロモシクロドデ	Hexabromocyclododecane		
カン			
(1R,2R,5R,6S,9S,10S)-1,2,5,6,9,10-\(\sigma\)	(1R,2R,5R,6S,9S,10S)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	138257-17-7
キサブロモシクロドデカン	Hexabromocyclododecane		
(1R,2R,5R,6S,9R,10S)-1,2,5,6,9,10-\sime\)	(1R,2R,5R,6S,9R,10S)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	138257-18-8
キサブロモシクロドデカン	Hexabromocyclododecane		
(1R,2S,5S,6R,9S,10S)-1,2,5,6,9,10-\(\sigma\)	(1R,2S,5S,6R,9S,10S)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	138257-19-9
キサブロモシクロドデカン	Hexabromocyclododecane		
(1R,2S,5S,6S,9S,10R)-1,2,5,6,9,10-\square	(1R,2S,5S,6S,9S,10R)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	169102-57-2
キサブロモシクロドデカン	Hexabromocyclododecane		
(1R,2R,5S,6R,9R,10S)-1,2,5,6,9,10-\sime\)	(1R,2R,5S,6R,9R,10S)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	678970-15-5
キサブロモシクロドデカン	Hexabromocyclododecane		
(1R,2S,5R,6S,9S,10S)-1,2,5,6,9,10-\square	(1R,2S,5R,6S,9S,10S)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	678970-16-6
キサブロモシクロドデカン	Hexabromocyclododecane		
(1R,2R,5R,6S,9S,10R)-1,2,5,6,9,10-\sime\)	(1R,2R,5R,6S,9S,10R)-1,2,5,6,9,10-	$C_{12}H_{18}Br_6$	678970-17-7
キサブロモシクロドデカン	Hexabromocyclododecane		
Regulated substances (REACH, EU	POPs regulation)	1	'
Coloto (Incolo)	(C.1.4(F(F	Chemical	CAS No or
Substance (Japanese)	Substance (English)	formula	JAMP-SN
1,2,5,6,9,10-ヘキサブロモシクロドデ	1,2,5,6,9,10-hexabromocyclododecane	$C_{12}H_{18}Br_6$	3194-55-6
カン			
ヘキサブロモシクロドデカン	Hexabromocyclododecane (HBCDD) and	$C_{12}H_{18}Br_6$	25637-99-4
(HBCDD)	all major diastereoisomers identified:		
アルファ・ヘキサブロモシクロドデカン	Alpha-hexabromocyclododecane		134237-50-6,
ベータ-ヘキサブロモシクロドデカン	Beta-hexabromocyclododecane		134237-51-7,
ガンマ-ヘキサブロモシクロドデカン	Gamma-hexabromocyclododecane		134237-52-8

· · ·	
Part	Purpose
Expanded polystyrene molded parts, adhesive agents,	Fire-retardant for resins and fibers
fiber coating	

Table 2-I-17 Pentachlorothiophenol (PCTP)

(1) Details

No. I-17	Substance Group: Pentachlorothiophenol (PCTP)			
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	·All applications	-1% (10, 000 ppm) by weight or less of the weight of an article	*1
Exemption	«FDA-registered medical devices» The following Official Journal is applicable. TSCA: CHAPTER 53—TOXIC SUBSTANCES CONTROL SUBCHAPTER I—CONTROL OF TOXIC SUBSTANCES Sec. 2602. Definitions. (2)(vi) (https://www.govinfo.gov/content/pkg/USCODE-2018-title15/pdf/USCODE-2018-title15-chap53.pdf) (Note) FDA-registered medical devices are not subject to TSCA but Olympus may require suppliers to			

Ver. 19 24/59

	report the contents of these substances so that Olympus can confirm the exemptions are applied.
	«Exceptions to US TSCA PBT Rules»
	· Regulated substances, products or articles containing regulated substances, which have been
	already sold to end-consumers (such as secondhand articles and donations to charity)
	 Disposal of regulated substances, products or articles containing regulated substances
	· Production, treatment, distribution in commerce and use of regulated substances, products or
	articles containing regulated substances for research and development purposes
	(Note) Items other than the "FDA-registered medical devices" described above
Note	*1 US TSCA PBT Rules

(2) Regulated substances

Substance (Japanese)	Substance (English)	0 0	CAS No or JAMP-SN
	Pentachlorothiophenol (PCTP)	C6HCl5S	133-49-3
(PCTP)			

(3) Principal uses for substances

Part	Purpose	
Rubber	Additive to improve stiffness modulus	

Table 2-I-18 Hexachlorobutadiene (HCBD)

(1) Details

No. I-18	Substance Group: Hexachlorobutadiene (HCBD)				
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note	
Level 1	Immediate	·All applications	-Intentional inclusion prohibited	*1	
Exemption	«FDA-registere	ed medical devices»	•	•	
1	The following (Official Journal is applicable.			
	TSCA: CHA	APTER 53—TOXIC SUBSTANCES CONTR	OL SUBCHAPTER I—CONTROL C	F	
	TOXIC SUBSTANCES Sec. 2602. Definitions. (2)(vi)				
	(https://www.govinfo.gov/content/pkg/USCODE-2018-title15/pdf/USCODE-2018-title15-chap53.pdf)				
	(Note) FDA-registered medical devices are not subject to TSCA but Olympus may require suppliers to report the contents of these substances so that Olympus can confirm the exemptions are applied.				
	«Exceptions to US TSCA PBT Rules »				
	• Regulated substances, products or articles containing regulated substances, which have be already sold to end-consumers (such as secondhand articles and donations to charity)				
1		l of regulated substances, products or article			
	· Production, treatment, distribution in commerce and use of regulated substances, products or				
	articles containing regulated substances for research and development purposes				
		exceptions related to Olympus Group produc			
NT /		er than the "FDA-registered medical devices			
Note	-	eified Chemical Substances designated b	by Japanese Chemical Substance	es	
	Control Act	., US TSCA PBT Rules			

(2) Regulated substances

Substance (Japanese)	Substance (English)	Chemical formula	CAS No or JAMP-SN
ヘキサクロロブタジエン (HCBD)	Hexachlorobutadiene (HCBD)	C4Cl6	87-68-3

(3) Principal uses for substances

Part	Purpose	
Rubber compounds	Chemical intermediates	

Ver. 19 25/59

Table 2-I-19 Hexachlorobenzene (HCB)

No. I-19	Substance Group: Hexachlorobenzene (HCB)			
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	· All applications (substances, mixtures and articles)	equal to or below 10ppm	*1
Note	*1: Commission Delegated Regulation (EU) 2022/2291 amending EU PoPs			

(2) Regulated substances

Substance (Japanese)	Substance (English)	Chemical formula	CAS No or JAMP-SN
Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	C6Cl6	118-74-1

(3) Principal uses for substances

Part	Purpose
Pesticides, chlorinated solvents, inks, coatings,	Fungicides, herbicides, smelting accelerators,
paints and toners, wood application, textile	plasticizers, flame retardants, chemical
application and plastics.	intermediates

Table 2-I-20 Dechlorane Plus

No. I-20	Substance Group: Dechlorane Plus				
Prohibition	Date of ban	Applications	Control Value	Note	
Level	on delivery				
Level 1	Immediate	·Substances, compounds	·Not contained	*1	
		·Articles	·Import ban on government-	*1	
		Thomas	designated products	1	
		·All uses	·Not contained	*2	
Exemption		Substances Control Law: Class 1 S	=		
	- Substances and compounds used in medical devices and in the manufacture of medical				
	devices are not subject to regulation				
	- If a substance or compound contains a by-product, it is not treated as a Class 1 Specified				
	Chemical Substance if it has been reported to BAT				
	https://www.meti.go.jp/policy/chemical_management/kasinhou/about/class1specified_hi				
	<u>story.html</u>				
	*2:Environm	ental Protection and Management.	Act 1999		
Note	*1: Chemical	Substances Control Law: Class 1 S	pecified Chemical Substances		
	*2:Environm	ental Protection and Management	Act 1999		

(2) Regulated substances

Substance (Japanese)	Substance (English)	Chemical formula	CAS No or JAMP-SN
デクロランプラス	Dechlorane Plus	C18H12Cl12	13560-89-9
			135821-03-3

Ver. 19 26/59

	135821-74-8

Part	Purpose
Electrical and electronic equipment, optical products,	Chlorinated flame retardants
food packaging, building and construction materials,	
tapes and adhesives, woven fabrics, textiles, apparel,	
cosmetics, explosives and fireworks, plastic products,	
paints and greases	

Table 2-I-21 Asbestos

(1) Details

No. I-21	Substance G	roup: Asbestos		
Prohibition	Date of	Applications	Control Value	Note
Level	ban on			
	delivery			
Level 1	Immediate	·All applications	-Intentional inclusion	*1
			prohibited	
Note	*1 Annex X	*1 Annex XVII to REACH (restriction), Industrial Safety and Health Law (Japan)		
	(Specified Chemical Substances Class II: Applicable only to Amosite, Chrysotile and			
	Crocidolite)			

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
アクチノライト	Actinolite	Unspecified	77536-66-4	-
アモサイト	Amosite	Unspecified	12172-73-5	-
アンソフィライト	Anthophyllite	Unspecified	77536-67-5	-
クリソタイル	Chrysotile	Unspecified	12001-29-5 132207-32-0	-
クロシドライト	Crocidolite	Unspecified	12001-28-4	-
トレモライト	Tremolite	Unspecified	77536-68-6	-
アスベスト繊維	Asbestos fibers	-	1332-21-4 JAMP- SN0056	-

(3) Principal uses for substances

Part	Purpose
Brake lining pads, electrical insulation parts, seals for	Friction material, insulation materials, fillers
chemical installations	

Table 2-I-22 Azo dyes and pigments (specific amines formed by degrading azo dyes and pigments)

(1) Details

No. I-22	Substance Group: Azo dyes and pigments (specific amines formed by degrading azo dyes and pigments)			
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note
Level 1	Immediate	·Use of Azo dyes and pigments forming specific amines by degradation of the parts of articles being routinely touched	-Less than 30 ppm in article	*1

Ver. 19 27/59

	by skin for a long time (such as earphones, headphones and straps)	
	·Substances and mixtures that contain to following substances: CAS No.101-77-9: 4,4'-Diaminodiphenylmethane CAS No. 101-14-4: 2,2'-dichloro-4,4'- methylenedianiline	ne -Intentional inclusion *2 prohibited
Exemption	*2 Applications that are submitted to, and approved by, be permitted.	the European Chemicals Agency will
Note	*1 Annex XVII to REACH (restriction), Consumer Goods *2 Annex XIV to REACH (authorizations)	Ordinance (BedGgstV) (Germany)

(2) Regulated substances

Substance			
Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN
4-アミノアゾベンゼン	4-aminoazobenzene	$C_{12}H_{11}N_3$	60-09-3
2·メトキシアニリン; o·アニシジン	2-Methoxyaniline; o-Anisidine	C ₇ H ₉ NO	90-04-0
2-ナフチルアミン	2-naphthylamine	$C_{10}H_9N$	91-59-8
3,3'-ジクロロベンジジン	3,3'-dichlorobenzidine	$C_{12}H_{10}Cl_2N_2$	91-94-1
ビフェニル-4-イルアミン; 4-アミノビフェニル	Biphenyl-4-ylamine; 4-aminobiphenyl	C ₁₂ H ₁₁ N	92-67-1
ベンジジン	Benzidine	$C_{12}H_{12}N_2$	92-87-5
o-トルイジン	o-toluidine	C ₇ H ₉ N	95-53-4
o-塩化トルイジン	4-chloro-o-toluidine	C ₇ H ₈ ClN	95-69-2
2,4-ジアミノトルエン	4-methyl-m-phenylenediamine(toluene-2,4-diamine)	$\mathrm{C_7H_{10}N_2}$	95-80-7
o-アミノアゾトルエン	o-aminoazotoluene	$C_{14}H_{15}N_3$	97-56-3
5-ニトロ-o-トルイジン	5-nitro-o-toluidine	$C_7H_8N_2O_2$	99-55-8
2,2'-ジクロロ-4,4'-メチレンジアニ	リン 2,2'-dichloro-4,4'-methylenedianiline	$C_{13}H_{12}Cl_2N_2 \\$	101-14-4
4,4'-ジアミノジフェニルメタン	4,4'-diaminodiphenylmethane(MDA);	$C_{13}H_{14}N_2$	101-77-9
4,4'-オキシジアニリン及びその	塩 4,4'-oxydianiline and its salts	$C_{12}H_{12}N_2O$	101-80-4
p-クロロアニリン	p-chloroaniline	C_6H_6ClN	106-47-8
3,3'-ジメトキシベンジジン	3,3'-dimethoxybenzidine	$C_{14}H_{16}N_2O_2$	119-90-4
3,3'-ジメチルベンジジン	3,3'-dimethylbenzidine	$C_{14}H_{16}N_2$	119-93-7
6-メトキシ-m-トルイジン	6-methoxy-m-toluidine	$C_8H_{11}NO$	120-71-8
2,4,5-トリメチルアニリン	2,4,5-trimethylaniline	$C_9H_{13}N$	137-17-7
4,4'-ジアミノジフェニルスルフ。	イド 4,4'-thiodianiline	$C_{12}H_{12}N_2S$	139-65-1
2,4-ジアミノアニソール	2,4-diaminoanisole	$C_7H_{10}N_2O$	615-05-4
4,4'-メチレンビス(o-トルイジ)	∠) 4,4'-methylenedi-o-toluidine	$C_{15}H_{18}N_2$	838-88-0

(3) Principal uses for substances

Part	Purpose
Fiber products, printing inks	Dyes and pigments

Ver. 19 28/59

Table 2-I-23 Ozone depleting substances

(1) Details

No. I-23	Substance Gro	up: Ozone depleting substances		
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	·All applications	-Intentional inclusion	*1
			prohibited	
Note		*1 Montreal Protocol, Section 611 on the Clean Air Act Amendments of 1990 (U.S.A.),		
	(EC)No 2037/2000, (EC)No 1005/2009, Law Concerning the Protection of the Ozone			
	Layer (Jaj	pan).		

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Annex A Group I: CFC トリクロロフルオロメタン; CFC-11	Substance (Japanese)	Substance (English)	Chemical	
トリクロロフルオロメタン ; CFC-11		Substance (Bilginia)	formula	JAMP-SN
デクロロジフルオロメタン;CFC-12 Dichlorodifluoromethane;CFC-12 CF $_2$ Cl $_2$ 75·71·8 トリクロロトリフルオロエタン; Trichlorofluoroethane; C $_2$ F $_3$ Cl $_3$ 354·58·5 76·13·1 グン(CFC-113 CFC-114 CFC-115 CFC-114 CFC-114 CFC-114 CFC-114 CFC-115 CFC-115 Monochloropentafluoroethane;CFC-115 CFC-115 CFC-115 Monochloropentafluoromethane;CFC-115 CF $_2$ F $_3$ Cl $_3$ CFC-115 Annex A Group II : Halons プロモクロロジフルオロエタン; Dibromotetrafluoromethane;Halon 1211 CF $_2$ BrCl 353·59·3 ン-1211 CF $_3$ CFC-115 Dibromotetrafluoromethane;Halon 1201 CF $_3$ Br 75·63·8 1301 プブロモテトラフルオロエタン; Dibromotetrafluoromethane;Halon 2402 C $_2$ F $_4$ Br $_2$ 124·73·2 $_2$ CFC-112 Chlorotrifluoromethane;CFC-113 CF $_3$ CFC-113 CFC-114 CF $_3$ CFC-115 CFC-115 CFC-115 CFC-115 CFC-115 CF $_3$ CFC-115 CFC-115 CFC-115 CF $_3$ CFC-115 CFC-115 CF $_3$ CFC-115 CFC-115 CF $_3$ CFC-115 Dibromotetrafluoromethane;Halon 1201 CF $_3$ Br 75·63·8 1301 プブロモテトラフルオロエタン; CFC-115 Dibromotetrafluoromethane;Halon 2402 C $_2$ F $_4$ Br $_2$ 124·73·2 $_2$ CFC-115 CFC-11	_		T	T
トリクロロトリフルオロエタン;				
1,1,2 トリクロロ・1,2,2 トリフルオロエ		Dichlorodifluoromethane; CFC-12	$\mathrm{CF_{2}Cl_{2}}$	75-71-8
タン;CFC-113	トリクロロトリフルオロエタン;	Trichlorofluoroethane;	$C_2F_3Cl_3$	
	1,1,2トリクロロ-1,2,2トリフルオロエ	1,1,2 Trichloro-1,2,2 trifluoroethane;		76-13-1
CFC-114		CFC-113		
E / クロロペンタフルオロエタン; Monochloropentafluoroethane;CFC-115	ジクロロテトラフルオロエタン;	Dichlorotetrafluoroethane ; CFC-114	$C_2F_4Cl_2$	1320-37-2
・Annex A Group II:Halons プロモクロロジフルオロメタン;ハロン Bromochlorodifluoromethane;Halon 1211 CF₂BrCl 353-59-3 ン-1211 CF₂BrCl 353-59-3 フロモトリフルオロメタン;ハロン Bromotrifluoromethane;Halon 1301 CF₃Br 75-63-8 1301 ジプロモテトラフルオロエタン;ハロ Dibromotetrafluoroethane;Halon 2402 C₂F₄Br₂ 124-73-2 ン-2402 Annex B Group I:Other CFCs 塩化フッ化メタン;CFC-13 Chlorotrifluoromethane;CFC-13 CF₃Cl 75-72-9 ペンタクロロフルオロエタン;CFC Pentachlorofluoroethane;CFC-111 C₂FCl₃ 354-56-3 111 テトラクロロジフルオロエタン;Tetrachlorodifluoroethane;CFC-112 C₂F₂Cl₄ 28605-74-5 76-12-0 1.1.1.2-テトラクロロ-2.2-ジフオロエ スプタクロロフルオロプロパン;Heptachlorofluoropropane;CFC-211 C₃FCl₁ 135401-87-5 422-78-6 1.1.1.2.3.3.3-ヘプタクロロ-2-フルオ コプロパン;CFC-211ba CFC-211ba CFC-212 CFC-211ba CFC-211ba CFC-211ba CFC-212 CFC-212 CFC-212 CFC-212 CFC-212 CFC-213 CS-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2				76-14-2
• Annex A Group II : Halons プロモクロロジフルオロメタン; ハロン・1211 Bromochlorodifluoromethane; Halon 1211 CF₂BrCl 353-59-3 プロモトリフルオロメタン; ハロン・1301 Bromotrifluoromethane; Halon 1301 CF₃Br 75-63-8 1301 ジプロモテトラフルオロエタン; ハロン・2402 Dibromotetrafluoroethane; Halon 2402 C₂F₄Br₂ 124-73-2 ン-2402 • Annex B Group I:Other CFCs 塩化フッ化メタン; CFC-13 Chlorotrifluoromethane; CFC-13 CF₃Cl 75-72-9 ベンタクロロフルオロエタン; CFC-111 Pentachlorofluoroethane; CFC-111 C₂F₂Cl₃ 354-56-3 111 テトラクロロジフルオロエタン; CFC-112 Tetrachlorofluoroethane; CFC-112 C₂F₂Cl₃ 28605-74-5 11.1.2-テトラクロロシ2・ジフオロエ	モノクロロペンタフルオロエタン;	Monochloropentafluoroethane; CFC-115	C_2F_5Cl	76-15-3
プロモクロロジフルオロメタン;ハロン-135-59-3 Bromochlorodifluoromethane;Halon 1211 CF2BrCl 353-59-3 ン-1211 プロモトリフルオロメタン;ハロン-1301 Bromotrifluoromethane;Halon 1301 CF3Br 75-63-8 1301 ププロモテトラフルオロエタン;ハロン-2402 ・Annex B Group I:Other CFCs 塩化フッ化メタン;CFC-13 Chlorotrifluoromethane;CFC-13 CF3Cl 75-72-9 ペンタクロロフルオロエタン;CFC-13 Chlorotrifluoromethane;CFC-11 C2FCl5 354-56-3 111	CFC-115			
シー1211	· Annex A Group II: Halons			
プロモトリフルオロメタン;ハロン Bromotrifluoromethane;Halon 1301	ブロモクロロジフルオロメタン;ハロ	Bromochlorodifluoromethane; Halon 1211	$\mathrm{CF_{2}BrCl}$	353-59-3
1301	ン-1211			
1301	ブロモトリフルオロメタン;ハロン-	Bromotrifluoromethane; Halon 1301	$\mathrm{CF_{3}Br}$	75-63-8
**Nanex B Group I:Other CFCs 塩化フッ化メタン;CFC-13				
*Annex B Group I:Other CFCs 塩化フッ化メタン; CFC-13	ジブロモテトラフルオロエタン;ハロ	Dibromotetrafluoroethane ; Halon 2402	$C_2F_4Br_2$	124-73-2
塩化フッ化メタン;CFC-13	ン-2402			
塩化フッ化メタン;CFC-13	· Annex B Group I:Other CFCs			
111	塩化フッ化メタン ; CFC-13	Chlorotrifluoromethane; CFC-13	CF ₃ Cl	75-72-9
下トラクロロジフルオロエタン;	ペンタクロロフルオロエタン; CFC-	Pentachlorofluoroethane; CFC-111	C_2FCl_5	354-56-3
CFC-112	111			
1.1.1.2-テトラクロロ-2.2-ジフオロエ	テトラクロロジフルオロエタン;	Tetrachlorodifluoroethane ; CFC-112	$C_2F_2Cl_4$	28605-74-5
タン;CFC-112a	CFC-112			76-12-0
ペプタクロロフルオロプロパン; Heptachlorofluoropropane;CFC-211 C_3FCl_7 $135401-87-5$ $422-78-6$ $1.1.1.2.3.3.3-ペプタクロロ-2-フルオ 1.1.1.2.3.3.3-ペプタクロロ-2-フルオ 1.1.1.2.3.3.3-Heptachloro-2-fluoropropane; C_3Cl_7F 422-81-1 C_5C-211ba C_5C-211ba C_5C-211ba C_5C-211ba C_5C-212 C_5C-212 C_5C-212 C_5C-212 C_5C-212 C_5C-213 C_5C-213 C_5C-213 C_5C-213 C_5C-214 $	1.1.1.2-テトラクロロ-2.2-ジフオロエ	1,1,1,2-Tetrachloro-2,2- difluoroethane ;	$C_2F_2Cl_4$	76-11-9
ペプタクロロフルオロプロパン; Heptachlorofluoropropane;CFC-211 C_3FCl_7 $135401-87-5$ $422-78-6$ $1.1.1.2.3.3.3-ペプタクロロ-2-フルオ 1.1.1.2.3.3.3-ペプタクロロジフルオロプロパン;CFC-211ba C_3FCl_7 C_3FCl$	タン ; CFC-112a	CFC-112a		
(CFC-211 422-78-6 1.1.1.2.3.3.3-ヘプタクロロ-2-フルオ 1,1,1,2,3,3,3-Heptachloro-2-fluoropropane; C3Cl7F 422-81-1 ロプロパン; CFC-211ba	ヘプタクロロフルオロプロパン;	Heptachlorofluoropropane; CFC-211	C_3FCl_7	135401-87-5
ロプロパン; CFC-211ba	CFC-211			422-78-6
ロプロパン;CFC-211ba	1.1.1.2.3.3.3-ヘプタクロロ-2-フルオ	1,1,1,2,3,3,3-Heptachloro-2-fluoropropane;	C ₃ Cl ₇ F	422-81-1
CFC-212 1,1,1,3,3,3-Hexachlor-2,2-difluoropropane ; CFC-212 ペンタクロロトリフルオロプロパン ; Pentachlorotrifluoropropane ; CFC-213 C ₃ F ₃ Cl ₅ 134237-31-3 2354-06-5 CFC-213 C ₃ F ₄ Cl ₄ 29255-31-0 ン ; CFC-214 C ₃ Cl ₄ F ₄ 29255-31-0 1,1,1,3-F + ラクロロテトラフルオロ 1,1,1,3-Tetrachlorotetrafluoropropane C ₃ Cl ₄ F ₄ 2268-46-4	ロプロパン ; CFC-211ba			
CFC-212 1,1,1,3,3,3-Hexachlor-2,2-difluoropropane ; CFC-212 ペンタクロロトリフルオロプロパン ; Pentachlorotrifluoropropane ; CFC-213 C₃F₃Cl₅ 134237-31-3 2354-06-5 アトラクロロテトラフルオロプロパ Tetrachlorotetrafluoropropane ; CFC-214 C₃F₄Cl₄ 29255-31-0 ン ; CFC-214 1,1,1,3-Tetrachlorotetrafluoropropane C₃Cl₄F₄ 2268-46-4	ヘキサクロロジフルオロプロパン;	Hexachlorodifluoropropane;	$C_3F_2Cl_6$	3182-26-1
CFC-212 $\\$ ペンタクロロトリフルオロプロパン;Pentachlorotrifluoropropane;CFC-213 $\\$ $C_3F_3Cl_5$ $134237-31-3$ $2354-06-5$ $\\$	The state of the s			
CFC-213 - 2354-06-5 テトラクロロテトラフルオロプロパ Tetrachlorotetrafluoropropane ; CFC-214 $C_3F_4Cl_4$ 29255-31-0 ン ; CFC-214 $I_1,1,3$ -アトラクロロテトラフルオロ $I_1,1,3$ -Tetrachlorotetrafluoropropane $C_3Cl_4F_4$ 2268-46-4				
CFC-213 - 2354-06-5 テトラクロロテトラフルオロプロパ Tetrachlorotetrafluoropropane ; CFC-214 $C_3F_4Cl_4$ 29255-31-0 ン ; CFC-214 $I_1,1,3$ -テトラクロロテトラフルオロ $I_1,1,3$ -Tetrachlorotetrafluoropropane $C_3Cl_4F_4$ 2268-46-4	ペンタクロロトリフルオロプロパン;	Pentachlorotrifluoropropane ; CFC-213	C ₃ F ₃ Cl ₅	134237-31-3
ン; $CFC-214$	CFC-213		-	
ン; $CFC-214$	テトラクロロテトラフルオロプロパ	Tetrachlorotetrafluoropropane; CFC-214	$C_3F_4Cl_4$	29255-31-0
	> ; CFC-214			
		1,1,1,3-Tetrachlorotetrafluoropropane	$C_3Cl_4F_4$	2268-46-4
フロハン	プロパン			
トリクロロペンタフルオロプロパン; Trichloropentafluoropropane; C ₃ F ₅ Cl ₃ 1599-41-3	トリクロロペンタフルオロプロパン:	Trichloropentafluoropropane;	C ₃ F ₅ Cl ₃	1599-41-3

Ver. 19 29/59

GDG ave			
CFC-215	1,2,2-trichloropentafluoropropane; CFC-215		
1,2,3-トリクロロペンタフルオロプロ	1,2,3-trichloropentafluoropropane; CFC-	$C_3Cl_3F_5$	76-17-5
パン;CFC-215ba	215ba		
1,1,2-トリクロロペンタフルオロプロ	1,1,2-trichloropentafluoropropane; CFC-	C ₃ HCl ₃ F ₄	812-30-6
パン;CFC-215bb	215bb		
1,1,3-トリクロロペンタフルオロプロ	1,1,3-trichloropentafluoropropane; CFC-	C ₃ Cl ₃ F ₅	1652-81-9
パン ; CFC-215ca	215ca		
1,1,1-トリクロロペンタフルオロプロ	1,1,1-trichloropentafluoropropane; CFC-	C ₃ Cl ₃ F ₅	4259-43-2
パン;CFC-215cb	215cb		
ジクロロヘキサフルオロプロパン;	Dichlorohexafluoropropane;	$C_3F_6Cl_2$	661-97-2
CFC-216	1,2-Dichloro-1,1,2,3,3,3-hexafluoropropane; CFC-216		
モノクロロヘプタフルオロプロパン・	Monochloroheptafluoropropane ; CFC-217	C ₃ F ₇ Cl	422-86-6
CFC-217	indicentoron optionation of the 217	031 701	
· Annex B Group II:tetrachloride			
四塩化炭素(テトラクロロメタン)	Carbon tetrachloride	CCl_4	56-23-5
· Annex B Group III:1,1,1-Trichlo	roethane		
1,1,1-トリクロロエタン	1,1,1-trichloroethane	C ₂ H ₃ Cl ₃	71-55-6
· Annex C Group II :HBFC		•	•
ジブロモフルオロメタン	Dibromofluoromethane	CHFBr_2	1868-53-7
ブロモジフルオロメタンおよび異性体	Bromodifluoromethane and Isomers	$\mathrm{CHF_2Br}$	1511-62-2
(HBFC類)	(HBFCs)		
ブロモフルオロメタン	Bromofluoromethane	$\mathrm{CH_{2}FBr}$	373-52-4
テトラブロモフルオロエタン	Tetrabromofluoroethane	C_2HFBr_4	306-80-9
トリブロモジフルオロエタン	Tribromodifluoroethane	$C_2HF_2Br_3$	-
ジブロモトリフルオロエタン	Dibromotrifluoroethane;	$C_2HF_3Br_2$	354-04-1
31, 1 2,	1,2-Dibromo-1,1,2-trifluoroethane	G HE D	104 50 1
ブロモテトラフルオロエタン	Bromotetrafluoroethane	C ₂ HF ₄ Br	124-72-1
トリブロモフルオロエタン	Tribromofluoroethane	$C_2H_2FBr_3$	-
ジブロモジフルオロエタン	Dibromodifluoroethane	$C_2H_2F_2Br_2$	
ブロモトリフルオロエタン	Bromotrifluoroethane	+	421-06-7
ジブロモフルオロエタン	Dibromofluoroethane	$C_2H_3FBr_2$	
ブロモジフルオロエタン	Bromodifluoroethane	$C_2H_3F_2Br$	420-47-3
2-ブロモ-1,1-ジフルオロエタン	2-Bromo-1,1-difluoroethane		359-07-9
ブロモフルオロエタン	Bromofluoroethane	C_2H_4FBr	762-49-2
ヘキサブロモフルオロプロパン	Hexabromofluoropropane	C_3HFBr_6	-
ペンタブロモジフルオロプロパン	Pentabromodifluoropropane	$C_3HF_2Br_5$	-
テトラブロモトリフルオロプロパン	Tetrabromotrifluoropropane	C ₃ HF ₃ Br ₄	-
トリブロモテトラフルオロプロパン	Tribromotetrafluoropropane	C ₃ HF ₄ Br ₃	666-48-8
ジブロモペンタフルオロプロパン	Dibromopentafluoropropane	$C_3HF_5Br_2$	431-78-7
ブロモヘキサフルオロプロパン	Bromohexafluoropropane	C ₃ HF ₆ Br	2252-79-1
			2252-78-0
ペンタブロモフルオロプロパン	Pentabromofluoropropane	$C_3H_2FBr_5$	-
テトラブロモジフルオロプロパン	Tetrabromodifluoropropane	$C_3H_2F_2Br_4$	148875-98-3
トリブロモトリフルオロプロパン	Tribromotrifluoropropane	$C_3H_2F_3Br_3$	-
ジブロモテトラフルオロプロパン	Dibromotetrafluoropropane	$C_3H_2F_4Br_2$	-
ブロモペンタフルオロプロパン	Bromopentafluoropropane	$C_3H_2F_5Br$	460-88-8
テトラブロモフルオロプロパン	Tetrabromofluoropropane	C ₃ H ₃ FBr ₄	148875-95-0
トリブロモジフルオロプロパン	Tribromodifluoropropane	C ₃ H ₃ F ₂ Br ₃	70192-80-2
	111010IIIOuIIIu010p10paile	Corror ZDI3	10104 00 4

	D.1	G II B B	
ジブロモトリフルオロプロパン	Dibromotrifluoropropane	$C_3H_3F_3Br_2$	70192-83-5
ブロモテトラフルオロプロパン	Bromotetrafluoropropane	$C_3H_3F_4Br$	431-21-0 679-84-5
トリブロモフルオロプロパン	Tribromofluoropropane	$C_3H_4FBr_3$	75372-14-4
ジブロモジフルオロプロパン	Dibromodifluoropropane	$C_3H_4F_2Br_2$	
ブロモトリフルオロプロパン	Bromotrifluoropropane Bromotrifluoropropane		421-46-5
ジブロモフルオロプロパン	Dibromofluoropropane		51584-26-0
ブロモジフルオロプロパン	Bromodifluoropropane Bromodifluoropropane	$C_3H_5F_2B_r$	51364 20 0
ブロモフルオロプロパン	Bromofluoropropane Bromofluoropropane	C_3H_6FBr	1871-72-3
1-ブロモ-3-フルオロプロパン		-	
	1-Bromo-3-fluoropropane	C ₃ H ₆ FBr	352-91-0
・Annex C Group III:Bromochloro プロモクロロメタン		CIL D.CI	74.07.5
	Bromochloromethane	$\mathrm{CH_{2}BrCl}$	74-97-5
• Annex E Group I:Bromomethan		CII D	F 4 00 0
ブロモメタン(臭化メチル)	Bromomethane (Methyl Bromide)	$\mathrm{CH_3Br}$	74-83-9
• Annex C Group I:HCFCs	D. II. W. II. HODG of	GTTPG1	I== 10 1
ジクロロフルオロメタン; HCFC-21	Dichlorofluoromethane; HCFC-21	CHFCl ₂	75-43-4
クロロジフルオロメタン; HCFC-22	Chlorodifluoromethane; HCFC-22	CHF ₂ Cl	75-45-6
クロロフルオロメタン; HCFC-31	Chlorofluoromethane; HCFC-31	CH ₂ FCl	593-70-4
テトラクロロフルオロエタン;	Tetrachlorofluoroethane ; HCFC-121	C_2HFCl_4	134237-32-4
HCFC-121 1,1,1,2-テトラクロロ-2-フルオロエタ	111044 11 0 0 41 11000	C HOLE	074110
	1,1,1,2-tetrachloro-2-fluoroethane; HCFC 121a	C_2HCl_4F	354-11-0
ン; HCFC-121a 1,1,2,2-テトラクロロ-1-フルオロエタ	1,1,2,2-tetracloro-1-fluoroethane	$ m C_2HCl_4F$	354-14-3
1,1,2,2-7 トラクロロ-1-ブルオロエダ ン	1,1,2,2-tetracioro-1-11uoroetnane	C2HCl4F	354-14-5
<u>、</u> トリクロロジフルオロエタン;	Trichlorodifluoroethane ; HCFC-122	$C_2HF_2Cl_3$	41834-16-6
HCFC-122	Themoroumuoroemane, here 122	C2111 2C13	41054 10 0
1,2,2-トリクロロ-1,1-ジフルオロエタ	1,2,2-trichloro-1,1-difluoroethane; HCFC-	C ₂ HCl ₃ F ₂	354-21-2
ン; HCFC-122	122		
1,1,2-トリクロロ-1,2-ジフルオロエタ	Ethane, 1,2-difluoro-1,1,2-trichloro-;	C ₂ HF ₂ Cl ₃	354-15-4
ン ; HCFC-122a	HCFC-122a		
1,1,1-トリクロロ-2,2-ジフルオロエタ	1,1,1-trichloro-2,2-difluoroethane; HCFC-	$C_2HF_2Cl_3$	354-12-1
\sim ; HCFC-122b	122b		
ジクロロトリフルオロエタン;	Dichlorotrifluoroethane ; HCFC-123	$C_2HF_3Cl_2$	34077-87-7
HCFC-123			
2,2-ジクロロ-1,1,1-トリフルオロエタ	2.2-dichloro1,1,1-fluoroethane; HCFC-123	$C_2HCl_2F_3$	306-83-2
\searrow ; HCFC-123			
ジクロロ-1,1,2-トリフルオロエタン	Dichloro-1,1,2-trifluoroethane	$C_2HCl_2F_3$	90454-18-5
1,2-ジクロロ-1,1,2-トリフルオロエタ	1,2-dichloro-1,1,2-trifluroethane; HCFC-	$C_2HCl_2F_3$	354-23-4
ン; HCFC-123a	123a		
1,1-ジクロロ-1,2,2-トリフルオロエタ	1,1-dichloro-1,2,2-trifluroethane; HCFC-	$C_2HCl_2F_3$	812-04-4
ン; HCFC-123b	123b		
その他のジクロロトリフルオロエタン	Other dichlorotrifluoroethane	-	-
2-クロロ-1,1,1,2-テトラフルオロエタ	2-chloro-1,1,1,2-tetrafluoroethane; HCFC-	C ₂ HF ₄ Cl	2837-89-0
> ; HCFC-124	124	OTTE:	
クロロテトラフルオロエタン;	Chlorotetrafluoroethane ; HCFC-124	CHFClCF ₃	63938-10-3
HCFC-124	1 .ll 1 1 0 0 4.4 (1 IICEC	O HOE	254-25-6
1-クロロ-1,1,2,2-テトラフルオロエタ	1-chloro-1,1,2,2-tetrafluoroethane; HCFC	C_2HClF_4	354-25-6
ン;HCFC-124a	124a Other chlorotetrafluoroethane	_	_
その他のクロロテトラフルオロエタン トリカロロフルオロエタン・HCEC-		C-H EOI	194997-94-6
トリクロロフルオロエタン; HCFC-	Trichlorofluoroethane; HCFC-131	$C_2H_2FCl_3$	134237-34-6 27154-33-2
131	<u> </u>		41104-55-2

1-フルオロ-1,2,2-トリクロロエタン;	1-Element 9 9-tricklementh on a HCEC191	O II Ol E	250-99-4
HCFC-131	1-Fluoro-1,2,2-trichloroethane; HCFC131	C2H2Cl3F	359-28-4
1,1,2-トリクロロ-1-フルオロエタン;	1,1,2-trichloro-1-fluoroethane; HCFC131a	C ₂ H ₂ Cl ₃ F	811-95-0
HCFC-131a	1,1,2 0110111010 1 11001000111110 , 1101 01011	02112 0101	011 00 0
1,1,1-トリクロロ-2-フルオロエタン;	Ethane, 1,1,1-trichloro-2-fluoro-;	C ₂ H ₂ Cl ₃ F	2366-36-1
HCFC-131b	HCFC131b	02112 0101	2000 00 1
ジクロロジフルオロエタン; HCFC-	Dichlorodifluoroethane ; HCFC-132	$C_2H_2F_2Cl_2$	25915-78-0
132			
1,2-ジクロロ-1,1-ジフルオロエタン;	1,2-dichloro-1,1-difluoroethane; HCFC	$C_2H_2Cl_2F_2$	1649-08-7
HCFC-132b	132b		
1,1-ジクロロ-1,2-ジフルオロエタン;	1,1-dichloro-1,2-difluoroethane; HFCF	$C_2H_2Cl_2F_2$	1842-05-3
HCFC-132c	132c		
1,1-ジクロロ-2,2-ジフルオロエタン	1,1-dichloro-2,2-difluoroethane	$C_2H_2Cl_2F_2$	471-43-2
1,2-ジクロロ-1,2-ジフルオロエタン	1,2-dichloro-1,2-difluoroethane	$C_2H_2Cl_2F_2$	431-06-1
クロロトリフルオロエタン;1-クロロ	Chlorotrifluoroethane;	C ₂ H ₂ F ₃ Cl	1330-45-6
-1,2,2-トリフルオロエタン;	1-chloro-1,2,2-trifluoroethane;		431-07-2
HCFC-133	HCFC 133		
2-クロロ-1,1,1-トリフルオロエタン;	2-chloro-1,1,1-trifluoroethane; HCFC-	C ₂ H ₂ F ₃ Cl	75-88-7
HCFC-133a	133a		
1-クロロ-1,1,2-トリフルオロエタン;	1-chloro-1,1,2-trifluoroethane; HCFC-133b	C ₂ H ₂ F ₃ Cl	421-04-05
HCFC-133b			
ジクロロフルオロエタン; HCFC-141	Dichlorofluoroethane: HCFC-141	$C_2H_3FCl_2$	25167-88-8
1,2-ジクロロ-1-フルオロエタン;	1,2-dichloro-1-fluoroethane ; HCFC-141	C ₂ H ₃ FCl ₂	430-57-9
HCFC-141			
1,1-ジクロロ-2-フルオロエタン;	1,1-dichloro-2-fluoroethane ; HCFC-141a	$C_2H_3FCl_2$	430-53-5
HCFC-141a			
1,1-ジクロロ-1-フルオロエタン;	1,1-dichloro-1-fluoroethane ; HCFC-141b	CH ₃ CFCl ₂	1717-00-6
HCFC-141b	,		
その他のジクロロフルオロエタン	Other dichlorofluoroethane	-	-
クロロジフルオロエタン; HCFC-142		C ₂ H ₃ F ₂ Cl	25497-29-4
2-クロロ-1,1-ジフルオロエタン;	2-Chloro-1,1-difluoroethane; HCFC-142	CH ₃ CF ₂ Cl	338-65-8
HCFC-142	,, , ,		
1-クロロ-1,1-ジフルオロエタン;	1-chloro-1,1-difluoroethane; HCFC-142b	CH ₃ CF ₂ Cl	75-68-3
HCFC-142b	,		
1-クロロ-1,2-ジフルオロエタン;	1-Chloro-1,2-difluoroethane; HCFC-142a	CH ₃ CF ₂ Cl	338-64-7
HCFC-142a	, ,		
その他のクロロジフルオロエタン	Other chlorodifluoroethane	-	-
クロロフルオロエタン; HCFC-151	chlorofluoroethane ; HCFC-151	C_2H_4FCl	110587-14-9
1-クロロ-2-フルオロエタン; HCFC-	1-chloro-2-fluoroethane ; HCFC-151	C ₂ H ₄ FCl	762-50-5
151	,		
1-クロロ-1-フルオロエタン; HCFC-	1-chloro-1-fluoroethane; HCFC-151	C ₂ H ₄ FCl	1615-75-4
151			
ヘキサクロロフルオロプロパン;	Hexachlorofluoropropane ; HCFC-221	C ₃ HFCl ₆	134237-35-7
HCFC-221			29470-94-8
1,1,1,2,2,3-ヘキサクロロ-1-フルオロ	1,1,1,2,2,3-Hexachloro-1-fluoropropane;	C ₃ HFCl ₆	422-26-4
プロパン ; HCFC-221ab	HCFC-221ab		
ペンタクロロジフルオロプロパン;	Pentachlorodifluoropropane ; HCFC-222	C ₃ HF ₂ Cl ₅	134237-36-8
HCFC-222			
1,1,1,3,3,-ペンタクロロ-2,2-ジフルオ	1,1,1,3,3-Pentachloro-2,2-difluoropropane;	$C_3HF_2Cl_5$	422-49-1
ロプロパン ; HCFC-222ca	HCFC-222ca		
1,2,2,3,3-ペンタクロロ-1,1-ジフルオ	1,2,2,3,3-Pentachloro-1,1-difluoropropane;	C ₃ HF ₂ Cl ₅	422-30-0
ロプロパン ; HCFC-222aa	HCFC-222aa	302222010	
テトラクロロトリフルオロプロパン;	Tetrachlorotrifluoropropane ; HCFC-223	C ₃ HF ₃ Cl ₄	134237-37-9
, , , , , , , , , , , , , , , , , , ,	1 - Caracinor Communication of the Caracinor Caracino Caracinor Caracino Caracinor Caracino	OJIII 0 O14	101201010

Ver. 19 32/59

HCFC-223			
1,1,3,3-テトラクロロ-1,2,2-トリフル	1,1,3,3-Tetrachloro-1,2,2-trifluoropropane	C ₃ HF ₃ Cl ₄	422-52-6
オロプロパン	, ,,,,, i		
1,1,1,3-テトラクロロ-2,2,3-トリフル	1,1,1,3-Tetrachloro-2,2,3-trifluoropropane	C ₃ HF ₃ Cl ₄	422-50-4
オロプロパン	1,1,1,0 1001d0111010 2,2 ,0 01111d010p10pun0	00111 0011	122 00 1
トリクロロテトラフルオロプロパン	Trichlorotetrafluoropropane; HCFC-224	C ₂ HF ₄ Cl ₃	134237-38-0
; HCFC-224	Tricinorotetraridoroproparie, rici C 224	02111 4013	104207 00 0
1,3,3-トリクロロ-1,1,2,2,-テトラフル	1,3,3-Trichloro-1,1,2,2-tetrafluoropropane;	C ₂ HF ₄ Cl ₃	422-54-8
オロプロパン; HCFC-224	HCFC-224	C2111 4C13	422 54 6
1,1,3-トリクロロ- $1,2,2,3$ -テトラフル	1,1,3-Trichloro-1,2,2,3-tetrafluoropropane	C ₂ HF ₄ Cl ₃	422-53-7
オロプロパン	1,1,5 Tricinoro 1,2,2,5 tetranuoropropane	C2111 4C13	422 99 7
	11177:11 222211 7	O HE O	400 51 5
1,1,1-トリクロロ-2,2,3,3-テトラフル	1,1,1-Trichloro-2,2,3,3-tetrafluoropropane	C ₃ HF ₄ Cl ₃	422-51-5
オロプロパン	7.11	0.110.01	10==0100=
ジクロロペンタフルオロプロパン;	Dichloropentafluoropropane ; HCFC-225	$C_3HF_5Cl_2$	127564-92-5
HCFC-225	0.0 D. 11		100000000
2,2-ジクロロ-1,1,1,3,3,-ペンタフルオ	2,2-Dichloro-1,1,1,3,3-pentafluoropropane	$C_3HF_5Cl_2$	128903-21-9
ロプロパン ; HCFC-225aa	; HCFC-225aa		
2,3-ジクロロ-1,1,1,2,3-ペンタフルオ	2,3-dichloro-1,1,1,2,3-pentafluoropropane;	$C_3HF_5Cl_2$	422-48-0
ロプロパン ; HCFC-225ba	HCFC-225ba		
1,2-ジクロロ-1,1,2,3,3-ペンタフルオ	1,2-dichloro-1,1,2,3,3-pentafluoropropane;	$C_3HF_5Cl_2$	422-44-6
ロプロパン ; HCFC-225bb	HCFC-225bb		
3,3-ジクロロ-1,1,1,2,2-ペンタフルオ	3.3-dichloro-1,1,1,2,2-pentafluoropropane;	$C_3HCl_2F_5$	422-56-0
ロプロパン ; HCFC-225ca	HCFC-225ca		
1,3-ジクロロ-1,2,2,3,3,-ペンタフルオ	1,3-dichloro-1,1,2,2,3-pentafluoropropane;	C ₃ HCl ₂ F ₅	507-55-1
ロプロパン ; HCFC-225cb	HCFC-225cb		
1,1-ジクロロ-1,2,2,3,3-ペンタフルオ	1,1-dichloro-1,2,2,3,3-pentafluoropropane;	C ₃ HCl ₂ F ₅	13474-88-9
ロプロパン ; HCFC-225cc	HCFC-225cc		
1,2-ジクロロ-1,1,3,3,3-ペンタフルオ	1,2-dichloro-1,1,3,3,3-pentafluoropropane;	$C_3HCl_2F_5$	431-86-7
ロプロパン ; HCFC-225da	HCFC-225da		
1,3-ジクロロ-1,1,2,3,3-ペンタフルオ	1,3-dichloro-1,1,2,3,3-pentafluoropropane;	C ₃ HCl ₂ F ₅	136013-79-1
ロプロパン ; HCFC-225ea	HCFC-225ea	001101210	133313 13 1
1,1-ジクロロ-1,2,3,3,3-ペンタフルオ	1,1-dichloro-1,2,3,3,3-pentafluoropropane;	$C_3HCl_2F_5$	111512-56-2
ロプロパン; HCFC-225eb	HCFC-225eb	03110121 9	111012 00 2
その他のジクロロペンタフルオロプロ		-	-
パン	Other diemoropentaridoroproparie		
クロロヘキサフルオロプロパン;	Chlorohexafluoropropane; HCFC-226	C ₃ HF ₆ Cl	134308-72-8
HCFC-226	Cinoronexamuoropropane, ficro 220	C3111 6C1	134300 12 0
2-クロロ-1,1,1,3,3,3-ヘキサフルオロ	2-Chloro-1,1,1,3,3,3-hexafluoropropane;	C ₃ HF ₆ Cl	431-87-8
プロパン ; HCFC-226da	HCFC-226da	03111601	451 07 0
ペンタクロロフルオロプロパン;	Pentachlorofluoropropane; HCFC-231	C ₃ H ₂ FCl ₅	134190-48-0
HCFC-231	rentachioroffuoropropane, ficre-251	C31121 C15	134190 46 0
1,1,1,2,3·ペンタクロロ-2·フルオロプ	1,1,1,2,3-Pentachloro-2-fluoropropane	$C_3H_2FCl_5$	421-94-3
ロパン	1,1,1,2,5 Fentacmoro-2-nuoropropane	C3H2FC15	421-94-5
テトラクロロジフルオロプロパン:	m + 11 1:d HGEG 202	OHEO	194997 90 1
	Tetrachlorodifluoropropane ; HCFC-232	$C_3H_2F_2Cl_4$	134237-39-1
HCFC-232	1 1 1 9-Makusahla 9 9 3°M	CHEC	400-00
1,1,1,3-テトラクロロ-3,3-ジフルオロ	1,1,1,3-Tetrachloro-3,3-difluoropropane	$C_3H_2F_2Cl_4$	460-89-9
プロパン	m · 11 + · · · · · · · · · · · · · · · ·	O II D C	104007 40 4
トリクロロトリフルオロプロパン;	Trichlorotrifluoropropane; HCFC-233	$C_3H_2F_3Cl_3$	134237-40-4
HCFC-233	1114:11 0004:7	O II E CI	710F 00 0
1,1,1-トリクロロ-3,3,3-トリフルオロ	1,1,1-trichloro-3,3,3-trifluoropropane	$C_3H_2F_3Cl_3$	7125-83-9
プロパン	D. 11	0.11.5.2	10550100
ジクロロテトラフルオロプロパン;	Dichlorotetrafluoropropane ; HCFC-234	$C_3H_2F_4Cl_2$	127564-83-4

HCFC-234			
1,2-ジクロロ-1,2,3,3-テトラフルオロ	1,2-Dichloro-1,2,3,3-tetrafluoropropane	$C_3H_2F_4Cl_2$	425-94-5
プロパン			
クロロペンタフルオロプロパン;	Chloropentafluoropropane; HCFC-235	C ₃ H ₂ F ₅ Cl	134237-41-5
HCFC-235			
1-クロロ-1,1,3,3,3-ペンタフルオロプ	1-chloro-1,1,3,3,3-pentafluoropropane	$C_3H_2F_5Cl$	460-92-4
ロパン			
テトラクロロフルオロプロパン;	Tetrachlorofluoropropane ; HCFC-241	$C_3H_3FCl_4$	134190-49-1
HCFC-241	1100 00 11 100	G II DGI	
1,1,2,3-テトラクロロ-1-フルオロプロ	1,1,2,3-Tetrachloro-1-fluoropropane	$C_3H_3FCl_4$	666-27-3
パン トリクロロジフルオロプロパン:	m: 11 1:0 HGDG 0.40	G II E GI	104007 40 0
	Trichlorodifluoropropane ; HCFC-242	$C_3H_3F_2Cl_3$	134237-42-6
HCFC-242 1,3,3-トリクロロ-1,1-ジフルオロプロ	1,3,3-Trichloro-1,1-difluoropropane	C ₃ H ₃ F ₂ Cl ₃	460-63-9
パン	1,5,5 Trichloro 1,1 dilluoropropane	C31131 2C13	400 03 9
ジクロロトリフルオロプロパン;	Dichlorotrifluoropropane ; HCFC-243	$C_3H_3F_3Cl_2$	134237-43-7
HCFC-243	Diemorotimaoropropane, from C 249	031131 3012	101207 107
1,1-ジクロロ-1,2,2-トリフルオロプロ	1,1-dichloro-1,2,2-trifluoropropane	C ₃ H ₃ F ₃ Cl ₂	7125-99-7
パン			
2,3-ジクロロ-1,1,1-トリフルオロプロ	2,3-dichloro-1,1,1-trifluoropropane	C ₃ H ₃ F ₃ Cl ₂	338-75-0
パン			
3,3-ジクロロ-1,1,1-トリフルオロプロ	3,3-Dichloro-1,1,1-trifluoropropane	$C_3H_3F_3Cl_2$	460-69-5
パン			
クロロテトラフルオロプロパン;	Chlorotetrafluoropropane; HCFC-244	C ₃ H ₃ F ₄ Cl	134190-50-4
HCFC-244			
3-クロロ-1,1,2,2-テトラフルオロプロ	3-chloro-1,1,2,2-tetrafluoropropane	$C_3H_3F_4Cl$	679-85-6
パン			
1-クロロ-1,1,2,2-テトラフルオロプロ	1-chloro-1,1,2,2-tetrafluoropropane	$C_3H_3F_4Cl$	421-75-0
パン			
トリクロロフルオロプロパン;	Trichlorofluoropropane ; HCFC-251	$C_3H_4FCl_3$	134190-51-5
HCFC-251	1194:11 1 1	O II EOI	010.00 %
1,1,3-トリクロロ-1-フルオロプロパン1,1,2-トリクロロ-1-フルオロプロパ	1,1,3-trichloro-1-fluoropropane	C ₃ H ₄ FCl ₃	818-99-5
1,1,2 トリクロロー1-フルオロフロハ ン ; HCFC-251de	1,1,2-trichloro-1-fluoropropane ; HCFC- 251dc	$C_3H_4FCl_3$	421-41-0
ジクロロジフルオロプロパン;	Dichlorodifluoropropane; HCFC-252	C ₃ H ₄ F ₂ Cl ₂	134190-52-6
HCFC-252	Dictiorodiffuoropropane, HCrC-252	C31141 2C12	134190 32 0
1,3-ジクロロ-1,1-ジフルオロプロパ	1,3-Dichloro-1,1-difluoropropane; HCFC-	C ₃ H ₄ F ₂ Cl ₂	819-00-1
∠; HCFC-252fb	252fb	001141 2012	010 00 1
クロロトリフルオロプロパン;	Chlorotrifluoropropane ; HCFC-253	C ₃ H ₄ F ₃ Cl	134237-44-8
HCFC-253	omoroumuoropropumo , rrer e 200	001111 001	10120, 110
3-クロロ-1,1,1-トリフルオロプロパ	3-chloro-1,1,1-trifluoropropane; HCFC	C ₃ H ₄ F ₃ Cl	460-35-5
ン;HCFC253fb	253fb		
ジクロロフルオロプロパン; HCFC-	Dichlorofluoropropane ; HCFC-261	$C_3H_5FCl_2$	134237-45-9
261			
1,1-ジクロロ-1-フルオロプロパン	1,1-dichloro-1-fluoropropane	$C_3H_5FCl_2$	7799-56-6
1,2-ジクロロ-2-フルオロプロパン	1,2-dichloro-2-fluoropropane; HCFC-261b	$C_3H_5FCl_2$	420-97-3
; HCFC-261b			
クロロジフルオロプロパン; HCFC-	Chlorodifluoropropane; HCFC-262	$C_3H_5F_2Cl$	134190-53-7
262			
1-クロロ-2,2-ジフルオロプロパン	1-chloro-2,2-difluoropropane	C ₃ H ₅ F ₂ Cl	420-99-5
2-クロロ-1,3-ジフルオロプロパン	2-chloro-1,3-difluoropropane	C ₃ H ₅ F ₂ Cl	102738-79-4
1-クロロ-1,1-ジフルオロプロパン;	1-chloro-1,1-difluoropropane; HCFC-262fc	C ₃ H ₅ F ₂ Cl	421-02-3

HCFC-262fc			
クロロフルオロプロパン; HCFC-271	Chlorofluoropropane ; HCFC-271	C ₃ H ₆ FCl	134190-54-8
2-クロロ-2-フルオロプロパン	2-chloro-2-fluoropropane	C ₃ H ₆ FCl	420-44-0
1-クロロ-1-フルオロプロパン	1-chloro-1-fluoropropane	-	430-55-7
• Others			
ジフルオロジブロモメタン	Difluorodibromomethane	$\mathrm{CBr}_2\ \mathrm{F}_2$	75-61-6
1-ブロモプロパン(臭化n-プロピル)	1-Bromopropane (n-propyl bromide)	C ₃ H ₇ Br	106-94-5
ブロモエタン(臭化エチル)	Bromoethane (ethyl bromide)	C_2H_5Br	74-96-4
トリフルオロイオドメタン(ヨウ化ト	Trifluoroiodomethane (trifluoromethyl	$\mathrm{CF}_{3}\mathrm{I}$	2314-97-8
リフルオロメチル)	iodide)		
クロロメタン(塩化メチル)	Chloromethane (methyl chloride)	CH ₃ Cl	74-87-3

(3) Principal uses for substances

Part	Purpose
	Refrigerants, foaming agents, extinguishants (Labeling requirements apply not only to products, but also to cleaning agents and other items used in production processes.)

Table 2-I-24 Perfluorooctanesulfonic acid (PFOS) and PFOS analogs

(1) Details

No. I-24	Substance Group: Perfluorooctanesulfonic acid (PFOS) and PFOS analogs			
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	·All applications	-Intentional inclusion	*1
			prohibited	
Note	*1 Class I Specified Chemical Substances designated by Japanese Chemical Substances			
	Control Act., EU POPs Regulation, Canadian Environmental Protection Act (CEPA			
	1999 SOF	1999 SOR)		

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ペルフルオロ・1・オクタンスルホン酸カリウム(PFOS)	Perfluorooctane sulfonate potassium salt	C ₈ F ₁₇ SO ₂ X (X = Other derivatives including hydroxyls, metal salts, halogenated compounds, amides and polymers)	2795-39-3 JAMP-SN0035	-

(3) Principal uses for substances

Part	Purpose
Paints, coating materials, industrial cleaning agents,	Smoothing agents, surfactants, anti-foaming agents
semiconductor manufacturing processes,	
electroplating processes	

Ver. 19 35/59

Table 2-I-25 Specific benzotriazole: 2-(2H-1,2,3-Benzotriazol-2-yl)-4,6-di-tert-butylphenol

(1) Details

No. I-25	Substance Group: Specific benzotriazole: 2-(2H-1,2,3-Benzotriazol-2-yl)-4,6-di-tert-			
	butylphenol			
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	Anti-UV materials and UV absorbers used in the following applications · Molded plastic parts · Decorative laminates · Photographic paper · Adhesives (excluding animal and plantbased adhesives), putties, stopping and sealing fillers · Paints and printing inks	-Intentional inclusion prohibited	*1
Note	*1 Class I Specified Chemical Substances designated by Japanese Chemical Substances			
	Control Act.			

(2) Regulated substances

Substance (Japanese)	Substance (English)	Chemical	CAS No or
Substance (Japanese)	Substance (English)	formula	JAMP-SN
特定ベンゾトリアゾール: 2-(2H-		C20H25N3O	3846-71-7
1,2,3-ベンゾトリアゾール-2-イル)-	Benzotriazol-2-yl)-4,6-di-tert-butylphenol		
4,6-ジ-tert-ブチルフェノール			

(3) Principal uses for substances

Part	Purpose
Molded plastic parts, decorative laminates,	Anti-UV materials and UV absorbers
photographic paper, adhesives (excluding animal and	
plant-based adhesives), putties, stopping and sealing	
fillers, paints and printing inks	

Table 2-I-26 Formaldehyde

(1) Details

No. I-26	Substance Group: Formaldehyde CAS No: 50-00-0			
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	 Wood products and parts (excluding packaging materials) using materials such as particle boards and MDF (medium density fiberboard) 	-Less than 0.05ppm as gas discharge from product	*1
		·Fabrics	-Less than 75 ppm in product	*2
Level 2	February	·Furniture and wood products	-The concentration of	*3
	6,2026		formaldehyde released	*4
			from molded products	
			is 0.062 mg/m ³ or less	
		·Other than furniture and wood products	-The concentration of	
			formaldehyde released	
			from molded products	
			is 0.080 mg/m3 or less	
Exemption	*4 The following items are exempted: - Devices within the scope of (EU)2015/745 (EU MDR) - Personal protective equipment within the scope of (EU) 2016/425 (EU PPER)			

	- Biocidal products within the scope of (EU) No 528/2012 (EU BPR)
Note	 *1 ChemVerbotsV (Germany), Formaldehyde Regulations (Denmark), California USA CARB Regulations, U.S. federal law 111-199/TSCA Article 601 *2 Austria BGB I 1990/194, Formaldehyde Regulation §2, 12/2/1990 Lithuanian Health Standard NH 96:2000 (health standards and regulations) *3 Annex XVII to REACH (restriction)

(2) Regulated substances

Substance (Japanese)	Substance (English)		CAS No or JAMP-SN
ホルムアルデヒド	Formaldehyde	CH2O	50-00-0

(3) Principal uses for substances

Part	Purpose
Wood products using materials such as particle boards	Adhesives and preservatives for wood
and MDF (medium density fiberboard)	

Table 2-I-27 Dimethylfumarate (DMF)

(1) Details

No. I-27	Substance Gro	Substance Group: Dimethylfumarate (DMF) CAS No: 624-49-7				
Prohibition	Date of ban	Applications	Control Value	Note		
Level	on delivery	on delivery				
Level 1	Immediate	·All applications		-Less than 0.1ppm in	*1	
		- 3		article or part thereof		
Note	*1 Annex XVII to REACH (restriction)					

(2) Regulated substances

Substance (Japanese)	ISubstance (English)		CAS No or JAMP-SN
ジメチルフマレート(DMF)	Dimethyl fumarate	C6H8O4	624-49-7

(3) Principal uses for substances

Part	Purpose
Biocide, electronic leather seats including recliners	Biocide, mold treatment
and massage chairs	

Table 2-I-28 Fluorinated Greenhouse Gases (PFC, SF6, HFC)

(1) Details

No. I-28	Substance Gro	Substance Group: Fluorinated Greenhouse Gases (PFC, SF6, HFC)						
Prohibition	Date of ban	Applications	olications Control Value N					
Level	on delivery							
Level 1	Immediate	1) SF6, HFC	-Intentional inclusion	*1				
		·All applications	prohibited					
		2) PFC						
		·All applications listed below						
		Disposable containers, can-cooling systems						
		containing refrigerants, fire prevention						
systems and fire extinguishers, household								
		windows, other windows, shoes, tires, one-						
		component foaming agents						
Note	*1 (EC)No 517/2014 The Regulation on certain fluorinated greenhouse gases							

(2) Regulated substances

Ver. 19 37/59

Substance (Japanese)	Substance (English)	CAS No. or JAMP No.
テトラフルオロメタン (4 フッ化炭素、PFC-14)	Tetrafluoromethane (Carbon tetrafluoride, PFC-14)	75-73-0
ヘキサフルオロエタン(PF C-116)	Hexafluoroethane (PFC-116)	76-16-4
オクタフルオロプロパン(PFC-218)	Octafluoropropane (PFC-218)	76-19-7
デカフルオロブタン(PFC-31-10)	Decafluorobutane (PFC-31-10)	355-25-9
ドデカフルオロペンタン(PFC-41-12)	Dodecafluoropentane (PFC-41-12)	678-26-2
テトラデカフルオロヘキサン(PFC-51-14)	Tetradecafluorohexane (PFC-51-14)	355-42-0
オクタフルオロシクロブタン(PFC-c318)	Octafluorocyclobutane (PFC-c318)	115-25-3
6 フッ化硫黄(SF6)	Sulfur Hexafluoride (SF6)	2551-62-4
トリフルオロメタン	Trifluoromethane	75-46-7
ジフルオロメタン	Difluoromethane	75-10-5
フルオロメタン	Methyl fluoride	593-53-3
1,1,1,2,2,3,4,5,5,5-デカフルオロペンタン (HFC-43-10mee)	Pentane, 1,1,1,2,2,3,4,5,5,5-decafluoro- (HFC-43-10mee)	138495-42-8
ペンタフルオロエタン	Ethane, pentafluoro-	354-33-6
1,1,2,2-テトラフルオロエタン (HFC-134)	1,1,2,2-Tetrafluoroethane (HFC-134)	359-35-3
1,1,1,2-テトラフルオロエタン (HFC-134a)	1,1,1,2-Tetrafluoroethane (HFC-134a)	811-97-2
1,1-ジフルオロエタン (HFC-152a)	1,1-Difluoroethane (HFC-152a)	75-37-6
1,1,2-トリフルオロエタン(H FC-143)	1,1,2-Trifluoroethane.(HFC-143)	430-66-0
1,1,1-トリフルオロエタン	Ethane, 1,1,1-trifluoro-	420-46-2
1,1,1,2,3,3,3-ヘプタフルオロプロパン	Propane, 1,1,1,2,3,3,3-heptafluoro-	431-89-0
1,1,1,2,2,3-ヘキサフルオロプロパン (HFC- 236cb)	1,1,1,2,2,3-hexafluoro-propane (HFC-236cb)	677-56-5
1,1,1,2,3,3・ヘキサフルオロプロパン(HFC- 236ea)	1,1,1,2,3,3-Hexafluoropropane (HFC-236ea)	431-63-0
1,1,1,3,3,3-ヘキサフルオロプロパン(HFC- 236fa)	1,1,1,3,3,3-Hexafluoropropane (HFC-236fa)	690-39-1
1,1,2,2,3-ペンタフルオロプロパン(HFC- 245ca)	1,1,2,2,3-Pentafluoropropane (HFC-245ca)	679-86-7
1,1,1,3,3-ペンタフルオロプロパン	1,1,1,3,3-Pentafluoropropane	460-73-1
1,1,1,3,3-ペンタフルオロブタン	1,1,1,3,3-Pentafluorobutane	406-58-6
1,1,1,2,2-ペンタフルオロプロパン	1,1,1,2,2-Pentafluoropropane	1814-88-6
1,1,1,2,2,3,3-ヘプタフルオロプロパン	1,1,1,2,2,3,3-Heptafluoropropane	2252-84-8
ジフルオロエタン	Difluoroethane	25497-28-3
ヘキサフルオロプロパン	Propane, hexafluoro-	27070-61-7
トリフルオロエタン	Trifluoroethane	27987-06-0
フルオロエタン	Ethyl fluoride	353-36-6
1,2-ジフルオロエタン	1,2-Difluoroethane	624-72-6
1,1-ジフルオロエチレン	Vinylidene fluoride	75-38-7
ハイドロフルオロカーボン(HFC)類	Hydrofluorocarbons (HFC's)	SN0062

(3) Principal uses for substances

Part	Purpose
Tires, windows, fire extinguishers, shoes, disposable	Refrigerants, blowing agents, extinguishants,
containers, aerosols	cleaning agents, insulating media, caustic gas

Table 2-I-29 Phthalate esters (BBP, DBP, DEHP, DIBP)

(1) Details

No. I-29 Substance Group: Phthalate esters (BBP, DBP, DEHP, DIBP)	_		
No. 1-29 Substance Group: Primalate esters (DDP, DDP, DETP, DIDP)		No. 1-90	Cubetones Cusus; Dhth slots estars (DDD, DDD, DEID, DIDD)
		No. 1-29	Substance Group. Phinalate esters (DDP, DDP, DEPP, DIDP)

Ver. 19 38/59

Prohibition	Date of ban	Applications	Control Value	Note		
Level	on delivery					
Level 1	Immediate	·Substances and mixtures that contain	-Intentional inclusion	*1		
ļ		DEHP, BBP, DBP and/or DIBP	prohibited			
		-DEHP, BBP, DBP, DIBP: Articles	-1000 ppm or less in	*2		
		specified in Categories 1 through 11 of	homogeneous			
ļ		Annex I to RoHS Directive (2011/65/EU)	material			
ļ		-Articles containing plasticized material	-Less than 1000 ppm in	*3		
ļ		that includes DEHP, BBP, DBP and/or	total of these four			
ļ		DIBP	substances in			
ļ		"Plasticized material" means any of the	homogeneous			
ļ		following homogeneous materials:	material			
ļ		- Polyvinyl chloride (PVC), polyvinylidene				
ļ		chloride (PVDC), any other polymer similar				
		to polyvinyl acetate (PVA), and any other				
ļ		plastics, excluding polyolefin				
		- Polyurethane and any other foamed				
		rubber and plastics, excluding rubber,				
		silicone rubber and natural latex coatings				
		- Surface coatings, non-slip coatings,				
ļ		finishes, decals, printed designs,				
ļ	- Adhesives, sealants, paints and inks					
Exemption	*1 Applications that are submitted to, and approved by, the European Chemicals Agency					
-	will be permitted.					
ļ	*3 Exempted applications are as follows:					
ļ	• Electrical and electronic equipment subject to RoHS Directive (2011/65/EU)					
	• Medical devices, or parts thereof, subject to Medical Device Directive (93/42/EEC),					
ļ	In-Vitro Diagnostic Devices Directive (98/79/EC) and Active Implantable Medical					
ļ	Devices Directive (90/385/EEC)					
ļ	• Articles exclusively for industrial or agricultural use, or for use exclusively in the open air,					
	provided that no plasticized material comes into contact with human mucous membranes					
ļ	or prolonged contact with human skin					
	Measuring devices for laboratory use, or parts thereof					
Note		IV to REACH (authorizations)				
		to RoHS Directive (2011/65/EU), addition of pro	ohibited substances. (EU)			
	2015/863					
	*3 Annex XVII to REACH (restriction)					

(2) Regulated substances

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
フタル酸n-ブチル=ベンジル	Benzyl butyl phthalate (BBP)	$C_{19}H_{20}O_4$	85-68-7	-
(BBP)				
フタル酸ジ-n-ブチル(DBP)	Dibutyl phthalate (DBP)	$C_{16}H_{22}O_4$	84-74-2	-
フタル酸ビス(2-エチルヘキシ ル)(DEHP)	Bis (2-ethylhexyl)phthalate (DEHP)	C ₂₄ H ₃₈ O ₄	117-81-7	-
フタル酸ジイソブチル(DIBP)	Diisobutyl phthalate	$C_{16}H_{22}O_4$	84-69-5	-

(3) Principal uses for substances

Part	Purpose
Flexible polyvinyl chloride molded items, rubber,	Plastic plasticizers, dye, pigment, paint, ink,
elastomer	adhesive, lubricant

Table 2-I-30 Perfluorooctanoic acid (PFOA), its salts, PFOA-related substances and certain Long-Chain Perfluoroalkyl Carboxylates (LCPFAC)

Ver. 19 39/59

(1) Details

No. I-30	Substance Group: Perfluorooctanoic acid (PFOA), its salts, PFOA-related substances and certain Long-Chain Perfluoroalkyl Carboxylates (LCPFAC)						
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note			
Level 1	Immediate	< PFOA and its salts >	• Intentional inclusion prohibited	*1			
		 PFOA, its salts and PFOA-related substances > Substances or mixtures Articles other than invasive and implantable medical devices*3 Less than 25ppb as PFOA including salts, or less than 1ppm as a total of all PFOA-related substances, in mixture or article 					
		Certain Long-Chain Perfluoroalkyl Carboxylates (LCPFAC) >Surface coating on article	-Intentional inclusion prohibited	*6 *7			
	Immediate						
Exemption	- All applicat - Impurities - 13 specific t E.g., for use microlith for electro (https://y *8 Medical device	ices under FDA ions that they have already used for before asages defined by US TSCA. in an antireflective coating, photoresists ography or other process to produce semiconics or other miniaturized devices. www.govinfo.gov/content/pkg/FR-2020-07-27 es other than invasive and implantable medicaler 2 ppm (0.0002wt%).	, or surfactant for use i onductors or similar com 7/pdf/2020-13738.pdf	ponents			
Note	 should be under 2 ppm (0.0002wt%). *1: Class I Specified Chemical Substances designated by Japanese Chemical Substance Control Act *2: Enforcement of the revised EU POPs regulation (EU 2021/115) *3: The definitions of medical devices and implantable medical devices are as provide by the Medical Device Directive 93/42/EEC. *4: PFOA-related substances are any related substances (including salts and polymers) having a linear or branched perfluoroheptyl group with the formula C7F15- directly attached another carbon atom, as one of the structural elements, or any related substance (including its salts and polymers) having a linear or branched perfluorooctyl group with the formula C8F17-, as one of the structural elements. The following substances are excluded from the designation: - C8F17-X, where X = F, Cl, Br C8F17-C(=0)OH, C8F17-C(=0)O-X or C8F17-CF2-X (X = any group, including salts). *5: Only applies to the invasive and implantable medical devices that are submitted and approved. *6: Significant New Use Rules (SNURs) under US TSCA: §721.9582 and §721.10536 of 4 CFR Part 721 (Significant New Uses of Chemical Substances) The regulated substances are Perfluorooctanoic acid (PFOA), its salts and the following certain Long-Chain Perfluoroalkyl Carboxylates (LCPFAC). 						

Ver. 19 40/59

(2) Examples of substances< PFOA, its salts and PFOA-related substances: Japanese Chemical Substances Control Act, EU POPs regulation >

(The table below does not cover all the substances in this substance group.)

		Chemical	CAS No. or	Metal
Substance (Japanese)	Substance (English)	formula	JAMP-SN	conversion
	D . 1			factor
ペルフルオロオクタン酸	Pentadecafluorooctanoic acid; PFOA - perfluorooctanoic acid	C8HF15O2	335-67-1	
ペンタデカフルオロオクタン暦	と Pentadecafluorooctyl fluoride	C8F16O	335-66-0	-
フルオリド				
ペンタデカフルオロオクタン暦	Pentadecafluorooctanoic acid	C8AgF15O2	335-93-3	-
銀(I)	silver(I) salt			
ペンタデカフルオロオクタン酢	是Perfluorooctanoic acid sodium	C8F15NaO2	335-95-5	
ナトリウム	salt; Sodium salt of PFOA			
ペンタデカフルオロオクタン暦	爱 Methyl perfluorooctanoate	C9H3F15O2	376-27-2	-
メチル				
ペルフルオロオクタン酸カリウ	Potassium salt of PFOA	C8F15KO2	2395-00-8	-
A				
ペンタデカフルオロオクタン酢	度 Ethyl perfluorooctanoate	C10H5F15O2	3108-24-5	-
エチル				
	Ammonium	C8H4F15NO2	3825-26-1	-
ペンタデカフルオロオクタン暦	pentadecafluorooctanoate			
アンモニウム	(APFO);			
	Ammonium salt of PFOA			
PFOA とその塩	PFOA and its salts	_	JAMP-	-
			SN0036	
ペルフルオロオクタン酸	PFOA salts	_	JAMP-	-
(PFOA) の塩			SN0102	
PFOA 関連のポリマー	PFOA-related polymer	_	JAMP-	-
ITFUA 関理のかりマー		-	SN0103	

(3) Regulated substances < Certain Long-Chain Perfluoroalkyl Carboxylates (LCPFAC): US TSCA >

Substance (Japanese)	Substance (English)	CAS No. or JAMP-SN
1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8- ヘ プタデカフルオロ-8-ヨードオクタ ン		507-63-1
2-(ペルフルオロオクチル)エタノー ル	Tetrahydroperfluoro-1-decanol	678-39-7
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11, 11,12,12,12-ヘンエイコサフルオロ ドデカン-1-オール	Perfluoro-1-dodecanol	865-86-1
1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8 $^{-}$	Perfluorodecyl iodide	2043-53-0
1-ヨード- 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11, 11,12,12,12-ヘニコサフルオロドデ カン	1,1,2,2-Tetrahydroperfluorododecyl iodide	2043-54-1
α-[2-(アクリロイルオキシ)エチル]- ω-フルオロペルフルオロ(ポリ(2~7) エチレン)		17741-60-5

3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10 -ヘプタデカフルオロデシル=アク	1,1,2,2-Tetrahydroperfluorodecyl acrylate	27905-45-9
リラート		
1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12-ペンタコサフルオロ-14-ヨードテトラデカン	1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12 -Pentacosafluoro-14-iodotetradecane	30046-31-2
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,13,14,14,14-ペンタコサフルオロテトラデカン-1-オール	3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,13,14,14-Pentacosafluorotetradecan-1-ol	39239-77-5
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,13,14,14,15,15,16,16,16-ノナコサフルオロヘキサデカン-1-オール	3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,13,14,14,15,15,16,16,16-Nonacosafluorohexadecan-1-ol	60699-51-6
1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,13,14,14- / ナコサフルオロ-16-ヨードヘキサデカン	1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12 ,13,13,14,14-Nonacosafluoro-16-iodohexadecane	65510-55-6
ナトリウム=2-メチル-2-{3- [(1,1,2,2-テトラヒドロペルフルオロアルキル(C4-C16)スルファニル) プロパナミド]プロパン-1-スルホナート	Sodium;2-methylpropane-1-sulfonate	68187-47-3
γ-ω-ペルフルオロアルコール(C8- C14)	1,1,2,2-Tetrahydroperfluoroalkyl (C8-C14) alcohol	68391-08-2
チオール、C8-20、ガンマ-オメガ-パーフルオロ、アクリルアミドを含む テロマー	Thiols, C8-20, gamma-omegaperfluoro,telomers with acrylamide	70969-47-0
ケイ酸 (H4SiO4), ニナトリウム塩, クロロトリメチルシランと 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10 -ヘプタデカフルオロ・1-デカノール との反応生成物	Silicic acid (H4SiO4), sodium salt (1:2), reaction products with chlorotrimethylsilane and 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluoro-1-decanol	125476-71-3
チオール、C4-20、γ-オメガ-パーフ ルオロ、アクリルアミドとアクリル 酸のテロマー、ナトリウム塩	Thiols, C4-20, gamma-omegaperfluoro, telomers with acrylamide and acrylic acid, sodium salts)	1078712-88- 5
1-プロパナミニウム、3-アミノ-N- (カルボキシメチル) -N、N-ジメチル・、N-(2-((ガンマ-オメガ-ペル	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(2-((gamma-omega-perfluoro-C4–20-alkyl)thio)acetyl) derivs., inner salts	1078715-61- 3
ポリフルオロアルキルベタイン (一 般名)	Polyfluoroalkyl betaine (generic)	-(CBI)
変性フルオロアルキルウレタン (一般名)	Modified fluoroalkyl urethane (generic)	-(CBI)
過フッ素化ポリアミン(一般名)	Perfluorinated polyamine (generic)	-(CBI)

(4) Principal uses for substances

Part	Purpose
Surface coating agents, extinguishants	Additives, leveling agents for paints, aqueous film-
	forming foam extinguishants, surfactants

Ver. 19 42/59

Table 2-I-31 Polycyclic-aromatic hydrocarbons (PAH)

(1) Details

No. I-31	Substance Gro	oup: Polycyclic-aromatic hydrocarbons (PAH)		
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	• Rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with human skin or the oral cavity under normal or reasonably foreseeable conditions of use	-Less than 1mg/kg of any of the listed PAHs in components of articles for the general public (less than 0.0001% [1ppm] of the weight of such components)	*1
Note	*1 Annex X	VII to REACH (restriction)		

(2) Regulated substances

(2) Itogulatou substalloss			1
Substance (Japanese)	Substance (English)	Chemical	CAS No.or
		formula	JAMP-SN
ベンゾ(a)ピレン	Benzo[a]pyrene (BaP)	$C_{20}H_{12}$	50-32-8
ベンゾ(e)ピレン	Benzo[e]pyrene (BeP)	$C_{20}H_{12}$	192-97-2
ベンゾ(a)アントラセン	Benzo[a]anthracene (BaA)	$C_{20}H_{12}$	56-55-3
クリセン	Chrysene (CHR)	$C_{20}H_{12}$	218-01-9
ベンゾ(b)フルオランテン	Benzo[b]fluoranthene (BbFA)	$C_{20}H_{12}$	205-99-2
ベンゾ(j)フルオランテン	Benzo[j]fluoranthene (BjFA)	$C_{20}H_{12}$	205-82-3
ベンゾ(k)フルオランテン	Benzo[k]fluoranthene (BkFA)	$C_{20}H_{12}$	207-08-9
ジベンズ(a,h)アントラセン	Dibenzo[a,h]anthracene (DBAhA)	$C_{22}H_{14}$	53-70-3

(3) Principal uses for substances

Part	Purpose
Byproducts generated by combustion of petroleum	-
products	
Volatile PAHs are contained in some industrial articles	
(essential oils, lubricants, biocides, adhesives, and	
paints)	

Table 2-I-32 Pentachlorophenol and its salts and esters

(1) Details

No. I-32	No. I-32 Subject Group: Pentachlorophenol and its salts and esters			
Prohibition	Date of ban on	Applications Control Value Note		
Level	delivery			
Level 1	Immediate	-All applications	Intentional inclusion prohibited	*1
Note *1 Class I Specified Chemical Substances designated by Japanese Chemical Substances Control				
Act., the EU POPs regulation				

(2) Examples of substances (The table below does not cover all the substances in this substance group.)

Substance (Japanese)	Substance (English)	Chemical formula	CAS No. or JAMP-SN	Metal conversion factor
ペンタクロロフェノール	Pentachlorophenol	C ₆ Cl ₅ OH	87-86-5	-
ペンタクロロフェノールナトリ	Sodium pentachlorophenol	C ₆ Cl ₅ NaO	131-52-2	-
ウム				

ペンタクロロフェノールナトリ	Sodium pentachlorophenol	C ₆ Cl ₅ NaO ·	27735-64-4	-
ウム一水和物	monohydrate	$\mathrm{H}_{2}\mathrm{O}$		
ペンタクロロフェニルラウレー	Pentachlorophenyl laurate	$C_{18}H_{23}Cl_5O_2$	3772-94-9	-
F				
ペンタクロロアニソール	Pentachloreanisole	C ₇ H ₃ Cl ₅ O	1825-21-4	-
メチル水銀ペンタクロロフェノ	Methyl(pentachlorophenolato)m	C7H4Cl5HgO	5902-76-1	-
キシド	ercury			
ペンタクロロフェノール=ナト	Phenol, pentachloro-, sodium	C6Cl5NaO ·	27735-63-3	-
リウム塩	salt, decahydrate	(H2O)10		
カルシウム=ビス(ペンタクロ	Calcium	C12CaCl10O	55868-72-9	-
ロフェノラート)	bis(pentachlorophenolate)	2		
ペンタクロルフェノール塩類及	PCP-Na hydrate	C6H2Cl5NaO	123333-54-0	-
びこれを含有する製剤		2		

(3) Principal uses for substances

Part	Purpose
Wood products, leather products	Preservative

Table 2-I-33 Phenol, Isopropylated Phosphate (3:1)

(1) Details

No. I-33	Substance Group: Phenol, Isopropylated Phosphate (3:1) (PIP 3:1)				
Prohibition	Date of ban on	Applications	Control Value	Note	
Level	delivery				
Level 1	Immediate	•Substances and mixtures, excluding adhesives and sealants	-Intentional inclusion prohibited	*1	
	Immediate	·Articles	-Intentional inclusion prohibited	*2	
	Immediate	·Adhesives and sealants	-Intentional inclusion prohibited	*1	
Exemption	The following OTTSCA: CHAPT SUBSTANCES (https://www. (Note) FDA-registereport the conference of the c	egistered medical devices» owing Official Journal is applicable. A: CHAPTER 53—TOXIC SUBSTANCES CONTROL SUBCHAPTER I—CONTROL OF TOXIC STANCES Sec. 2602. Definitions. (2)(vi) ps://www.govinfo.gov/content/pkg/USCODE-2018-title15/pdf/USCODE-2018-title15-chap53.pdf DA-registered medical devices are not subject to TSCA but Olympus may require suppliers to rt the contents of these substances so that Olympus can confirm the exemptions are applied. cions to US TSCA PBT Rules » Regulated substances, products or articles containing regulated substances, which have alread been sold to end-consumers (such as secondhand articles and donations to charity) Disposal of regulated substances, products or articles containing regulated substances Production, treatment, distribution in commerce and use of regulated substances, products of articles containing regulated substances for research and development purposes Processing and distribution in commerce of "hydraulic fluids that meet specifications and requirements of the Defense Department", "lubricants and greases", "new and replacement part for aerospace vehicles and automobiles", etc.; plastic containing recycled PIP(3:1); and product and articles using plastic that contains recycled PIP(3:1), etc. anly the exceptions related with Olympus Group products are listed above.			
Note	*1 US TSCA PB				

Ver. 19 44/59

(2) Regulated substances

Substance (Japanese)	Substance (English)	Chemical	CAS No or
		formula	JAMP-SN
リン酸トリス(イソプロピルフェニル)	Phenol, Isopropylated Phosphate (3:1)	Unspecified	68937-41-7
PIP (3:1)	(PIP 3:1)		

(3) Principal uses for substances

Part	Purpose	
Polyvinyl chloride (PVC)	Flame-retardant plasticizers	

Table 2-I-34 2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP)

(1) Details

No. I-34	Substance Gro	up: 2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP)		
Prohibition	Date of ban	Applications	Control Value	Note
Level	on delivery			
Level 1	Immediate	·All applications, excluding articles	-Intentional inclusion prohibited	*1
Exemption	«FDA-register	ed medical devices»		
	The following	Official Journal is applicable.		
		PTER 53—TOXIC SUBSTANCES CONTROL SUBCHAP	TER I—CONTROL OF TOXIC	
	SUBSTANC	ES Sec. 2602. Definitions. (2)(vi)		
	(https://www.govinfo.gov/content/pkg/USCODE-2018-title15/pdf/USCODE-2018-title15-chap53.pdf			
	(Note) FDA-registered medical devices are not subject to TSCA but Olympus may require suppliers to report the contents of these substances so that Olympus can confirm the exemptions are applied.			
	«Exceptions to	US TSCA PBT Rules »		
	Regulated substances, products or articles containing regulated substances, which have alrea been sold to end-consumers (such as secondhand articles and donations to charity)			
		l of regulated substances, products or articles conta		
		ion, treatment, distribution in commerce and use		ducts or
		containing regulated substances for research and d		
		er than "FDA-registered medical devices" described		
Note	-	cified Chemical Substances designated by Japa	anese Chemical Substance	s
	Control Act	. US TSCA PBT Rules		

(2) Regulated substances

Substance (Japanese)	(English)		CAS No or JAMP-SN
2,4,6-トリ-tert-ブチルフェノール (2,4,6-TTBP)	2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP)	C18H30O	732-26-3

(3) Principal uses for substances

Part	Purpose
Lubricants	Additives

Table 2-I-35 Perfluorocarboxylic acids containing 9 to 14 carbon atoms in the chain (C9-C14 PFCAs), their salts and C9-C14 PFCA-related substances

(1) Details

No. I-35	Perfluorocarboxylic acids containing 9 to 14 carbon atoms in the chain (C9-C14 PFCAs), their salts and C9-C14 PFCA-related substances			
Prohibition Level	Date of ban on delivery	Applications	Control Value	Note

Ver. 19 45/59

Level 1	Immediate	-All applications (Except for the following applications)	- Less than 25 ppb for the sum of C9-C14 PFCAs and their salts - Less than the	*1	
		-Semiconductors on their own, -Semiconductors incorporated in semi-finished and finished electronic equipment.	concentration of 260 ppb for the sum of C9-C14 PFCA- related substances		
		-Fluoroplastics and fluoroelastomers that contain perfluoroalkoxy groups.	- The concentration of 2,000 ppb or below for the sum of C9-C14 PFCAs until February 25, 2024 - The concentration of 100 ppb or below for the sum of C9-C14 PFCAs from February 26, 2024		
	Immediate	-Invasive and implantable medical devices	- Less than 25 ppb for the sum of C9-C14 PFCAs and their salts - Less than the concentration of 260 ppb for the sum of C9-C14 PFCA- related substances	*1	
Exemption	ionising irradiation	-C9-C14 PFCAs, their salts and related substances in PTFE micro powders produced by ionising irradiation or by thermal degradation, as well as in mixtures and articles for industrial and professional uses containing PTFE micro powders. (The concentration of 1,000 ppb or			
Note	8, 9, 10, 11, 12, or 13	d perfluorocarboxylic acids of the form 3 (C9-C14 PFCAs), including their sa	lts, and any combinations ther	eof;	
	Any C9-C14 PFCA-related substance having a perfluoro group with the formula CnF2n +1-directly attached to another carbon atom, where n = 8, 9, 10, 11, 12, or 13, including their salts and any combinations thereof;				
	Any C9-C14 PFCA-related substance having a perfluoro group with the formula $CnF2n + that$ it is not directly attached to another carbon atom, where $n = 9, 10, 11, 12, 13$ or 14 as of the structural elements, including their salts and any combinations thereof.				
	- CnF2n +1-X combination	ances are excluded from this designary, where X = F, Cl, or Br (where n = s thereof), (= O)OX' where n> 13 and X'=any groups of the state of the sta	9, 10, 11, 12, 13 or 14, includi	ng any	

(2) Examples of substances

Substance (Japanese)	Substance (English)	Chemical formula	CAS No or JAMP-SN
パーフルオロノナン酸	Perfluorononan-1-oic acid	C9HF17O2	375-95-1
パーフルオロデカン酸	Nonadecafluorodecanoic acid	C10HF19O2	335-76-2
パーフルオロウンデカン酸	Henicosafluoroundecanoic acid	C11HF21O2	2058-94-8
パーフルオロドデカン酸	Tricosafluorododecanoic acid	C12HF23O2	307-55-1
パーフルオロトリデカン酸	Pentacosafluorotridecanoic acid	C13HF25O2	72629-94-8
パーフルオロテトラデカン酸	Heptacosafluorotetradecanoic acid	C14HF27O2	376-06-7

Notes: This table only lists substances up to C9-C14 PFCA. Please refer to the Official Journal available at the following URL for information about their salts and C9-C14 PFCA-related substances; $\frac{\text{https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=uriserv%3AOJ.L}{2021.282.01.0029.01.ENG\&toc=OJ%3AL%3A2021%3A282%3ATOC}$

(3) Principal uses for substances

Part	Purpose
Fluororesin / rubber, coating agents, industrial	Additives, surfactants
detergents, semiconductor manufacturing process	

Table 2-I-36 Perfluorohexanoic acid (PFHxS) and its salts and PFHxS related substances

(1) Details

No. I-36	Perfluorohexanoic a	acid (PFHxS) and its salts and PFHxS	related substances		
Prohibition	Date of ban on	Applications	Control Value	Note	
Level	delivery*1				
Level 1	Immediate	Chemicals	-Do not contain	*1	
		Chemicals, Articles	-PFHxS and its salts: less	*2	
			than 25ppb		
			-PFHxS related substances:		
			less than 1,000ppb		
		-Etching agents used for metal	-Do not export containing	*1	
		processing	products to Japan.		
		-Surface treatment agents for			
		plating or their preparation			
		additives			
		-Fabric treated to provide water-			
		repellent or oil-repellent			
		properties			
		-Clothing that has been treated to			
		provide water-repellent or oil-			
		repellent properties			
		-Floor coverings treated to provide			
		water-repellent or oil-repellent			
		properties			
		-Water repellent agent/oil			
		repellent agent and fiber			
		protectant			
		-Anti-reflective agents used in			
		semiconductor manufacturing			
		-Etching agents used in			
		semiconductor manufacturing -Resist for semiconductors			
E	*1 Class I Cassifia		Lancares Chemical Substant		
Exemption	Control Act:	ed Chemical Substances designated by	y Japanese Unemicai Substanc	es	
		d as a by-product, it will not be treate	ad as a Class 1 Specified Cham	ical	
		AT has been reported to the Japanese		ıcaı	
		o.jp/policy/chemical_management/kasinhou/abo			
Note				200	
11000	Control Act	8 8			
		POPs Regulation (EU)2019/1021			
		1 01 0 100g atamon (110/2010/1021			

(2) Examples of substances

Ver. 19 47/59

Substance (Japanese)	Substance (English)	Chemical formula	CAS No or JAMP-SN
パーフルオロヘキサン-1-スルホ ン酸	Perfluorohexane-1-sulphonic acid	C6HF13O3S	355-46-4
ベンジル (トリフェニル) ホスホニ ウム=トリデカフルオロヘキサンー 1-スルホナート	Phosphonium, triphenyl(phenylmeth yl)-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafl uoro-1-hexanesulfonate (1:1)	C31H22F13O3 PS	1000597-52-3
テトラブチルアンモニウム=ト リデカフルオロヘキサンー1ー スルホナート	N,N,N-tributylbutan-1-aminium trid ecafluorohexane-1-sulfonate	C22H36F13NO 3S	108427-54-9
テトラエチルアンモニウム=ト リデカフルオロヘキサン-1- スルホナート	N,N,N-triethylethanaminium tridec afluorohexane-1-sulfonate	C14H20F13NO 3S	108427-55-0
ピロリジンとトリデカフルオロ ヘキサン-1-スルホン酸の化 合物(1:1)	1-Hexanesulfonic acid, 1,1,2,2,3,3,4, 4,5,5,6,6,6-tridecafluoro-, compd. Wi th pyrrolidine (1:1)	C4H9N.C6HF1 3O3S	1187817-57-7
(4-{[4-(ジエチルアミノ) フェニル] [4-(エチルアミノ) -1-ナフチル] メチリデン} シ クロヘキサー2, 5-ジエンー 1-イリデン) (ジエチル) アン モニウム=トリデカフルオロヘ キサン-1-スルホナート	Ethanaminium, N-[4-[[4-(diethylami no)phenyl][4-(ethylamino)-1-naphtha lenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	C39H40F13N3 O3S	1310480-24-0
(4-{[4-(ジメチルアミノ) フェニル] [4-(エチルアミノ) -1-ナフチル] メチリデン} シ クロヘキサー2, 5-ジエンー 1-イリデン) (ジメチル) アン モニウム=トリデカフルオロヘ キサン-1-スルホナート	Methanaminium, N-[4-[[4-(dimethyl amino)phenyl][4-(ethylamino)-1-nap hthalenyl]methylene]-2,5-cyclohexad ien-1-ylidene]-N-methyl-, 1,1,2,2,3,3, 4,4,5,5,6,6,6-tridecafluoro-1-hexanes ulfonate (1:1)	C35H32F13N3 O3S	1310480-27-3
$(4 - \{(4 - T - J) / - 1 - T - J + J \})$ $(4 - \{(4 - T - J) / - 1 - T - J \})$ $(4 - \{(4 - T - J) / - 1 - J])$ $(4 - \{(4 - T - J) / - 1 - J])$ $(4 - \{(4 - T - J) / - 1 - J])$ $(4 - \{(4 - T - J) / - 1 - J])$ $(4 - \{(4 - T - J) / - 1 - J])$ $(4 - \{(4 - T - J) / - 1 - J])$ $(4 - \{(4 - T - J) / - 1 - J])$ $(4 - \{(4 - T - J) / - 1 - J])$ $(4 - \{(4 - T - J) / - 1 - J])$ $(4 - \{(4 - T - J) / - 1 - J])$ $(4 - \{(4 - T - J) /$	Methanaminium, N-[4-[[4-(dimethyl amino)phenyl][4-(phenylamino)-1-na phthalenyl]methylene]-2,5-cyclohexa dien-1-ylidene]-N-methyl-, 1,1,2,2,3, 3,4,4,5,5,6,6,6-tridecafluoro-1-hexane sulfonate (1:1)	C39H32F13N3 O3S	1310480-28-4

Ver. 19 48/59

		T	T
ム=トリデカフルオロヘキサン			
-1-スルホナート			
βーシクロデキストリンとトリ	Beta-Cyclodextrin, compd. with 1,1,	C42H70O35.C6	1329995-45-0
デカフルオロヘキサン-1-ス	2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-h	F13O3S	
ルホナートの化合物 (1:1)	exanesulfonic acid ion(1-)(1:1)		
γ -シクロデキストリン=モノ	Gamma-Cyclodextrin, compd. with	C48H80O40.C6	1329995-69-8
(1, 1, 2, 2, 3, 3, 4,	1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	F13O3S	
4, 5, 5, 6, 6, 6ートリデ	1-hexanesulfonic acid ion(1-)(1:1)		
カフルオロヘキサン-1-スル			
ホナート)			
トリフェニルスルホニウム=ト	Sulfonium, triphenyl-, 1,1,2,2,3,3,4,	C24H15F13O3	144116-10-9
リデカフルオロヘキサンー1-	4,5,5,6,6,6-tridecafluoro-1-hexanesulf	S2	
スルホナート	onate (1:1)		
1-(カルボキシメチル)-4-	Quinolinium, 1-(carboxymethyl)-4-[2	C50H37F13N2	1462414-59-0
(2-{4-[4-(2, 2-ジ	-[4-[4-(2,2-diphenylethenyl)phenyl]-1,	O5S	
フェニルビニル)フェニル]ー	2,3,3a,4,8b-hexahydrocyclopent[b]ind		
1, 2, 3, 3 a, 4, 8 b - \(\)	ol-7-yl]ethenyl]-, 1,1,2,2,3,3,4,4,5,5,6,		
キサヒドロシクロペンタ [b]イ	6,6-tridecafluoro-1-hexanesulfonate		
ンドールー7ーイル} ビニル) キ	(1:1)		
ノリンー1ーイウム=トリデカ			
フルオロヘキサン-1-スルホ			
ナート			
ジフェニルヨードニウム=トリ	Iodonium, diphenyl-, 1,1,2,2,3,3,4,4,	C18H10F13IO3	153443-35-7
デカフルオロヘキサン-1-ス	5,5,6,6,6-tridecafluoro-1-hexanesulfo	S	
ルホナート	nate (1:1)		
テトラメチルアンモニウム=ト	Methanaminium, N,N,N-trimethyl-,	C10H12F13NO	189274-31-5
リデカフルオロヘキサン-1-	salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tri	3S	
スルホナート	decafluoro-1-hexanesulfonic acid (1:		
	1)		
2-メチルプロパン-2-アミ	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C4H11N.C6HF	202189-84-2
ンとトリデカフルオロヘキサン	4,5,5,6,6,6-tridecafluoro-, compd.wit	13O3S	
-1-スルホン酸の化合物(1:	h 2-methyl-2-propanamine (1:1)		
1)			
			·

Ver. 19 49/59

	T	T	T
ビス(4-tert-ブチルフ	Iodonium, bis[4-(1,1-dimethylethyl)p	C26H26F13IO3	213740-81-9
ェニル) ヨードニウム=トリデ	henyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tride	S	
カフルオロヘキサン-1-スル	cafluoro-1-hexanesulfonate (1:1)		
ホナート			
ガリウム=トリス(トリデカフ	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C18F39GaO9S	341035-71-0
ルオロヘキサンー1-スルホナ	4,5,5,6,6,6-tridecafluoro-, gallium sa	3	
ート)	lt (9CI)		
フェニル (ジーpートリル) スル	Sulfonium, bis(4-methylphenyl)phen	C26H19F13O3	341548-85-4
ホニウム=トリデカフルオロへ	yl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafl	S2	
キサン-1-スルホナート	uoro-1-hexanesulfonate (1:1)		
スカンジウム=トリス(トリデ	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C18F39O9S3Sc	350836-93-0
カフルオロヘキサン-1-スル	4,5,5,6,6,6-tridecafluoro-, scandium		
ホナート)	(3+) salt (3:1)		
カリウム=1, 1, 2, 2, 3,	Potassium perfluorohexane-1-sulpho	C6F13KO3S	3871-99-6
3, 4, 4, 5, 5, 6, 6, 6	nate		
ートリデカフルオロヘキサンー			
1-スルホナート			
ネオジム=トリス(トリデカフ	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C18F39NdO9S	41184-65-0
ルオロヘキサンー1-スルホナ	4,5,5,6,6,6-tridecafluoro-, neodymiu	3	
ート)	m(3+) salt (3:1)		
イットリウム=トリス(トリデ	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C18F39O9S3Y	41242-12-0
カフルオロヘキサン-1-スル	4,5,5,6,6,6-tridecafluoro-, yttrium(3		
ホナート)	+) salt (3:1)		
S, S, S', S'ーテトラフェ	Sulfonium, (thiodi-4,1-phenylene)bis	C48H28F26O6	421555-73-9
ニル [スルファンジイルビス	[diphenyl-, salt with 1,1,2,2,3,3,4,4,	S5	
(4,1-フェニレン)]ビス(ス	5,5,6,6,6-tridecafluoro-1-hexanesulfo		
ルホニウム) =ビス(トリデカフ	nic acid (1:2)		
ルオロヘキサン-1-スルホナ			
ート)			
ビス (4-tert-ペンチル	Iodonium, bis[4-(1,1-dimethylpropyl)	C28H30F13IO3	421555-74-0
フェニル) ヨードニウム=トリ	phenyl]-, salt with 1,1,2,2,3,3,4,4,5,	S	
デカフルオロー1 - ヘキサンス	5,6,6,6-tridecafluoro-1-hexanesulfoni		
ルホナート	c		
トリス(4-tert-ブチル	Sulfonium, tris[4-(1,1-dimethylethyl)	C36H39F13O3	425670-70-8
フェニル) スルホニウム=トリ	phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-trid	S2	
	ecafluoro-1-hexanesulfonate (1:1)		

Ver. 19 50/59

デカフルオロヘキサン-1-ス			
ルホナート			
リチウム=1, 1, 2, 2, 3,	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C6F13LiO3S	55120-77-9
3, 4, 4, 5, 5, 6, 6, 6	4,5,5,6,6,6-tridecafluoro-, lithium sa		
ートリデカフルオロヘキサンー	lt (1:1)		
1-スルホナート			
アンモニウム=トリデカフルオ	Ammonium perfluorohexane-1-sulph	C6H4F13NO3S	68259-08-5
ロヘキサンー1-スルホナート	onate		
亜鉛=ビス(トリデカフルオロ	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C12F26O6S2Zn	70136-72-0
ヘキサン-1-スルホナート)	4,5,5,6,6,6-tridecafluoro-, zinc salt		
トリデカフルオロヘキサン-1	Tridecafluorohexanesulphonic acid,	C6HF13O3S.C4	70225-16-0
ースルホン酸と2,2'ーイミノ	compound with 2,2'-iminodiethanol	H11NO2	
ジエタノールの化合物(1:1)	(1:1)		
トリデカフルオロヘキサン-1	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C6HF13O3S.C6	72033-41-1
-スルホン酸とトリエチルアミ	4,5,5,6,6,6-tridecafluoro-, compd. wi	H15N	
ンの化合物(1:1)	th N,N-diethylethanamine (1:1)		
ナトリウム=1, 1, 2, 2, 3,	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C6F13NaO3S	82382-12-5
3, 4, 4, 5, 5, 6, 6, 6	4,5,5,6,6,6-tridecafluoro-, sodium sal		
ートリデカフルオロヘキサンー	t		
1-スルホナート			
ビス(tertーブチルフェニ	Iodonium, bis[(1,1-dimethylethyl)ph	C26H26F13IO3	866621-50-3
ル) ヨードニウム=トリデカフ	enyl]-, salt with 1,1,2,2,3,3,4,4,5,5,	S	
ルオロヘキサン-1-スルホナ	6,6,6-tridecafluoro-1-hexanesulfonic		
一ト	acid (1:1) (9CI)		
ジフェニル (p-トリル) スルホ	Sulfonium, (4-methylphenyl)dipheny	C25H17F13O3	910606-39-2
ニウム=トリデカフルオロヘキ	l-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluo	S2	
サンー1-スルホナート	ro-1-hexanesulfonate (1:1)		
[4-(メタクリロイルオキシ)	Sulfonium, [4-[(2-methyl-1-oxo-2-pro	C28H19F13O5	911027-68-4
フェニル] (ジフェニル) スルホ	pen-1-yl)oxy]phenyl]diphenyl-, 1,1,2,	S2	
ニウム=トリデカフルオロヘキ	2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hex		
サン-1-スルホナート	anesulfonate (1:1)		
2-エチルー2-アダマンチル	Sulfonium, [4-[(2-methyl-1-oxo-2-pro	(C16H24O2.C1	911027-69-5
=メタクリラート・3ーヒドロ	penyl)oxy]phenyl]diphenyl-, salt wit	4H20O3.C28H1	
キシー1-アダマンチル=メタ	h 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluo	9F13O5S2.C8H	
クリラート・[4-(メタクリロ	ro-1-hexanesulfonic acid (1:1), poly	10O4.)x	
イルオキシ) フェニル] (ジフェ	mer with 2-ethyltricyclo[3.3.1.13,7]d		
ニル) スルホニウム=トリデカ	ec-2-yl 2-methyl-2-propenoate, 3-hy		

		1
droxytricyclo[3.3.1.13,7]dec-1-yl 2-m		
ethyl-2-propenoate and tetrahydro-2		
-oxo-3-furanyl 2-methyl-2-propenoat		
e		
1-Hexanesulfonic acid, 1,1,2,2,3,3,4,	C6CsF13O3S	92011-17-1
4,5,5,6,6,6-tridecafluoro-, cesium sal		
t (1:1)		
Dibenzo[k,n][1,4,7,10,13]tetraoxathia	C34H35F13O7	928049-42-7
cyclopentadecinium, 19-[4-(1,1-dimet	S2	
hylethyl)phenyl]-6,7,9,10,12,13-hexa		
hydro-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tride		
cafluoro-1-hexanesulfonate (1:1)		
Sulfonic acids,C6-12-alkane,perfluor	CnF2n+1-	69391-09-3
o,potassium salts	SO3K(n=6-12)	
Sulfonic acids,C6-12-alkane,perfluor	CnF2n+1-	93572-72-6
0	SO3H(n=6-12)	
2-[ethyl[(tridecafluorohexyl)sulphony	C13H12F13NO	1893-52-3
l]amino]ethyl acrylate;2-Propenoic a	4S	
cid, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-		
tride cafluor ohexyl) sulfonyl] a mino] et		
hyl ester		
	ethyl-2-propenoate and tetrahydro-2 -oxo-3-furanyl 2-methyl-2-propenoat e 1-Hexanesulfonic acid, 1,1,2,2,3,3,4, 4,5,5,6,6,6-tridecafluoro-, cesium sal t (1:1) Dibenzo[k,n][1,4,7,10,13]tetraoxathia cyclopentadecinium, 19-[4-(1,1-dimet hylethyl)phenyl]-6,7,9,10,12,13-hexa hydro-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tride cafluoro-1-hexanesulfonate (1:1) Sulfonic acids,C6-12-alkane,perfluor o,potassium salts Sulfonic acids,C6-12-alkane,perfluor o 2-[ethyl[(tridecafluorohexyl)sulphony l]amino]ethyl acrylate;2-Propenoic a cid, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6- tridecafluorohexyl)sulfonyl]amino]et	ethyl-2-propenoate and tetrahydro-2 -oxo-3-furanyl 2-methyl-2-propenoat e 1-Hexanesulfonic acid, 1,1,2,2,3,3,4, 4,5,5,6,6,6-tridecafluoro-, cesium sal t (1:1) Dibenzo[k,n][1,4,7,10,13]tetraoxathia cyclopentadecinium, 19-[4-(1,1-dimet hylethyl)phenyl]-6,7,9,10,12,13-hexa hydro-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tride cafluoro-1-hexanesulfonate (1:1) Sulfonic acids,C6-12-alkane,perfluor o,potassium salts Sulfonic acids,C6-12-alkane,perfluor o So3H(n=6-12) 2-[ethyl[(tridecafluorohexyl)sulphony l]aminolethyl acrylate;2-Propenoic a cid, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]aminolet

(3) Principal uses for substances

Part	Purpose
Water-forming foam fire extinguishing agents, metal	Lubrication, polishing, cleaning and protection
plating, coatings, textiles, leather goods and upholstery	from moisture, fungi, etc.

Table 2-I-37 UV-328

(1) Details

No. I-37	UV-328			
Prohibition	Date of ban on	Applications	Control Value	Note
Level	delivery*1			
Level 1	Immediate	·Substances, compounds	·Not contained	*1
		·Articles	·Import ban on	*1
			government-designated	
			products	
		·All uses	·Not contained	*2
Exemption	*1 : Chemical Substances Control Law: Class 1 Specified Chemical Substances			

Ver. 19 52/59

	- Substances and compounds used in medical devices and in the manufacture of medical
	devices are not subject to regulation
	- If a substance or compound contains a by-product, it is not treated as a Class 1 Specified
	Chemical Substance if it has been reported to BAT
	https://www.meti.go.jp/policy/chemical_management/kasinhou/about/class1specified_histor_
	y.html
	Government ordinance designated products: lubricants, additives for formulations that
	impart UV absorption to resins, paints, varnishes, adhesives, tapes, sealant fillers
	*2 : Environmental Protection and Management Act 1999
Note	*1: Chemical Substances Control Law: Class 1 Specified Chemical Substances
	*2 : Environmental Protection and Management Act 1999

(2) Examples of substances

Substance (Japanese)	Substance (English)	Chemical formula	CAS No or JAMP-SN
UV-328	UV-328	C22H29N3O	25973-55-1

(3) Principal uses for substances

Part	Purpose
Automotive, outdoor furniture, building materials, food	Benzotriazole UV absorbers
packaging (non-food contact layers), plastic and rubber	
additives for wood products, printing inks, leather and	
textiles, cosmetics	

Ver. 19 53/59

Table 3 Criteria for managing controlled substances

Table 3-II-1 Candidate List of Substances of Very High Concern in REACH (SVHC)

No. II-1	Substance Group: Candidate List of Substances of Very High Concern in REACH (SVHC)		IC)
Applications Control Values			Note
· All applications - 1000ppm		*1	
Note *1 The candidate list of substances of very high concern in REACH (SVHC) will be periodically updated. Please refer to the website of the European Chemicals Agency (ECHA). (https://www.echa.europa.eu/candidate-list-table)			

Table 3-II-2 Substances subject to the European Union's Medical Device Regulation (EU-MDR) or In Vitro Diagnostic Medical Device Regulation (EU-IVDR)

No. II-2	Substance group: Substances subject to the European Union's Medical Device Regulation (EU-MDR) or In Vitro Diagnostic Medical Device Regulation (EU-IVDR)			
Applicable regulation		Applications	Control Values	Note
	Union's Medical	Devices, or those parts thereof or those	- 1000ppm *2	*1
Device Regula	tion (EU-MDR)	materials used therein that:		
		- Are invasive and come into direct		
		contact with the human body,		
		- (re)administer medicines, body fluids		
		or other substances, including gases,		
		to or from the body, or,		
		- transport or store such medicines,		
		body fluids or substances, including		
		gases, to be (re)administered to the		
		body.		
	Union's In Vitro	Components and subsidiary materials		
Diagnostic Me		that come into direct or indirect contact		
Regulation (E		with the patient		
Note		subject to EU-MDR or EU-IVDR are def		
		(3) may be added to this substance grou	ip in the future. Please r	refer to
	EU 2017/745 at An	nex I, 10.4.1 (b) for details.		
	(1) Category 1A/1B	substances that are carcinogenic, muta	agenic or toxic to	
		isted in Table 3.1 of Annex VI to the CLP		nized
	1 -	d labelling of hazardous substances.		
		ne following website for the table.		
		opa.eu/information-on-chemicals/annex-vi	-to-clp)	
		•	<u>-</u> _	
	(2) Substances that	t are on the candidate list of Substances of	f Very High Concern in	
	REACH (SVHC)	, and have endocrine disrupting effects on	humans.	
	The candidate lis	st of SVHC will be periodically updated. P	lease refer to the website	e of the
	European Chem	icals Agency (ECHA).		
	(https://www.echa.europa.eu/candidate-list-table)			
	(3) BPR substances	s BPR Regulation (Regulation (EU) No 528	8/2012 0)	
	(https://echa.europa.eu/guidance-documents/guidance-on-biocides-legislation)			
		-	-	
	*2: Regarding surface treatment coatings, the concentration of a substance in an article (not			
	in the coating) may	be used as its control value.		

Table 3-II-3 Perfluoroalkyl and polyfluoroalkyl substances (PFAS)

No. II-3		Substance group: Perfluoroalkyl (PFAS)	and polyfluoroalkyl sub	ostances
Applicable re	gulation	Applications	Control Values	Note
H.P. 1113 - L	.D. 1503	All products used intentionally	-Intentional inclusion	*1
An Act To S	Stop Perfluoroalkyl	Perfluoroalkyl and polyfluoroalkyl	prohibited	
	roalkyl Substances	substances (PFAS)		
Pollution (U.	S.Maine state)			
Note	*1 Please refer to the following U.S. Maine state's website for the details of "H.P. 11 of the state of the details of the det			
	L.D. 1503 An Act To Stop Perfluoroalkyl and Polyfluoroalkyl Substances Pollution (U.S. Maine state)".			0.5.
	(https://www.maine.gov/dep/spills/topics/pfas/index.html)			
Please refer to the following EPA's web site to identify the PFAS regulated. (https://comptox.epa.gov/dashboard/chemical-lists/pfasmaster)				

Table 3-II-4 Mineral Oil

No. II-4		Mineral Oil		
Applicable	regulation	Applications	Control Values	Note
Applicable regulation France: Article 112 of Law No. 2020-105(1) of February 10, 2020 on the fight against waste and the circular economy		Applications Mineral oil contained in the ink used in packaging materials	Mineral oil aromatic hydrocarbons (MOAH) with 1 to 7 aromatic rings - Mass concentration in ink is 1,000 ppm or less - Mass concentration in ink of compounds with 3 to 7 aromatic rings is 1 ppm or less Mineral oil saturated hydrocarbons (MOSH)	*1
NOTO		ation on Article 112 of Law No. 20 and the circular economy, please	with 16 to 35 carbon atoms - Mass concentration in ink is 1,000 ppm or less 20-105(1) of 10 February 2020	
https://www.legifrance.gouv.fr/loda/id/JORFTEXT000041553759/ For mineral oil restrictions in packaging materials, see the following codes; https://www.legifrance.gouv.fr/codes/article_lc/LEGIARTI000042932902 For information on regulated mineral oils, please refer to the following ministerial ordinance; https://www.legifrance.gouv.fr/jorf/id/JORFTEXT000045733481				

Ver. 19 55/59

5. Major Revisions

. Major K			
Ver.	Date	Article	Contents and reason for revisions
19	2025.04.01	Table 1 Table 1 (Note)	-Added "Dechlorane Plus" as I-20 -Deleted "Specific CMR substances" as I-32 -Added "UV-328" as I-37 -Revised numbering due to addition of I-20 and 37 and deletion of I-32 -Deleted text related to "certain CMR substances"
			-Changed table numbers in TSCA-related notes from I-33 to I-34 and I-34 to I-35
		Table 2-I-1,3,4	Added the EU Battery Regulation((EU)2023/1542)
		Table 2-I-3	The ban level for articles made from "polymer or copolymer of vinyl chloride (PVC)" for applicable use was revised from level 2 to level 1, and the delivery ban date was revised from May 28, 2024 to immediate effect.
		Table 2-I-20	Added "Dechlorane Plus" and its regulations under Japan's Chemical Substances Control Law and Singapore's Environmental Protection and Management Act 1999.
		Table 2-I-20~31	Due to the addition of "Dechlorane Plus", the numbers have been changed from 20 to 31 to 21 to 32.
		Table 2-I-30	The ban level for the target substances and applicable uses "«PFOA and its salts and PFOA-related substances» substances or mixtures, articles (invasive and implantable medical devices only)" was revised from 2 to 1, and the delivery ban date was revised from January 4, 2025 to immediate effect.
		Table 2-I-32	Delete "certain CMR substances"
		Table 2-I-33	-Revised the ban level for the applicable use "molded articles" from 2 to 1, and revised the delivery ban date from April 30, 2024 to immediateRevised the ban level for the applicable use "adhesives and sealants" from 2 to 1, and revised the delivery ban date from July 6, 2024 to immediate.
		Table 2-I-35	The ban level for the applicable use of "invasive medical devices and implantable medical devices" has been revised from level 2 to level 1, and the ban date for use has been revised from January 5, 2025 to immediate effect.
		Table 2-I-37	Added "UV-328" and its regulations under Japan's Chemical Substances Control Law and Singapore's Environmental Protection and Management Act 1999.
		Table 3-II-4	Added "mineral oils" as regulated by French law
18	2024.04.01	Table 1	Modified I-28 phthalates (BBP, DBP, DEHP, DIDP, DINP, DNOP, DIBP) to phthalates (BBP, DBP, DEHP, DIBP)
		Table 1 (Note)	-In the note regarding "Certain CMR substances", "I-31" was corrected to "I-32".

Ver. 19 56/59

			-In the note regarding "TSCA PBT", "I-10" and
			"Table 2-I-10" were added.
		Table 2-I- 1,2,3,4,9,28,29,33, 35	"The date of ban on delivery is set as the date six months before the effective date of an applicable law or regulation." was deleted from the note, which overlaps with the content of Article 3 Terms and Definitions, Paragraph 15.
		Table 2-I-3	Addition of regulations regarding "Lead in PVC" according to REACH Annex XVII.
		Table 2-I-25	Addition of regulations regarding "Formaldehyde" according to REACH Annex XVII
		Table 2-I-28	-Corrected phthalate esters (BBP, DBP, DEHP, DIDP, DINP, DNOP, DIBP) to phthalate esters (BBP, DBP, DEHP, DIBP) Deleted content related to the U.S. Consumer
			Product Safety Improvement Act Deleted REACH Regulation Annex XVII (Restricted Substances) from Note *1
		Table 2-I-35	Prohibition Level, Date of ban on delivery, and Control value have been revised to the latest contents.
		Table 2-I-36	Added regulatory details for "Perfluorohexanoic acid (PFHxS) and its salts and PFHxS related substances"
17	2023.04.01	Table 2-I-19	"Hexachlorobenzene (HCB)" was added.
		From Table 2-I-20 To Table 2-I-35	Table Numbers ware revised because Table 2-I-19 "hexachlorobenzene (HCB)" was added.
		Table 2-I-35	"Date of ban on delivery", and date described at "Control Value" cell was revised.
		Table 3-II-3	"Perfluoroalkyl and polyfluoroalkyl substances (PFAS)" was added.
16	2022.04.01	3	-"Substance" was added to "Terms and Definitions".
		Table 2-I-28	-"Applications" and "Examples of (regulated) substances" were revised to clearly indicate substances and the regulations applicable to them.
		Table 2-I-31	-"Article" was added as applications, and their Prohibition Level" and "Date of ban on delivery", "Control Value" was described. "CFR No" was added in the note.
		Table 2-I-34	-"Perfluorocarboxylic acids containing 9 to 14 carbon atoms in the chain (C9-C14 PFCAs), their salts and C9-C14 PFCA-related substances" was added.
15	2021.06.30	All pages	•The structure of articles and tables were reviewed.
		3	 "Homogeneous materials" was added under "Terms and Definitions". "Control content" was incorporated into "Control value". "CMR substances" and "Effective date of an applicable law or regulation" were deleted.
		4	• The structure of this section was reviewed. The contents of the section were revised so as to best reflect the changes made to the terms and the definitions.

Ver. 19 57/59

Table 2-I-1	• "Intentional inclusion prohibited" and "The
	following applications, other than *1 and *2" were deleted
	· "Less than 100 ppm" according to RoHS Directive
	was replaced with "100 ppm or less".
Table 2-I-2	· "Intentional inclusion prohibited" and "The
	following applications, other than *1, *2 and *3" were deleted
	• "Less than 1000 ppm" according to RoHS
	Directive was replaced with "1000 ppm or less".
Table 2-I-3	· "Intentional inclusion prohibited" and "The
	following applications, other than *1, *2 and *3" were deleted
	• "Less than 1000 ppm" according to RoHS
	Directive was replaced with "1000 ppm or less".
Table 2-I-4	· "Intentional inclusion prohibited" and "The
	following applications, other than *1, *2 and *3"
	were deleted
	· "Less than 1000 ppm" according to RoHS
	Directive was replaced with "1000 ppm or less".
Table 2-I-9	· "Intentional inclusion prohibited" and "The
	following applications, other than *1, *2 and *3" were deleted
	• "Less than 1000 ppm" according to RoHS
	Directive was replaced with "1000 ppm or less".
Table 2-I-10	· "Intentional inclusion prohibited" and "The
	following applications, other than *1, *2 and *3" were deleted
	• "Less than 1000ppm" according to RoHS Directive
	was replaced with "1000 ppm or less".
	· "US TSCA PBT Rules" was added to note *3, and
	*4 Exemption was also added to the table.
Table 2-I-17	• Pentachlorothiophenol (PCTP) was added.
Table 2-I-18	· Hexachlorobutadiene (HCBD) was added.
Table 2-I-21	• The substances in this substance group were reviewed.
Table 2-I-27	"Less than 1000 ppm" according to RoHS Directive
	was replaced with "1000 ppm or less".
Table 2-I-28	• "certain Long-Chain Perfluoroalkyl Carboxylates (LCPFAC)" was added.
	· Regarding PFOA, changes were made in response
	to the publication of Official Journals about "Class
	I Specified Chemical Substances designated by
	Japanese Chemical Substances Control Act." and
	"EU POPs regulation".
	• "Implantable medical devices*2, *5" was deleted
	from "Exemption".
	• Notes *6 and *7 were added.
Table 2-I-30	• "EU POPs regulation" was added to note *1.
Table 2-I-32	• Phenol, Isopropylated Phosphate (3:1) (PIP 3:1) was added.
Table 2-I-33	• 2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP) was
	added.

Ver. 19 58/59

		Table 3-II-2	• BPR substances was added to note *1.
			Explanation of the control value of surface coatings
			was added to note *2.
14	2020.05.01	4.1	Table 1 Environment-related Substances "II-2: Substances subject to the European Union's Medical Device Regulation (EU-MDR) or In Vitro Diagnostic Medical Device Regulation (EU-IVDR)" was added.
		4.2.3	Table 2-I-1 Cadmium and its compounds Table 2-I-2 Hexavalent chromium compounds Table 2-I-3 Lead and its compounds Table 2-I-4 Mercury and its compounds Table 2-I-9 Polybrominated biphenyl (PBBs) • The applications that had been classified according to the RoHS Directive categories were unified as "Electric and electronic equipment subject to RoHS Directive (2011/65/EU)" because the RoHS Directive entered into force in all the categories on its effective date. • "Electric and electronic equipment as provided by Article 2-2 of RoHS Directive (2011/65/EU)" was deleted to reflect the removal of Article 2-2 from the RoHS Directive.
			Table 2-I-10 Polybrominated diphenyl ethers (PBDEs) • The applications were divided into "PBDEs excluding DecaBDE" and "DecaBDE only" because while PBDEs are regulated by the EU POPs regulation, only DecaBDE is controlled by Japanese Chemical Substances Control Act.
			Table 2-I-14 Substance Group: Short-chained chlorinated paraffin (having the chain length of 10 - 13) • The control value is "Intentional inclusion prohibited", it is controlled by Japanese Chemical Substances Control Act.
			Table 4-I-24 Fluorinated Greenhouse Gases (PFC, SF6, HFC) • Regarding the control on these substances, "EC No.842/2006" was repealed with the revision of "(EU) No. 517/2014". Accordingly, Table 4-I-24 was updated with the addition of several substances.
			Table 2-I-26 Perfluorooctanoic acid (PFOA) and its salts and esters • Level 1: "Norwegian Product Regulations" was deleted because the same level of control can be guaranteed by complying with other applicable laws and regulations. • Level 2: The control by the REACH was replaced with the proposed control by the EU POPs regulation, which is set to be published.

Ver. 19 59/59

		4.2.4	Table 5-II-2
		4.2.4	"Substances subject to the European Union's Medical Device Regulation (EU-MDR) or In Vitro Diagnostic Medical Device Regulation (EU-IVDR)" was added.
		5	Perfluorooctanoic acid (PFOA) and its salts and esters
			· Some information in Table 2-I-26 was moved to Table 6-I-26 (where it is now provided as information on examples belonging to this
			substance group). •"JAMP-SN0102" and "JAMP-SN0103" were added as substances belonging to this substance group.
			Short-chained chlorinated paraffin (having the carbon chain length of 10 - 13) • Some information in Table 2-I-14 was moved to Table 6-I-14 (where it is now provided as information on examples belonging to this
			substance group). • To reflect regulatory information, some substances belonging to this substance group were added.
			Pentachlorophenol and its salts and esters • To reflect regulatory information, some substances belonging to this substance group were added.
			Table 6-I-2 Hexavalent chromium compounds • Copper chromite (CAS NO.12053-18-8) was deleted because it's a trivalent chromium.
13	2018.03.31	3	3. Terms and Definitions • "CMR substances" was added to explain the new prohibited substances.
			• "RoHS2 Directive" was replaced with "RoHS Directive (2011/65/EU)" to clearly indicate the applicable regulation.
		4.1	Table 1 Environment-related Substances In keeping with the new regulation, "I-29 Certain CMR substances" was added. A note was also added to the table, in order to clearly indicate the applications of "I-29 Certain CMR substances."
		4.2.3	Table 2-I ·With regard to cadmium, hexavalent chromium, lead, mercury, PBB, PBDE and phthalate esters, the timing of the application of RoHS Directive was incorporated. Accordingly, cadmium, hexavalent chromium, lead, mercury, PBB, PBDE are categorized as Level 1, and phthalate
			esters as Level 2. •With regard to cadmium, hexavalent chromium, lead, mercury, PBB, PBDE and phthalate esters, "RoHS2 Directive" was replaced with "RoHS Directive (2011/65/EU)" to clearly indicate the

Ver. 19 60/59

	T	1	
			applicable regulation.
			• In Europe, all the information contained in
			Annex B, except for "Date of ban on delivery," is
			public information. Therefore, regarding
			cadmium, hexavalent chromium, lead and
			mercury, "Annex B" was deleted from the
			"Exemption," and "Exclusions from RoHS
			Directive: 6 months prior to expiration" was
			added to "Date of ban on delivery."
			Table 2-I-2 (Hexavalent chromium compounds)
			·The timing of the application of the REACH
			regulation to Level-2 substances was
			incorporated, and the prohibition level was
			changed to Level 1.
			Table 2-I-25 (Phthalate esters)
			·Regarding "the restriction of plasticized material
			that includes DEHP, BBP, DBP and/or DIBP,"
			which are four substances newly added to Annex XVII to REACH (restriction), their effective
			dates of REACH regulation, dates of ban on
			delivery, applications and control values were
			added to the Level-2 boxes. Additional
			information was also provided in "Exemption"
			and "Note."
			• Table 2-I-29 (Certain CMR substances)
			This new table was created in keeping with the
			addition of "Certain CMR substances" to Annex
			XVII to REACH (restriction).
		5	"Table 6-I-29 Certain CMR substances" was added
			to provide examples of arsenic compounds among
			certain CMR substances.
			The sentence of "The table below does not cover all
			the substances in this substance group" was added
			to Tables 6-I-1 - 6-I-29 to clearly indicate that
			these examples are provided for illustrative
			purposes only.
12	2018.06.01	4.1	Table 1 (Environment-related Substances)
			• Table 1 I-28: "Benzenamine, N-phenyl-,
			Reaction Products with Styrene and 2,4,4-
			Trimethylpentene (BNST)" was deleted because
			these substances became exempt from the
			"Prohibition of Certain Toxic Substances
			Regulations, 2012" of Canada.
		4.2.3	Table 2-I
		1.2.0	·With regard to cadmium, hexavalent chromium,
			lead, mercury, PBB and PBDE, the timing of the
			application of RoHS2 Directive was incorporated.
			Table 2-I-2 (Hexavalent chromium compounds)
			· "Intentional inclusion prohibited" was deleted
			from the Control Value column for Level-1
			electric and electronic equipment subject to
			RoHS2 Directive.
			Regarding the four Level-2 substances that will
			become subject to applicable regulations on
			January 22, 2019 (Annex XIV to REACH), their
			control value was changed to "Intentional
	1	1	Common value was changed to intellibilial

Ver. 19 61/59

	1		1
			inclusion prohibited."
			Table 2-I-10 (PBDEs) "Annex XVII to REACH (restriction)" was added.
			Table 2-I-12 (PCTs)
			· "Intentional inclusion prohibited" was deleted
			from the Control Value column, and "mixture"
			was replaced with "mixture or finished product."
			Table 2-I-20 (PFOS and PFOS analogs)
			• The Exemption row was deleted to reflect the
			review of exemption from "Class I Specified Chemical Substances designated by Japanese
			Chemical Substances Control Act."
			Table 2-I-26 (PFOA and its salts and esters)
			·"Annex XVII to REACH (restriction)" was added.
			Table 2-I-28 (BNST) was deleted.
			Table 6-I-5 (Trisubstituted organotin compounds)
			·"JAMP-SN0024" was added in the CAS No. or JAMP-SN column.
			Table 6-I-6 (Dibutyltin compounds)
			·"JAMP·SN0072" was added in the CAS No. or
			JAMP-SN column.
			Table 6-I-7 (Dioctyltin compounds)
			·"JAMP-SN0073" was added in the CAS No. or
			JAMP-SN column. Table 6-I-10 (PBDEs)
			·In the Substance (Japanese) column, "PBDE 類"
			was spelled out as "ポリ臭化ジフェニルエーテル
			類" in keeping with the use of unabbreviated
			names for PBBs.
			Table 6-I-17 (Asbestos) "JAMP-SN0056" was added in the CAS No. or
			JAMP-SN column.
			Table 6-I-28 (BNST) was deleted because these
			substances became exempt from the "Prohibition of
			Certain Toxic Substances Regulations, 2012" of
	2015 04 01	4.0.0	Canada.
11	2017.04.01	4.2.3	Table 2-I: With regard to cadmium, hexavalent chromium, lead, mercury, PBB and PBDE,
			incorporated the timing of the application of
			RoHS2 Directive.
			Table 2-I-2 (Hexavalent chromium compounds):
			The prohibition level of nine hexavalent chromium
			compounds was changed from 2 to 1.
			Table 2-I-13 (Polychlorinated naphthalene): The
			information on "2 chlorine atoms" was integrated
			with that on "3 or more chlorine atoms".
10	2016.04.04	4.1	• The number of chlorine atoms of polychlorinated
			naphthalene was changed from 3 or more to 2 or
			more.
			· "and its salts and esters" was added to
			perfluorooctanoic acid (PFOA), which was also
			added to the relevant parts in other pages.
			• I-29: "Pentachlorophenol and its salts and
			esters" was added.

Ver. 19 62/59

	1		
		4.3	In Table 2-I-13 (Polychlorinated naphthalene), • The number of chlorine atoms of polychlorinated
			naphthalene was changed from 3 or more to 2 or
			more. In Table 2-I-14 (Short-chained chlorinated
			paraffin),
			• *1: (EC)No.850/2004 was added to EU POPs regulation
			• *2: Norwegian Product Regulations was deleted.
			• From the examples of substances listed in Table
			6-1-14, only chlorinated paraffins (short chain) (number of carbon from 10 to 13) was added.
			In Table 2-I-16 (hexabromocyclododecane),
			• EU POPs regulation (EC)No.850/2004 was added
			to Note *1.
			In Table 2-I-25 (Phthalate esters),
			• Categories" was deleted from the RoHS directive categories for level 2 applications.
			• In Note *3, TBT notification was replaced with.
			(EU)2015/863.
			In Table 2-I-18 (BNST),
			• Under Applications, description was changed to
			incorporate the exemption.
			• In the note, the name of regulation was changed
			to Canadian Prohibition of Certain Toxic
			Substances Regulations, 2012.
			Table 2-I-29 (Pentachlorophenol) was added.
			In Table 3-I-19 (Ozone depleting substances), • Under Chemical formula, chemical formula was
			added to a blank field.
			In Table 6-1-9 (PBBs),
			· Under Chemical formula, chemical formula was
			added to a blank field.
			In Table 6-I-14 (Short-chained chlorinated
			paraffin),
			• The examples of substances were removed and
9	2015.06.05	3	were incorporated into Table 2-I-14 as reference. Definition of terms: "preparation" was replaced
	2010.00.00	0	with "mixture".
		4.1	Table 1, I-28: "Benzenamine, N-phenyl-, Reaction
			Products with Styrene and 2,4,4-
		4.2.3	Trimethylpentene (BNST)" was added. Table 2-I: With regard to cadmium, hexavalent
		4.2.0	chromium, lead, mercury, PBB, and PBDE,
			incorporated the timing of the adoption of
			RoHS2 Directive.
			Table 2-I-2: The regulation on leather products
			was added to hexavalent chromium.
			Table 2-I-6: The exemptions for dibutyltin compounds were removed.
			Table 2-I-25, Phthalate esters: Removed the
	1		,

Ver. 19 63/59

			Danish regulation, and addressed the official publication that has added prohibited substances to RoHS2. Table 2-I-28: "Benzenamine, <i>N-phenyl-</i> , Reaction Products with Styrene and 2,4,4- Trimethylpentene (BNST)" was added. REACH Regulation: Added SVHC as examples to the corresponding substance tables, and reviewed descriptions.
8	2014.02.20	4.1	Table 1: "I-26 Perfluorooctanoic acid (PFOA)" and "I-27 Polycyclic aromatic hydrocarbon (PAH)" were added.
		4.2.3	"In some cases, business units set their own dates on ban on delivery that are different from the ones herein. These dates set by business units take precedence over the ones herein" was added. Table 2: "Intentional use prohibited" was replaced with "intentional inclusion prohibited" in each table. "If the Control Value column lists "intentional inclusion prohibited" and the control value, both of these requirements must be fulfilled" was also added. "Intentional use prohibited" was deleted from Table 2 for cadmium, lead, dioctyltin, nickel, and azo compounds. The denominators as the standard for the control values were defined. In Table 2-I-16, Level 1 was established in accordance with Japanese Chemical Substances Control Act., and applicable substances were added. In Table 2-I-24, the applications of PFC were defined.
		2, 6	Tables 2 and 6 were revised in accordance with the JAMP—AIS format.
7	2013.09.05	4.2.3	In Table 2-I-6, "Intentional use prohibited" was deleted. In Table 2-I-18, date of ban on delivery at Level 2
6	2013.05.17	2	 was corrected. • The code for RoHS2 was corrected: 2010/65/EU ⇒ 2011/65/EU • Substance names followed the spelling used by JAMP. • Regarding the control on phthalate esters in Demark, it was difficult to impose a ban on delivery six months before the deadline of December 2013. Therefore, a date three months before was set as the date of the ban on delivery. As for products subject to RoHS2, a date 12 months before was set as the date of ban on delivery, mainly because of the amount of inventory on the market.
5	2012.06.12	3	The explanations on the terms (a), (b) and (c) under (1) Environment-related substances were repeated in Section 4.2.1. For this reason, these explanations were deleted from the Terms and

Ver. 19 64/59

			Definitions section.
		3	(14) Intentionally added, (15) Impurities, (16)
		J	Preparation and (17) Article were added.
		4.1	Table 1 was reviewed and the following changes
		4.1	were made:
			(I) Prohibited substances
			TBTO was included into trisubstituted organotin
			compounds.
			Radioactive substances, acrylamide and musk
			xylene were deleted, and hexabromocyclododecane
			was added.
			(II) Controlled substances
			Antimony, arsenic, beryllium, bismuth, selenium,
			brominated flame retardants (except prohibited
			substances), perchlorates, phthalate esters (except
			prohibited substances) and PRTR substances were
			deleted.
		2.3	In Section 4.2.3, "Detailed information about the
			control of prohibited substances," a separate table
			was made for each prohibited substance group.
			"Intentionally added" was added to the control
			value column. Prohibited substances were
			reviewed and their substance groups were
		4.0.0	renumbered.
		4.2.3	"I-19 Ozone depleting substances" were extracted
			from the examples and separately presented as Table 3.
		4.2.3	In Table 3, because the CAS number for
		4.2.5	Tribromodifluoroethane, 128903-21-9, was an error
			in writing, it was replaced with "-".
		4.2.3	"I-24 Fluorinated greenhouse gasses (PFC, SF6,
		1.2.0	HFC)" were extracted from the examples and
			separately presented as Table 4.
		4.2.4	Section 4.2.4 on controlled substances was devoted
			to substances of very high concern in REACH
			(SVHC).
		5	Examples and principal uses were listed for each
			substance.
4	2011.07.22	All	• REACH Regulation Annex 16: Addressed 6
			substances added to "Approved Substances" and
			7 substances added to the "List of Candidate
			Substances for Approval".
			• REACH Regulation Annex 17: Addressed
			additions to "Limited Substances", and
			confirmed/revised exemptions.
			• Incorporated the latest information from JIG
			(Joint Industry Guidelines) Ver4.0 and JAMP.
			• Revised description to make it easier to
3	2011 02 04	9	understand. Corrected table errors.
٥	2011.03.04	2	Scope has been amended to "Olympus" and "These
			rules apply to domestic Olympus, OGZ, OSZ and OPI. Products manufactured and sold in other
			regions shall be subject to these rules" has been
			deleted.
			8 substances of Very High Concern have been

			added to Table 5 and Table 6.
2	2010.12.17	2	"Dibutyltin compounds (DBT), Dioctyltin compounds (DOT), Nickel, Dimethylfumarate (DMF), Fluorinated Greenhouse Gases (PFC, SF6, HFC), partial phthalate esters" have been added as "Prohibited substances". "Perchlorates" has been added as "Controlled substances". "Tributyltin (TBTs), Triphenyltin (TPTs)" has been amended to "Trisubstituted organotin compounds".
		All	"Products used for sales promotion" has been added in 2.1 Applicable items. Exclusions from RoHS Directive was revised under Commission Decision 2009/425/EC. Table 6: Examples of environment-related substances was revised by reference to JIG-101Ed3.1
Versi	December 2010: Revisions of REACH ANNEX 14 (candidate substances for approval) were accepted,		

ons befor

e 2

Revisions of REACH ANNEX 14 (candidate substances for approval) were accepted, "Hexabromocyclododecane (HBCDD)" and "Musk xylene" were newly added as "prohibited substances", and the prohibited usage and thresholds were reviewed for "Azo dyes and pigments (specific amines formed by degrading azo dies and pigments)" and "Phthalate esters".

Revisions of REACH ANNEX 17 (limited substances) were accepted, and "Acrylamide" was made a "prohibited substance".

August 2010:

Examples of environment-related substances in Table 6 were revised by reference to JIG-101Ed3.1. This revision included the addition of substances and name changes. October 2009:

"Formaldehyde" was classified as a "prohibited substance" according to the regulations of various countries as well as social needs.

June 2009:

Directive 76/769/EEC (on restrictions on the marketing and use of certain dangerous substances and preparations) was repealed with effect. Any amendment to the restrictions adopted under Directive 76/769/EEC from June 1, 2007 were incorporated in Annex XVII, EC 1907/2006. (Article 137, Article 139 of the REACH) October 2008:

Following the publication of 15 Substances of Very High Concern that were added to the candidate list, additional substances were classified as "controlled substances."

June 2008:

The 30th amendment directive (2006/122/EC) concerning Directive 76/769/EEC (PFOS and PFOS analogs) came into effect.

November 2007:

Specific benzotriazole was designated as a Class I designated chemical substance pursuant to a partial amendment of Japanese Chemical Substances Control Act. August 2007:

The Joint Industry Guidelines (JIG) came into force. Therefore, regarding the five substances that had been designated under the JGPSS, their designation was cancelled and deleted from the list of "prohibited substances." June 2007:

The REACH came into force.

Ver. 19 66/59